

Live Births, Stillbirths, Deaths,
Population, 1952

614.1
N87v
1952
pt. 2, c. 2

The Library
of the
University of North Carolina



Collection of North Caroliniana

This book was presented

by
The Board

C614.1

N87v

1952, pt. 2, c. 2

ANNUAL REPORT
OF THE
PUBLIC HEALTH
STATISTICS SECTION

PART 2
LIVE BIRTHS
STILLBIRTHS
DEATHS
POPULATION

1952

NORTH CAROLINA STATE BOARD OF HEALTH
EPIDEMIOLOGY DIVISION

ANNUAL REPORT
OF THE
PUBLIC HEALTH
STATISTICS SECTION

PART 2
LIVE BIRTHS
STILLBIRTHS
DEATHS
POPULATION

1952

NORTH CAROLINA STATE BOARD OF HEALTH

J. W. R. NORTON, M. D.
SECRETARY
AND STATE HEALTH OFFICER

C614,
2187✓
1952
p+2, c.2

CONTENTS

TABLE	PAGE
1. Estimated population by color: North Carolina, each county, and incorporated places having a population of 10,000 or more, July 1, 1952.....	11
2. Live births and deaths with crude rates per 1,000 population, also infant and maternal deaths with rates per 1,000 live births: North Carolina, 1914-1952	13
3. Live births by color with crude rates per 1,000 population, by person in attendance: North Carolina and each county, 1952.....	14
4. Live births by color with crude rates per 1,000 population, by person in attendance: each incorporated place having a population of 10,000 or more, 1952.....	18
5. Resident live births by color and sex, showing month of birth: North Carolina, 1952.....	20
6. Resident live births by color and age of mother, showing birth order: North Carolina, 1952	21
7. Resident cases of plural births classified by number of children born alive and stillborn, by color and sex: North Carolina, 1952.....	22
8. Resident live births and deaths filed in 1952 showing number received in time to be included in 1951 or 1952 annual reports: North Carolina and each county	23
9. Resident deaths (excluding stillbirths) from each cause by age, color, and sex with specific death rates per 1,000 estimated population: North Carolina, 1952.....	26
10. Deaths (excluding stillbirths) by color with crude rates per 1,000 population: North Carolina and each county, 1952.....	76
11. Deaths (excluding stillbirths) by color with crude rates per 1,000 population: each incorporated place having a population of 1,000 or more, 1952	79
12. Resident deaths (excluding stillbirths) by cause (abbreviated list of 52 causes), by color: North Carolina and each county, 1952.....	80
13. Resident deaths (excluding stillbirths) by cause (abbreviated list of 52 causes), by color: each incorporated place having a population of 10,000 or more, 1952.....	98
14. Deaths (excluding stillbirths) from selected causes: North Carolina, 1916-1952.....	104
15. Leading causes of resident deaths (excluding stillbirths) by age, color, and sex: North Carolina, four-year average, 1949-1952.....	108

CONTENTS—Continued

TABLE	PAGE
16. Motor vehicle and nonmotor vehicle accidental deaths by place of occurrence: North Carolina, each county and each incorporated place having a population of 10,000 or more, 1952.....	112
17. Accidental deaths by cause, color, and sex with crude rates per 100,000 estimated population: North Carolina, 1952.....	115
18. Resident infant deaths by cause and age: North Carolina, 1952.....	116
19. Resident infant and maternal deaths by color with rates per 1,000 live births: North Carolina and each county, 1952 and five-year average, 1948-1952	118
20. Resident live births, illegitimates, stillbirths, deaths, infant deaths, and maternal deaths by color (Indians included in "other") with number occurring in hospitals: North Carolina and each county, urban and rural, 1952..	122
21. Resident live births, illegitimates, stillbirths, deaths, infant deaths, and maternal deaths of Indians with number occurring in hospitals: North Carolina, each county, urban and rural, 1952.....	134
22. Resident live births and deaths (excluding stillbirths) by color and institution of occurrence: North Carolina and each county, 1952.....	135
23. Resident stillbirths by color and sex with rates per 1,000 live births: North Carolina and each county, 1952.....	140
24. Resident stillbirths by color and sex with rates per 1,000 live births: each incorporated place having a population of 10,000 or more, 1952....	143
25. Resident stillbirths by age of mother, color, and attendant with percentage distribution: North Carolina, 1952.....	144

LETTER OF TRANSMITTAL

Raleigh, North Carolina
October 8, 1953

The Honorable William B. Umstead
Governor of North Carolina
Raleigh, North Carolina

Dear Governor Umstead:

I have the honor of transmitting the report for the Public Health Statistics Section of the Epidemiology Division, State Board of Health, covering the calendar year 1952.

Respectfully submitted,

J. W. R. NORTON, M. D.
Secretary and State Health Officer

INTRODUCTION

The thirty-seventh annual report, Part II, of the Public Health Statistics Section, formerly known as the Bureau of Vital Statistics, presents tabular information regarding North Carolina's population, births, deaths, and stillbirths. The majority of the tabulations are by place of residence; selected tabulations, in whole or in part, are given by place of occurrence. Communicable disease morbidity data are shown in Part I of the annual report of the Section which is printed separately.

Reports have been published annually since 1914 with the exception of the years 1918 and 1919.

Certificates of births, deaths, and stillbirths occurring in 1952 that were filed in 1952 and the first three months of 1953 are included in this report. It is estimated that vital events occurring in 1952 but reported after the first three months of 1953 will comprise less than two per cent of the total 1952 events. There are strong indications that registration in the state has been improving in recent years. The certificates are more complete and accurate and on the average have been filed more promptly.

Again in 1952 a tabulation was made of all birth and death certificates filed in 1952 by year of occurrence (see 1950 or 1951 annual report for explanation of interpretation). This was done in an effort to determine the per cent of certificates filed in time to be included in an annual report as compared with those filed too late to be included. The results of this study are shown in Table 8 of this report. This tabulation was prepared by county of residence in order to make available a correction factor that could be used by each county to more accurately calculate the natality and mortality rates.

Natality

In 1952 there were 111,000 live births occurring to mothers who were residents of the state. All births were allocated to the place of residence of the mother regardless of the place of birth or the length of residence. Births occurring in hospitals, sanatoria, and all other institutions, were allocated to the place where the mother lived. Births occurring on military bases to military

personnel were allocated according to the residence shown on the certificate. The crude birth rate was 26.6 births per 1,000 population. There were 73,972 white births and 37,028 nonwhite births. For the seventh consecutive year, over 100,000 births were recorded.

This state defines a stillbirth as a fetus showing no evidence of life after complete birth if the twentieth week of gestation has been reached. There were 2,499 resident stillbirths reported resulting in a rate of 22.5 stillbirths per 1,000 live births. If stillbirths were considered as a single cause of death, they would rank fourth between cancer and influenza and pneumonia as a leading cause of death.

Premature Births

In order to achieve uniformity in the classification of premature infants in need of special care, and comparability of statistical data in hospitals and in studies of such infants, the definition of the American Academy of Pediatrics has been adopted; that is, a premature infant weighing 2500 grams or less at birth regardless of the period of gestation.

In 1952, there were 9,577 resident premature live births reported among 111,000 live births. Birth weight was reported on all but 570 certificates filed in 1952. Consequently, at least 8.7 per cent of the newborn babies weighed less than 5 pounds and 9 ounces at birth. The number of premature infants by birth weight and age of mother are shown below:

RESIDENT PREMATURE LIVE BIRTHS BY COLOR AND WEIGHT:
NORTH CAROLINA, 1952

Weight Groups (500 gram intervals)	Total	White	Other
Total	9,577	5,788	3,789
500 grams or less.....	54	29	25
501 grams—1000 grams.....	452	282	170
1001 grams—1500 grams.....	857	510	347
1501 grams—2000 grams.....	1,781	1,071	710
2001 grams—2500 grams.....	6,433	3,896	2,537

RESIDENT PREMATURE LIVE BIRTHS BY WEIGHT AND AGE OF MOTHER:
NORTH CAROLINA, 1952

Age of Mother	Total	Weight Groups*				
		1	2	3	4	5
Total	9,577	54	452	857	1,781	6,433
Under 15 years.....	68		9	9	6	44
15-19 years.....	2,021	13	71	196	362	1,379
20-24 years.....	3,051	11	128	264	543	2,105
25-29 years.....	2,095	15	115	173	404	1,388
30-34 years.....	1,346	8	72	121	250	895
35-39 years.....	759	7	46	73	161	472
40-44 years.....	208		10	16	50	132
45-49 years.....	11			2	1	8
50 and over.....						
Not stated.....	18		1	3	4	10

*Weight groups: 1. 500 grams or less; 2. 501 grams—1000 grams; 3. 1001 grams—1500 grams; 4. 1501 grams—2000 grams; 5. 2001 grams—2500 grams.

Mortality

There were 32,095 resident deaths recorded in 1952. The crude death rate was 7.7 deaths per 1,000 estimated population. Deaths were allocated to the place where the deceased resided unless the place of death item indicated that the deceased had been in the place of death for one year or more. In such cases they were allocated to the place of death, unless the death occurred in an institution. If this was the case, they were allocated to the place of residence, regardless of the length of stay in the institution.

Diseases of the heart, as they have been for the past 32 years, were responsible for more deaths than any other cause, accounting for approximately one-third of all deaths for the year.

All mortality statistics shown by cause in this report are classified according to the Sixth Decennial Revision of the International Lists of Diseases and Causes of Death. This is the fourth year that this revised statistical code has been applied to the causes of death; therefore, some attention must be given to the effects of the revision on certain causes of death before comparison with previous years can be made accurately.

The most important feature of this revised classification procedure is the emphasis that is placed on the underlying cause of death, as determined by the attending physician. The physician's statement is used as the determining factor when two or more

causes of death are entered. Approximately 75 per cent of the death certificates have two or more causes entered in the medical certification section. For the decade, 1939-1948, the selection of the cause of death for tabulation was made according to joint-cause rules which established priority of cause based on certain factors rather than on the physician's opinion.

In Table 14, regarding deaths from selected causes, 1916-1952, it is necessary to take into consideration the effect of the revision of the International List and of the joint-cause of death coding procedure. A comparability ratio may be obtained upon request. This ratio is calculated from the approximate change that has taken place due to coding revisions between the periods, 1949-1952 and prior years, 1939-1948. This ratio was obtained by classifying deaths according to the Fifth Revision of the International Code as well as by the Sixth Revision and then basing the ratio on the changes derived.

Hospital Data

All tables in this report which reflect events occurring in hospitals are based on the general and allied hospital definition of the North Carolina Medical Care Commission. A hospital is defined as a place where two or more nonrelated individuals reside 24 hours or more on the premises and receive medical care over and above any domiciliary care.

Infant and Maternal Mortality

There were 3,929 infant deaths and 113 maternal deaths reported. The resultant infant and maternal deaths per 1,000 live births were 35.4 and 1.0 respectively. The maternal mortality rate was the lowest on record. The actual number of maternal deaths represent a new low dating back to 1914.

In 1918, there was an all-time high rate of 101.8 infant deaths per 1,000 live births. The infant mortality rate was almost three times as high thirty-four years ago as it was in 1952 while the maternal rate was ten times as high at that time.

Rates

All rates shown in this report are crude rates unless otherwise specified. Such rates have not been adjusted for differences in the age, sex, color, rural or urban distribution of the population, or for under-registration or late reporting. Such factors should be kept in mind when comparing two different areas or time periods.

TABLE 1.—ESTIMATED POPULATION BY COLOR: NORTH CAROLINA, EACH COUNTY, AND INCORPORATED PLACES HAVING A POPULATION OF 10,000 OR MORE, JULY 1, 1952

Area	Population			Area	Population		
	Total	White	Other		Total	White	Other
NORTH CAROLINA.....	4,172,249	3,076,606	1,095,643				
Alamance.....	74,323	60,560	13,763	Durham.....	106,452	71,440	35,012
Burlington.....	27,341	23,999	3,342	Durham.....	73,813	47,069	26,744
Alexander.....	14,801	13,748	1,053	Edgecombe*.....	52,190	25,342	26,848
Alleghany.....	8,112	7,854	258	Rocky Mount**.....	28,176	17,366	10,810
Anson.....	26,409	13,606	12,803	Forsyth.....	150,558	109,053	41,505
Ashe.....	21,700	21,466	234	Winston-Salem.....	89,611	52,685	36,926
Avery.....	13,305	13,114	191	Franklin.....	31,557	16,977	14,580
Beaufort.....	37,291	23,412	13,879	Gaston.....	116,078	100,677	15,401
Bertie.....	26,493	10,471	16,022	Gastonia.....	23,465	18,555	4,910
Bladen.....	30,277	17,810	12,467	Gates.....	9,444	4,406	5,038
Brunswick.....	19,713	12,402	7,311	Graham.....	6,992	6,760	232
Buncombe.....	127,924	112,845	15,079	Granville.....	32,344	17,524	14,820
Asheville.....	53,380	41,135	12,245	Greene.....	17,909	9,447	8,462
Burke.....	47,070	43,617	3,453	Guilford.....	199,414	160,936	38,478
Cabarrus.....	64,771	55,021	9,750	Greensboro.....	77,780	58,011	19,769
Concord.....	16,691	13,511	3,180	High Point.....	40,306	31,942	8,364
Caldwell.....	45,053	41,982	3,071	Halifax.....	58,795	25,556	33,239
Camden.....	5,175	3,203	1,972	Harnett.....	48,363	35,809	12,554
Carteret.....	24,132	21,178	2,954	Haywood.....	38,268	37,451	817
Caswell.....	21,059	10,947	10,112	Henderson.....	32,017	29,962	2,055
Catawba.....	64,075	58,380	5,695	Hertford.....	21,926	8,746	13,180
Hickory.....	15,041	12,861	2,180	Hoke.....	15,940	6,317	9,623
Chatham.....	25,543	17,350	8,193	Hyde.....	6,169	3,549	2,620
Cherokee.....	18,177	17,838	339	Iredell.....	57,626	47,533	10,093
Chowan.....	12,758	7,282	5,476	Statesville.....	18,130	14,200	3,930
Clay.....	5,916	5,852	64	Jackson.....	19,241	17,758	1,483
Cleveland.....	65,774	51,427	14,347	Johnston.....	66,381	51,869	14,512
Shelby.....	15,839	12,592	3,247	Jones.....	11,022	5,984	5,038
Columbus.....	51,737	34,002	17,735	Lee.....	24,597	18,302	6,295
Craven.....	52,767	36,535	16,232	Sanford.....	11,149	8,580	2,569
New Bern.....	16,712	9,751	6,961	Lenoir.....	47,019	26,746	20,273
Cumberland.....	104,263	75,936	28,327	Kinston.....	19,000	10,398	8,602
Fayetteville.....	38,605	24,264	14,341	Lincoln.....	28,195	24,673	3,522
Currituck.....	6,086	4,185	1,901	McDowell.....	26,332	24,979	1,353
Dare.....	5,261	4,902	359	Macon.....	16,239	15,903	336
Davidson.....	64,240	57,732	6,508	Madison.....	20,072	19,886	186
Lexington.....	14,251	12,099	2,152	Martin.....	28,350	13,955	14,395
Thomasville.....	11,179	9,188	1,991	Mecklenburg.....	207,230	155,757	51,473
Davie.....	15,535	13,388	2,147	Charlotte.....	141,499	102,620	38,879
Duplin.....	41,373	25,962	15,411	Mitchell.....	14,954	14,910	44

*Includes Rocky Mount, Edgecombe.

**Combined for Edgecombe and Nash.

TABLE 1—Continued

Area	Population			Area	Population		
	Total	White	Other		Total	White	Other
Montgomery.....	17,480	13,475	4,005	Rutherford.....	46,531	40,952	5,579
Moore.....	33,615	24,816	8,799	Sampson.....	50,306	31,697	18,609
Nash*.....	60,889	34,991	25,898	Scotland.....	27,034	14,401	12,633
Rocky Mount**.....	28,176	17,366	10,810	Stanly.....	38,097	33,793	4,304
New Hanover.....	66,724	46,258	20,466	Albemarle.....	13,540	12,038	1,502
Wilmington.....	47,662	30,937	16,725	Stokes.....	21,263	19,413	1,850
Northampton.....	28,461	10,051	18,410	Surry.....	46,450	43,825	2,625
Onslow.....	47,472	40,380	7,092	Swain.....	9,412	7,862	1,550
Orange.....	36,991	27,999	8,992	Transylvania.....	15,858	15,126	732
Pamlico.....	10,058	6,584	3,474	Tyrrell.....	4,933	2,827	2,106
Pasquotank.....	25,198	15,780	9,418	Union.....	42,696	33,146	9,550
Elizabeth City.....	12,937	8,800	4,137	Monroe.....	10,966	7,934	3,032
Pender.....	18,583	9,530	9,053	Vance.....	32,582	17,824	14,758
Perquimans.....	9,562	5,007	4,555	Henderson.....	11,750	6,501	5,249
Person.....	24,210	15,502	8,708	Wake.....	142,502	101,740	40,762
Pitt.....	64,361	34,750	29,611	Raleigh.....	69,905	51,486	18,419
Greenville.....	17,635	10,678	6,957	Warren.....	23,627	7,870	15,757
Polk.....	11,571	10,093	1,478	Washington.....	13,373	7,555	5,818
Randolph.....	52,210	47,909	4,301	Watauga.....	18,394	18,196	198
Richmond.....	40,225	28,189	12,036	Wayne.....	65,604	38,070	27,534
Robeson.....	90,224	38,127	52,097	Goldsboro.....	22,395	12,353	10,042
Rockingham.....	66,373	53,146	13,227	Wilkes.....	45,747	43,048	2,699
Reidsville.....	12,005	7,847	4,158	Wilson.....	55,471	33,207	22,264
Rowan.....	76,805	63,955	12,850	Wilson.....	23,861	14,055	9,806
Salisbury.....	20,343	15,303	5,040	Yadkin.....	22,466	21,384	1,082
				Yancey.....	16,104	15,914	190

*Includes Rocky Mount, Nash.

**Combined for Nash and Edgecombe.

TABLE 2.—LIVE BIRTHS AND DEATHS WITH CRUDE RATES PER 1,000 POPULATION, ALSO INFANT AND MATERNAL DEATHS WITH RATES PER 1,000 LIVE BIRTHS: NORTH CAROLINA, 1914-1952*

Year	Population	Live births		Deaths		Infant deaths		Maternal deaths	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate
1914.....	2,421,191	71,931a	29.7	29,044	12.0	6,497	90.3	524	7.3
1915.....	2,472,635	79,409a	32.1	31,324	12.7	6,808	85.7	486	6.1
1916.....	2,513,146	76,658	30.5	31,389	12.5	7,112	92.8	593	7.1
1917.....	2,546,323	76,290	30.0	33,969	13.3	7,601	99.6	629	8.2
1918.....	2,521,891	75,525	29.9	42,274	16.8	7,686	101.8	815	10.8
1919.....	2,534,828	73,854	29.1	30,947	12.2	6,223	84.3	684	9.3
1920.....	2,587,536	81,407	31.5	32,654	12.6	6,909	84.9	814	10.0
1921.....	2,650,711	88,466	33.4	29,454	11.1	6,633	75.0	650	7.3
1922.....	2,699,923	81,871	30.3	30,821	11.4	6,510	79.5	651	8.0
1923.....	2,761,364	84,158	30.5	32,142	11.6	6,813	81.0	670	8.0
1924.....	2,830,151	87,540	30.9	33,238	11.7	7,208	82.3	678	7.7
1925.....	2,894,514	83,716	28.9	32,548	11.2	6,595	78.8	725	8.7
1926.....	2,959,392	82,202	27.8	34,562	11.7	6,769	82.3	726	8.8
1927.....	3,027,006	83,330	27.5	32,917	10.9	6,588	79.1	547	6.6
1928.....	3,082,380	80,893	26.2	36,160	11.7	6,935	85.7	635	7.8
1929.....	3,133,082	77,161	24.6	36,919	11.8	6,106	79.1	651	8.4
1930.....	3,171,108	76,772	24.2	35,782	11.3	6,037	78.6	639	8.3
1931.....	3,206,641	74,799	23.3	33,116	10.3	5,455	72.9	596	8.0
1932.....	3,264,916	77,902	23.9	31,051	9.5	5,183	66.5	529	6.8
1933.....	3,318,377	75,422	22.7	30,547	9.2	4,977	66.0	514	6.8
1934.....	3,359,276	79,704	23.7	35,180	10.5	6,212	77.9	569	7.1
1935.....	3,380,227	78,753	23.3	33,485	9.9	5,422	68.8	511	6.5
1936.....	3,400,525	76,182	22.4	35,630	10.5	5,247	68.9	502	6.6
1937.....	3,432,099	79,080	23.0	33,981	9.9	5,180	65.5	429	5.4
1938.....	3,475,530	79,934	23.0	33,599	9.7	5,487	68.6	421	5.3
1939.....	3,531,938	79,133b	22.4	31,652b	9.0	4,676b	59.1	371b	4.7
1940.....	3,571,623	80,455	22.5	31,904	8.9	4,631	57.6	412	5.1
1941.....	3,670,017	84,595	23.1	31,752	8.7	5,053	59.7	336	4.0
1942.....	3,665,373	89,854	24.5	29,414	8.0	4,342	48.3	307	3.4
1943.....	3,683,037	94,568	25.7	29,971	8.1	4,416	46.7	306	3.2
1944.....	3,594,865	90,629	25.2	29,390	8.2	4,115	45.4	266	2.9
1945.....	3,514,297	87,401	24.9	28,897	8.2	3,782	43.3	248	2.8
1946.....	3,640,645	100,679	27.7	28,724	7.9	3,742	37.2	203	2.0
1947.....	3,718,000	112,877	30.4	30,187	8.1	3,938	34.9	192	1.7
1948.....	3,798,000	109,430	28.8	30,161	7.9	3,837	35.3	206	1.9
1949.....	4,003,775	107,970	27.0	31,009	7.7	4,113	38.1	127	1.2
1950.....	4,061,929	106,486	26.2	31,130	7.7	3,674	34.5	126	1.2
1951.....	4,123,218	110,412	26.8	31,140	7.6	3,620	32.8	118	1.1
1952.....	4,172,249	111,000	26.6	32,095	7.7	3,929	35.4	113	1.0

*All population estimates by U. S. Census Bureau except 1951 and 1952 which were estimated by PHSS. Census years 1920, 1930, 1940, 1950 not estimated. Number births and deaths revised in accordance with national reports published 1917-1950 for births, and 1916-1950 for deaths.

a Stillbirths included in births 1914, 1915.

b Births, deaths, infant deaths, and maternal deaths by place of residence, 1939-1952; previous years by occurrence.

TABLE 3.—LIVE BIRTHS BY COLOR WITH CRUDE RATES PER 1,000 POPULATION, BY PERSON IN ATTENDANCE: NORTH CAROLINA AND EACH COUNTY, 1952

Area	Place of birth			Place of residence													
	Total	White	Other	Total		White		Other		Attended by:							
				No.	Rate	No.	Rate	No.	Rate	Physician		Midwife		Other or not stated			
										In hospital	Not in hospital	White	Other	White	Other	White	Other
NORTH CAROLINA	112,199	75,243	36,956	111,000	26.6	73,972	24.0	37,028	33.8	69,292	17,879	3,792	7,875	11,238	29	36	
Alamance	2,105	1,609	496	1,993	26.8	1,562	25.8	431	31.3	1,513	194	49	232	5			
Alexander	177	145	32	328	22.2	294	21.4	34	32.3	290	29	2	5	1	1		
Alleghany	161	154	7	149	18.4	143	18.2	6	23.3	109	1	34	5				
Anson	733	295	438	728	27.6	293	21.5	435	34.0	267	87	17	63	9	285		
Ashe	527	521	6	499	23.0	493	23.0	6	25.6	411	5	59	1	18	5		
Avery	412	408	4	334	25.1	330	25.2	4	20.9	302	2	9	1	19	1		
Beaufort	1,295	733	562	971	26.0	491	21.0	480	34.6	469	201	13	17	9	262		
Bertie	658	165	493	793	29.9	239	22.8	554	34.6	228	213	10	111	1	229	1	
Bladen	617	226	391	926	30.6	461	25.9	465	37.3	369	182	80	127	12	156		
Brunswick	368	169	199	514	26.1	263	21.2	251	34.3	238	83	2	5	23	163		
Buncombe	2,926	2,604	322	2,742	21.4	2,416	21.4	326	21.6	2,356	221	47	13	11	91	2	
Burke	925	825	100	1,026	21.8	925	21.2	101	29.2	876	97	11	2	38	2	1	
Cabarrus	1,581	1,295	286	1,533	23.7	1,232	22.4	301	30.9	1,221	260	7	13	4	25	3	
Caldwell	1,008	912	96	1,159	25.7	1,060	25.2	99	32.2	961	80	88	9	11	10		
Camden	52	4	48	114	22.0	56	17.5	58	29.4	50	6	4	11	2	41		
Carteret	614	500	114	735	30.5	626	29.6	109	36.9	617	62	6	4	3	43		
Caswell	304	35	269	563	26.7	200	18.3	363	35.9	165	93	31	104	4	166		
Catawba	1,833	1,628	205	1,632	25.8	1,445	24.8	207	36.3	1,418	161	6	8	20	38	1	
Chatham	720	413	307	728	28.5	434	25.0	294	35.9	412	235	20	40	2	19		
Cherokee	491	483	8	399	22.0	392	22.0	7	20.6	349	6	9		33	1	1	

Chowan.....	413	200	213	364	28.5	165	22.7	199	36.3	147	76	16	61	62	2
Clay.....	45	45		105	17.7	103	17.6	2	31.3	60	2	19			
Cleveland.....	1,997	1,445	552	1,715	26.1	1,190	23.1	525	36.6	1,097	256	85	104	165	
Columbus.....	1,196	641	555	1,537	29.7	895	26.3	642	36.2	795	280	28	32	330	
Craven.....	1,786	1,231	555	1,733	32.8	1,157	31.7	576	35.5	1,147	207	10	34	335	
Cumberland.....	4,397	3,267	1,130	4,187	40.2	3,079	40.5	1,108	39.1	3,008	527	47	107	473	1
Currituck.....	133	59	74	144	23.7	76	18.2	68	35.8	65	8	7	27	4	33
Dare.....	41	34	7	102	19.4	94	19.2	8	22.3	87	1	3		7	
Davidson.....	1,440	1,240	200	1,652	25.7	1,431	24.8	221	34.0	1,406	180	24	31	10	
Davie.....	66	36	30	401	25.8	326	24.4	75	34.9	290	45	36	22	8	
Duplin.....	570	182	388	1,157	28.0	641	24.7	516	33.5	503	170	135	235	111	1
Durham.....	3,384	2,147	1,237	2,469	23.2	1,492	20.9	977	27.9	1,486	921	6	21	34	
Edgecombe.....	1,592	559	1,033	1,636	31.3	623	24.6	1,013	37.7	588	201	27	351	461	1
Forsyth.....	4,568	3,430	1,138	3,752	24.9	2,062	24.4	1,090	26.3	2,634	993	26	93	4	
Franklin.....	662	203	459	813	25.8	324	19.1	489	33.5	315	210	6	61	217	1
Gaston.....	2,193	1,925	268	2,913	25.1	2,602	25.8	311	20.2	2,479	190	121	61	60	
Gates.....	151	27	124	203	21.5	62	14.1	141	28.0	58	39	4	22	80	
Graham.....	137	135	2	162	23.2	157	23.2	5	21.6	152	3	1			1
Granville.....	896	373	523	812	25.1	322	18.4	490	33.1	301	301	21	158	31	
Greene.....	361	80	281	568	31.7	229	24.2	339	40.1	147	55	81	273	11	
Guilford.....	5,372	4,200	1,172	5,188	26.0	3,994	24.8	1,194	31.0	3,950	1,013	40	85	95	1
Halifax.....	1,900	573	1,327	1,812	30.8	546	21.4	1,266	38.1	518	186	20	182	8	1
Harnett.....	1,495	1,041	454	1,309	27.1	868	24.2	441	35.1	831	241	35	83	1	
Haywood.....	808	796	12	776	20.3	763	20.4	13	15.9	751	12	6	1	6	
Henderson.....	774	705	69	732	22.9	671	22.4	61	29.7	636	44	33	17	2	
Hertford.....	769	279	490	598	27.3	161	18.4	437	33.2	133	149	28	248	40	
Hoke.....	350	56	294	503	31.6	172	27.2	331	34.4	116	42	56	120	169	
Hyde.....	54	1	53	153	24.8	65	18.3	88	33.6	63	35	2	1	52	
Iredell.....	2,112	1,660	452	1,496	26.0	1,137	23.9	359	35.6	1,124	274	11	41	2	
Jackson.....	279	295	11	387	20.1	338	19.0	49	33.0	254	42	64	3	1	3

TABLE 3—Continued

Area	Place of birth			Place of residence										Attended by:				Other or not stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	Total	White	Other	Total		White		Other		Physician										Midwife																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				No.	Rate	No.	Rate	No.	Rate	In hospital		Not in hospital		White	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
										White	Other	White	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									</

Pender.....	447	174	273	508	27.3	207	21.7	301	33.2	194	110	9	11	4	180	-----
Perquimans.....	127	6	121	237	24.8	104	20.8	133	29.2	99	11	4	11	1	111	-----
Person.....	753	428	325	773	31.9	434	28.0	339	38.9	396	222	31	67	7	50	-----
Pitt.....	1,965	772	1,193	2,027	31.5	893	25.7	1,134	38.3	775	446	115	411	3	276	1
Polk.....	204	161	43	218	18.8	177	17.5	41	27.7	161	23	16	10	-----	8	-----
Randolph.....	1,063	943	120	1,277	24.5	1,143	23.9	134	31.2	1,113	109	25	11	5	14	-----
Richmond.....	1,000	628	372	1,156	28.7	722	25.6	434	36.1	668	146	50	7	4	218	-----
Robeson.....	2,754	1,063	1,691	3,097	34.3	1,044	27.4	2,053	39.4	929	1,008	100	525	15	519	1
Rockingham.....	1,851	1,355	496	1,691	25.5	1,279	24.1	412	31.1	1,165	209	107	160	7	43	-----
Rowan.....	1,598	1,249	349	1,694	22.1	1,373	21.5	321	25.0	1,353	232	18	47	2	42	-----
Rutherford.....	934	753	181	1,030	22.1	843	20.6	187	33.5	653	48	185	82	5	56	1
Sampson.....	1,301	652	649	1,422	28.3	741	23.4	681	36.6	671	127	63	360	7	193	1
Scotland.....	1,220	423	797	846	31.3	366	25.4	480	38.0	322	188	26	87	18	204	1
Stanly.....	855	724	131	891	23.4	762	22.5	129	30.0	746	100	16	20	-----	9	-----
Stokes.....	175	127	48	516	24.3	443	22.8	73	39.5	314	25	127	31	2	17	-----
Surry.....	1,412	1,319	93	1,214	26.1	1,138	26.0	76	29.0	981	42	141	22	15	12	1
Swain.....	333	235	98	258	27.4	202	25.7	56	36.1	113	47	78	4	11	-----	5
Sylvania.....	365	338	27	374	23.6	347	22.9	27	36.9	278	12	68	14	1	1	-----
Tyrrell.....	200	117	83	116	23.5	50	17.7	66	31.3	47	34	2	1	1	31	-----
Union.....	1,254	894	360	1,102	25.8	749	22.6	353	37.0	716	96	32	167	1	90	-----
Vance.....	1,118	550	568	1,024	31.4	471	26.4	553	37.5	465	233	6	23	-----	297	-----
Wake.....	3,759	2,495	1,264	3,617	25.4	2,340	23.0	1,277	31.3	2,246	635	86	342	8	298	2
Warren.....	652	158	494	713	30.2	190	24.1	523	33.2	183	106	4	16	3	401	-----
Washington.....	362	135	227	414	31.0	198	26.2	216	37.1	163	92	2	14	3	110	-----
Watauga.....	425	415	10	414	22.5	405	22.3	9	45.5	400	8	2	-----	3	-----	1
Wayne.....	2,025	1,093	932	1,730	26.4	898	23.6	832	30.2	792	355	99	282	7	165	-----
Wilkes.....	845	790	55	1,094	23.9	1,035	24.0	59	21.9	835	19	94	14	106	26	-----
Wilson.....	1,980	1,082	898	1,632	26.4	795	23.9	837	37.6	727	323	66	272	2	242	-----
Yadkin.....	98	87	11	480	21.4	449	21.0	31	28.7	440	28	9	1	-----	2	-----
Yancey.....	203	198	5	326	20.2	321	20.2	5	26.3	258	5	26	-----	37	-----	-----

TABLE 4.—LIVE BIRTHS BY COLOR WITH CRUDE RATES PER 1,000 POPULATION, BY PERSON IN ATTENDANCE: EACH INCORPORATED PLACE HAVING A POPULATION OF 10,000 OR MORE, 1952

Area	Place of birth			Place of residence													
	Total	White	Other	Total		White		Other		Attended by:							
				No.	Rate	No.	Rate	No.	Rate	Physician		Midwife		Other or not stated			
										In hospital		Not in hospital			White	Other	
										White	Other	White	Other				
White	Other	White	Other	White	Other	White	Other										
TOTAL	51,347	39,053	12,294	28,063	28.2	19,260	27.6	8,803	29.7	19,125	6,390	102	861	28	1,545	5	7
Albemarle	826	719	107	261	19.3	228	18.9	33	22.0	225	32	3	1				
Asheville	2,799	2,493	306	1,246	23.3	955	23.2	291	23.8	950	202	1	7	3	82	1	
Burlington	504	442	62	693	25.3	598	24.9	95	28.4	593	33	5	62				
Charlotte	6,398	4,831	1,567	4,140	29.3	2,808	27.4	1,332	34.3	2,798	1,153	6	48	1	128	3	3
Concord	1,546	1,284	262	452	27.1	354	26.2	98	30.8	354	83		6		9		
Durham	3,348	2,143	1,205	1,642	22.2	920	19.5	722	27.0	918	698	2	7		16		1
Elizabeth City	641	465	176	428	33.1	287	32.6	141	34.1	283	52	3	4	1	85		
Fayetteville	1,669	1,129	540	1,918	49.7	1,368	56.4	550	38.4	1,346	305	14	57	8	187		1
Gastonia	1,976	1,821	155	937	39.9	862	46.5	75	15.3	846	69	16	4		2		
Goldboro	989	636	353	643	28.7	338	27.4	305	30.4	328	112	9	80	1	113		
Greensboro	3,510	2,715	795	2,397	30.8	1,789	30.8	698	30.8	1,781	562	7	1		45	1	
Greenville	331	93	238	478	27.1	266	24.9	212	30.5	260	108	6	17		86		1
Henderson	886	547	339	438	37.3	245	37.7	193	36.8	243	100	2	3		90		
Hickory	1,166	1,052	114	495	32.9	401	31.2	94	43.1	400	80		6	1	8		
High Point	1,754	1,455	299	1,067	26.5	798	25.0	269	32.2	795	212	2	38	1	19		

Kinston.....	1,643	1,157	486	608	32.0	325	31.3	283	32.9	319	82	2	36	4	165	-----
Lexington.....	900	775	125	447	31.4	356	29.4	91	42.3	354	76	2	15	-----	-----	-----
Monroe.....	1,008	864	144	238	21.7	173	21.8	65	21.4	170	21	3	43	-----	1	-----
New Bern.....	840	544	206	529	31.7	321	32.9	208	29.9	321	67	-----	1	-----	140	-----
Raleigh.....	3,042	2,322	720	1,477	21.1	1,022	19.9	455	24.7	1,018	338	4	17	-----	100	-----
Reidsville.....	994	738	256	309	25.7	205	26.1	104	25.0	201	57	-----	44	4	3	-----
Rocky Mount.....	1,534	1,129	405	733	26.0	463	26.7	270	25.0	461	83	2	168	-----	19	-----
Salisbury.....	1,521	1,231	290	459	22.6	342	22.3	117	23.2	342	88	-----	20	-----	9	-----
Sauford.....	991	680	311	351	31.5	245	28.6	106	41.3	245	85	-----	3	-----	18	-----
Shelby.....	1,079	834	245	426	26.9	316	25.1	110	33.9	312	80	3	2	1	28	-----
Statesville.....	1,154	980	174	443	24.4	348	24.5	95	24.2	343	73	4	11	1	11	-----
Thomasville.....	394	331	63	284	25.4	220	23.9	64	32.1	220	45	-----	11	-----	8	-----
Wilmington.....	2,006	1,286	720	1,212	25.4	722	23.3	490	29.3	720	471	2	10	-----	8	1
Wilson.....	1,455	969	486	710	29.8	371	26.4	339	34.6	367	123	2	52	2	164	-----
Winston-Salem.....	4,443	3,388	1,055	2,602	29.0	1,614	30.6	988	26.8	1,612	900	2	87	-----	1	-----

TABLE 6.—RESIDENT LIVE BIRTHS BY COLOR AND AGE OF MOTHER, SHOWING BIRTH ORDER¹: NORTH CAROLINA, 1952

Color and age of mother	Birth order																							Not stated
	Total	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th	14th	15th	16th	17th	18th	19th	20th	21st	22nd	
NORTH CAROLINA.....	111,000	31,901	27,771	18,362	11,143	6,747	4,467	3,182	2,253	1,516	1,127	788	534	269	177	79	42	19	13	9	2	1	1	597
White total.....	73,972	24,288	20,996	12,646	6,606	3,399	1,948	1,289	935	556	386	229	183	82	46	24	8	3	2	1				345
10-14 years.....	61	59	2																					
15-19 years.....	11,334	8,448	2,337	417	46	5		1																80
20-24 years.....	24,307	9,893	8,433	3,844	1,431	419	99	27	13		1													147
25-29 years.....	19,366	4,036	6,360	4,382	2,373	1,196	551	254	105	30	8	1	4	1										65
30-34 years.....	11,584	1,325	2,844	2,743	1,754	1,070	722	478	306	174	75	34	22	3	3					1				31
35-39 years.....	5,568	431	837	1,052	813	558	455	388	361	245	200	98	63	34	13	6								13
40-44 years.....	1,553	68	159	187	172	145	109	123	135	98	87	88	84	41	28	15	5	3	2					4
45-49 years.....	118	6	5	9	9	4	8	13	13	9	15	7	9	3	2	3								
50 and over.....	2				1			1																
Not stated.....	79	22	19	12	7	2	4	4	2			1	1											5
Other total.....	37,028	7,613	6,775	5,716	4,537	3,348	2,519	1,893	1,318	960	741	559	351	187	131	55	34	16	11	8	2	1	1	252
10-14 years.....	272	249	19			1																		3
15-19 years.....	7,980	4,495	2,335	809	197	35	3	3	1		1			1										100
20-24 years.....	11,463	1,974	2,915	2,821	2,038	1,024	421	143	40	18		2		3	2	1								61
25-29 years.....	8,230	588	944	1,340	1,455	1,369	1,071	707	361	166	95	43	16	4	2	1	1							37
30-34 years.....	5,197	204	396	515	598	644	673	630	550	372	292	169	75	27	18	4	4	1		1				24
35-39 years.....	2,861	76	123	171	185	223	284	322	296	307	266	243	161	92	48	24	11	7	5	4	1			12
40-44 years.....	849	8	20	39	26	39	54	79	62	90	80	93	91	58	57	20	18	5	2	2	1	1		4
45-49 years.....	63		1	3	1	4	1	5	5	3	6	7	8	2	4	4		2	4	1				1
50 and over.....	1																	1						
Not stated.....	112	19	22	18	7	9	12	4	3	4	1	2				1								10

¹Previous births used for calculation of birth order include stillbirths.

TABLE 7.—RESIDENT CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, BY COLOR AND SEX: NORTH CAROLINA, 1952

Sex and status at birth	Cases of twins		
	Total	White	Other
Number cases of twins.....	1,307	775	532
Two males—total cases.....	434	252	182
Both children live born.....	405	241	164
One child live born, one stillborn.....	20	7	13
Both children stillborn.....	9	4	5
One male, one female—total cases.....	443	260	183
Both children live born.....	408	247	161
One live born male, one stillborn female.....	25	11	14
Both children stillborn.....	10	2	8
Two females—total cases.....	430	263	167
Both children live born.....	390	248	142
One child live born, one stillborn.....	30	10	20
Both children stillborn.....	10	5	5
Sex and status at birth	Cases of triplets		
	Total	White	Other
Number cases of triplets.....	6	3	3
Three males—total cases.....	5	3	2
All three children live born.....	2	1	1
Two live born, one stillborn.....	2	1	1
All three children stillborn.....	1	1	-----
Two males, one female—total cases.....	1	-----	1
All three children live born.....	1	-----	1

TABLE 8.—RESIDENT LIVE BIRTHS AND DEATHS FILED IN 1952 SHOWING NUMBER RECEIVED IN TIME TO BE INCLUDED IN 1951 OR 1952 ANNUAL REPORTS: NORTH CAROLINA AND EACH COUNTY

Area	Live births			Deaths		
	Total filed in 1952	Filed in time to be included in 1951 or 1952 annual reports		Total filed in 1952	Filed in time to be included in 1951 or 1952 annual reports	
		Number	Per cent		Number	Per cent
NORTH CAROLINA.....	112,480	110,941	98.6	32,564	32,093	98.6
Alamance.....	1,993	1,977	99.2	491	483	98.4
Alexander.....	330	330	100.0	104	104	100.0
Alleghany.....	163	147	90.2	71	70	98.6
Anson.....	745	739	99.2	208	207	99.5
Ashe.....	542	512	94.5	174	173	99.4
Avery.....	336	332	98.8	78	76	97.4
Beaufort.....	944	926	98.1	439	438	99.8
Bertie.....	812	801	98.6	225	223	99.1
Bladen.....	947	937	98.9	242	242	100.0
Brunswick.....	513	513	100.0	163	161	98.8
Buncombe.....	2,749	2,733	99.4	1,006	1,002	99.6
Burke.....	1,032	1,027	99.5	276	268	97.1
Cabarrus.....	1,541	1,532	99.4	413	406	98.3
Caldwell.....	1,173	1,167	99.5	274	274	100.0
Camden.....	118	115	97.5	52	51	98.1
Carteret.....	723	722	99.9	218	217	99.5
Caswell.....	578	574	99.3	164	164	100.0
Catawba.....	1,669	1,651	98.9	395	383	97.0
Chatham.....	728	724	99.5	236	236	100.0
Cherokee.....	399	395	99.0	134	130	97.0
Chowan.....	362	360	99.4	109	109	100.0
Clay.....	126	114	90.5	44	33	75.0
Cleveland.....	1,742	1,708	98.0	445	427	96.0
Columbus.....	1,415	1,340	94.7	391	366	93.6
Craven.....	1,737	1,733	99.8	466	464	99.6
Cumberland.....	4,240	4,211	99.3	655	645	98.5
Currituck.....	151	149	98.7	79	79	100.0
Dare.....	102	101	99.0	54	54	100.0
Davidson.....	1,706	1,690	99.1	449	425	94.7
Davie.....	405	400	98.8	141	139	98.6
Duplin.....	1,171	1,160	99.1	356	351	98.6
Durham.....	2,471	2,464	99.7	769	769	100.0
Edgecombe.....	1,663	1,652	99.3	556	555	99.8
Forsyth.....	3,786	3,769	99.6	1,179	1,168	99.1
Franklin.....	816	810	99.3	287	284	99.0

TABLE 8—Continued

Area	Live births			Deaths		
	Total filed in 1952	Filed in time to be included in 1951 or 1952 annual reports		Total filed in 1952	Filed in time to be included in 1951 or 1952 annual reports	
		Number	Per cent		Number	Per cent
Gaston.....	3,014	2,937	97.4	723	709	98.1
Gates.....	209	207	99.0	105	105	100.0
Graham.....	161	158	98.1	30	30	100.0
Granville.....	821	818	99.6	273	272	99.6
Greene.....	603	597	99.0	122	121	99.2
Guilford.....	5,286	5,225	98.8	1,391	1,382	99.4
Halifax.....	1,832	1,828	99.8	564	563	99.8
Harnett.....	1,354	1,326	97.9	360	348	96.7
Haywood.....	793	790	99.6	264	263	99.6
Henderson.....	742	738	99.5	277	271	97.8
Hertford.....	607	587	96.7	170	168	98.8
Hoke.....	540	517	95.7	109	104	95.4
Hyde.....	156	156	100.0	54	54	100.0
Iredell.....	1,507	1,502	99.7	473	468	98.9
Jackson.....	391	386	98.7	124	119	96.0
Johnston.....	1,755	1,727	98.4	525	505	96.2
Jones.....	356	349	98.0	68	67	98.5
Lee.....	801	788	98.4	210	208	99.0
Lenoir.....	1,450	1,432	98.8	448	446	99.6
Lincoln.....	698	688	98.6	181	177	97.8
McDowell.....	570	530	93.0	178	168	94.4
Macon.....	369	356	96.5	129	128	99.2
Madison.....	440	422	95.9	161	160	99.4
Martin.....	821	808	98.4	226	220	97.3
Mecklenburg.....	5,979	5,936	99.3	1,619	1,599	98.8
Mitchell.....	329	321	97.6	101	98	97.0
Montgomery.....	465	459	98.7	127	121	95.3
Moore.....	1,112	1,092	98.2	287	281	97.9
Nash.....	1,733	1,723	99.4	542	537	99.1
New Hanover.....	1,650	1,650	100.0	680	675	99.3
Northampton.....	871	845	97.0	254	253	99.6
Onslow.....	853	846	99.2	260	260	100.0
Orange.....	874	865	99.0	231	230	99.6
Pamlico.....	299	295	98.7	89	88	98.9
Pasquotank.....	673	665	98.8	227	227	100.0
Pender.....	522	512	98.1	146	142	97.3
Perquimans.....	253	246	97.2	86	84	97.7
Person.....	773	767	99.2	201	200	99.5
Pitt.....	2,128	2,073	97.4	566	559	98.8
Polk.....	222	218	98.2	101	98	97.0

TABLE 8—Continued

Area	Live births			Deaths		
	Total filed in 1952	Filed in time to be included in 1951 or 1952 annual reports		Total filed in 1952	Filed in time to be included in 1951 or 1952 annual reports	
		Number	Per cent		Number	Per cent
Randolph.....	1,290	1,273	98.7	325	320	98.5
Richmond.....	1,159	1,140	98.4	317	313	98.7
Robeson.....	3,078	2,989	97.1	797	779	97.7
Rockingham.....	1,707	1,678	98.3	521	517	99.2
Rowan.....	1,737	1,703	98.0	657	651	99.1
Rutherford.....	1,040	1,029	98.9	344	333	96.8
Sampson.....	1,439	1,427	99.2	391	388	99.2
Scotland.....	850	782	92.0	226	214	94.7
Stanly.....	932	916	98.3	246	243	98.8
Stokes.....	527	526	99.8	144	144	100.0
Surry.....	1,241	1,233	99.4	341	338	99.1
Swain.....	250	248	99.2	75	73	97.3
Transylvania.....	420	397	94.5	91	90	98.9
Tyrrell.....	115	114	99.1	79	78	98.7
Union.....	1,119	1,107	98.9	337	336	99.7
Vance.....	1,055	1,032	97.8	309	307	99.4
Wake.....	3,660	3,621	98.9	1,186	1,172	98.8
Warren.....	714	704	98.6	219	215	98.2
Washington.....	412	407	98.8	137	137	100.0
Watauga.....	411	402	97.8	137	134	97.8
Wayne.....	1,758	1,731	98.5	560	551	98.4
Wilkes.....	1,143	1,126	98.5	328	313	95.4
Wilson.....	1,651	1,634	99.0	539	533	98.9
Yadkin.....	496	493	99.4	141	139	98.6
Yancey.....	336	329	97.9	92	91	98.9

TABLE 9.—RESIDENT DEATHS (EXCLUDING STILLBIRTHS) FROM EACH CAUSE BY FOR AGE, COLOR, AND SEX FOR ALL

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
	NORTH CAROLINA				
	Total	32,095	3,929	610	261
	Rate	7.9	41.8	1.5	0.6
	White.....Total	21,090	1,924	315	173
	Rate	7.1	30.1	0.8	0.6
	Male.....Total	12,503	1,126	165	108
	Rate	8.4	34.4	1.1	0.7
	Female.....Total	8,587	798	150	65
	Rate	5.8	25.6	1.1	0.4
	Other.....Total	11,005	2,005	295	88
	Rate	10.2	66.6	2.4	0.7
	Male.....Total	5,962	1,097	155	49
	Rate	11.3	72.8	2.5	0.7
	Female.....Total	5,043	908	140	39
	Rate	9.1	60.3	2.3	0.6
I.	INFECTIVE AND PARASITIC DISEASES				
	White.....Total	394	33	39	23
	Male.....Total	244	19	21	13
	Female.....Total	150	14	18	10
	Other.....Total	508	36	31	11
	Male.....Total	297	20	17	7
	Female.....Total	211	16	14	4
001-008	Tuberculosis of respiratory system				
	White.....Male	127			
	Female.....Male	67		1	
	Other.....Male	166	1	1	
	Female.....Male	137	1	2	2
010	Tuberculosis of meninges and central nervous system				
	White.....Male	1		1	
	Other.....Male	3			
	Female.....Male	6		1	
011	Tuberculosis of intestines, peritoneum, and mesenteric glands				
	White.....Female	1			
	Other.....Male	1			
	Female.....Male	1			
012,013	Tuberculosis of bones and joints				
	White.....Male	1			
	Female.....Male	1			
	Other.....Male	2			
	Female.....Male	1			
014-019	Tuberculosis, all other forms				
	White.....Male	6			
	Female.....Male	4			1
	Other.....Male	14	1	1	1
	Female.....Male	4	2		

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
020	Congenital syphilis				
	Other.....Male.....	2	2		
	Female.....	1			
024	Tabes dorsalis				
	White.....Male.....	1			
025	General paralysis of insane				
	White.....Male.....	1			
	Female.....	2			
	Other.....Male.....	12			
	Female.....	3			
022,023, 026-029	All other syphilis				
	White.....Male.....	20			
	Female.....	8			
	Other.....Male.....	31			
	Female.....	16			
030-035	Gonococcal infection				
	Other.....Male.....	1			
	Female.....	1			
037	Lymphogranuloma venereum				
	Other.....Female.....	2			
038	Granuloma inguinale, venereal				
	Other.....Female.....	1			
040	Typhoid fever				
	White.....Female.....	1			
	Other.....Male.....	2			
042	Other Salmonella infections				
	White.....Male.....	1			
044	Brucellosis (undulant fever)				
	White.....Female.....	1			
045	Dysentery, bacillary				
	White.....Male.....	2	1		
	Female.....	3	2	1	
	Other.....Male.....	4	4		
	Female.....	3	1	2	
046	Amebiasis				
	White.....Male.....	1			
	Other.....Male.....	1			
047, 048	Other forms of dysentery				
	White.....Male.....	1	1		
	Female.....	3	3		
	Other.....Male.....	7	2	3	1
	Female.....	4	3	1	

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
050	Scarlet fever				
	White..... Female.....	2			
051	Streptococcal sore throat				
	White..... Male.....	1		1	
 Female.....	2	1		
	Other..... Male.....	4			1
 Female.....	1			
053	Septicemia and pyemia				
	White..... Male.....	7	3	1	2
 Female.....	7	2	2	1
	Other..... Male.....	6	2	1	
 Female.....	1	1		
055	Diphtheria				
	White..... Male.....	2		1	1
 Female.....	2		1	1
	Other..... Male.....	5	1	3	
056	Whooping cough				
	White..... Female.....	1			1
	Other..... Male.....	2	1	1	
 Female.....	2	1	1	
057	Meningococcal infections				
	White..... Male.....	19	8	8	1
 Female.....	12	4	4	1
	Other..... Male.....	7	1	1	2
 Female.....	4	1	1	
061	Tetanus				
	White..... Male.....	5		3	1
	Other..... Male.....	9	2	2	
 Female.....	5	2		1
070	Vincent's infection				
	Other..... Male.....	1		1	
080	Acute poliomyelitis				
	White..... Male.....	12		1	4
 Female.....	6		1	2
	Other..... Male.....	2			
 Female.....	1		1	
081	Late effects of acute poliomyelitis				
	White..... Female.....	1			
	Other..... Female.....	2			
082	Acute infectious encephalitis				
	White..... Male.....	1		1	
	Other..... Male.....	3		1	1
 Female.....	1		1	

Continued

[illegible]

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
083	Late effects of acute infectious encephalitis				
	White..... Male.....	2			
	Female.....	1			
085	Measles				
	White..... Male.....	5		2	2
	Female.....	10	1	8	
	Other..... Male.....	4	1		1
	Female.....	2	1	1	
087	Chickenpox				
	White..... Male.....	2	1		1
	Female.....	1			1
	Other..... Female.....	1	1		
092	Infectious hepatitis				
	White..... Male.....	6			
	Female.....	1			
	Other..... Female.....	2	2		
104	Rocky Mountain spotted fever				
	White..... Male.....	3			1
	Female.....	1			1
110-117	Malaria				
	White..... Female.....	1			1
	Other..... Male.....	1			
	Female.....	1			
129	Hookworm disease				
	White..... Male.....	1			
124, 126, 128, 130	Other diseases due to helminths				
	White..... Female.....	1			
	Other..... Female.....	5		2	1
131-134	Mycosis				
	White..... Male.....	4			
	Female.....	3	1		
	Other..... Male.....	1			
	Female.....	1			
049, 054, 064, 073, 074, 088, 093, 096, 120-122, 135-138	All other diseases classified as infective and parasitic				
	White..... Male.....	12	5	2	
	Female.....	7			
	Other..... Male.....	6	2	2	
	Female.....	2		1	

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not stated	International code number
					1			1	1					083
														085
1				1					1					087
									1					092
2			1		1	1				1	1			104
											2			110-117
			1			1								129
						1					1			124, 126, 128, 130
			1											131-134
				1			2		1					049, 054, 064, 073, 074, 088, 093, 096, 120-122, 135-138
							1		2					
									1	2				
			1						1	2	1			
			1						1	1				

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
II.	Neoplasms				
	White..... Total	2,614	9	30	22
	Male.....	1,251	5	10	14
	Female.....	1,363	4	20	8
	Other..... Total	851	4	9	9
	Male.....	359	1	6	5
	Female.....	492	3	3	4
140-148	Malignant neoplasm of buccal cavity and pharynx				
	White..... Male.....	38	-----	-----	-----
	Female.....	22	-----	-----	-----
	Other..... Male.....	7	-----	-----	-----
	Female.....	2	-----	-----	-----
150	Malignant neoplasm of esophagus				
	White..... Male.....	30	-----	-----	-----
	Female.....	16	-----	-----	-----
	Other..... Male.....	17	-----	-----	-----
	Female.....	6	-----	-----	-----
151	Malignant neoplasm of stomach				
	White..... Male.....	140	-----	-----	-----
	Female.....	90	-----	-----	-----
	Other..... Male.....	66	-----	-----	-----
	Female.....	40	-----	-----	-----
152, 153	Malignant neoplasm of intestines, except rectum				
	White..... Male.....	100	-----	-----	-----
	Female.....	121	-----	-----	-----
	Other..... Male.....	26	-----	-----	-----
	Female.....	27	-----	-----	-----
154	Malignant neoplasm of rectum				
	White..... Male.....	32	-----	-----	-----
	Female.....	36	-----	-----	-----
	Other..... Male.....	8	-----	-----	-----
	Female.....	11	-----	-----	-----
155	Malignant neoplasm of biliary passages and of liver (stated to be primary)				
	White..... Male.....	32	-----	-----	-----
	Female.....	42	-----	-----	-----
	Other..... Male.....	12	-----	-----	-----
	Female.....	12	-----	-----	-----
156.1	Malignant neoplasm of liver not specified whether primary or secondary				
	White..... Male.....	9	-----	-----	-----
	Female.....	9	-----	-----	-----
	Other..... Male.....	5	-----	-----	-----
	Female.....	5	-----	-----	-----

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 59 Years	60 to 64 Years	65 to 69 Years	70 to 74 Years	75 to 79 Years	80 and Over	Not stated	International code number
16	14	13	35	50	106	120	153	209	611	689	451	86				II.
7	7	7	15	24	48	49	53	91	299	351	220	51				
9	7	6	20	26	58	71	100	118	312	338	231	35				
1	13	6	15	29	46	74	97	115	187	174	58	16				
1	8	3	3	11	9	17	32	35	87	98	33	10				
	5	3	12	18	37	57	64	80	99	76	25	6				
				1	1	1		3	15	10	6	1				140-148
			1		2			2	3	10	4					
				1				1	2	2	1					
							1			1						
						1	2	3	9	12	3					150
					1	1		1	3	5	5					
							2	5	5	2	2	1				
		1						1	1		2	1				
				1	1	7	4	11	34	43	32	7				151
					4	1	3	5	17	26	28	6				
				1	3	5	4	8	18	20	6	1				
				1		4	8	4	8	7	6	2				
																152, 153
		1	1		2	3	3	6	24	41	15	4				
			2		2	4	4	8	20	38	38	5				
		1			2		1	4	4	11	2	1				
					1	2	3	5	5	8	3					
					2	3		4	7	6	8	2				154
			2			3		5	6	15	5					
		1					2	1	1	1	2					
						2	1	2	2	2	2					
																155
									15	13	4					
1					1		1	13	18	7	1					
							3	1	4	3		1				
					1		2	1	4	3	1					
																156.1
									2	4	2	1				
					1		1		2	3	2					
				1					2	2						
							1	1	2	1						

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
157	Malignant neoplasm of pancreas				
	White..... Male.....	71	-----	-----	-----
	Female.....	55	-----	-----	-----
	Other..... Male.....	15	-----	-----	-----
	Female.....	18	-----	-----	-----
158, 159	Malignant neoplasm of peritoneum and of unspecified digestive organs				
	White..... Male.....	5	-----	1	-----
	Female.....	10	-----	-----	-----
	Other..... Male.....	4	-----	-----	1
	Female.....	5	-----	-----	-----
161	Malignant neoplasm of larynx				
	White..... Male.....	21	-----	-----	-----
	Female.....	2	-----	-----	-----
	Other..... Male.....	3	-----	-----	-----
162	Malignant neoplasm of trachea, and of bronchus and of lung specified as primary				
	White..... Male.....	153	1	-----	-----
	Female.....	28	-----	-----	-----
	Other..... Male.....	29	-----	-----	-----
	Female.....	9	-----	-----	-----
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary				
	White..... Male.....	25	-----	-----	-----
	Female.....	9	-----	-----	-----
	Other..... Male.....	5	-----	-----	-----
	Female.....	4	-----	-----	-----
160, 164	Malignant neoplasm of other parts of respiratory system				
	White..... Male.....	10	-----	-----	-----
	Female.....	8	-----	-----	-----
	Other..... Male.....	1	-----	-----	-----
	Female.....	3	-----	-----	-----
170	Malignant neoplasm of breast				
	White..... Male.....	4	-----	-----	-----
	Female.....	216	-----	-----	-----
	Other..... Male.....	1	-----	-----	-----
	Female.....	67	-----	-----	-----
171	Malignant neoplasm of cervix uteri				
	White..... Female.....	160	-----	-----	-----
	Other..... Female.....	99	-----	-----	-----
172-174	Malignant neoplasm of other and unspecified parts of uterus				
	White..... Female.....	87	-----	-----	-----
	Other..... Female.....	45	-----	-----	-----

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 59 Years	60 to 64 Years	65 to 69 Years	70 to 74 Years	75 to 79 Years	80 and Over	Not stated	International code number
					2	1	3	6	20	20	16	3				157
					1	1	1	2	12	18	17	4				
							2	1	3	7	2					
						2	1	1	7	7						
																158, 159
		1							2		1					
1		1					1	1		4	2					
				1			1	1		3						
										2						
					1	3	3		6	5	3					161
									1		1					
	1						1			1						
																162
		1	1	2	4	1	15	28	46	45	8	1				
				2	2	1	3	1	6	8	7					
			2			2	5	3	11	4	1	1				
				1	1	1	1	2	1	3						
																163
					1		4	3	11	3	3					
								1	3	5						
			1			1			1	2						
								3		1						
				1				2	2	2	3					160, 164
								1	1	4	1	1				
			1				1	1	1							
																170
			2	3	10	17	34	33	52	43	20	2				
										1						
			2	5	12	7	4	12	15	8	2					
																171
			5	6	13	20	23	16	38	24	15					
			2	4	11	12	18	18	22	12						
																172-174
		1			6	4	4	14	30	17	11					
				1	1	2	8	2	9	10	3	2				

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
175	Malignant neoplasm of ovary, fallopian tube, and broad ligament				
	White.....Female.....	80			
	Other.....Female.....	18			
176	Malignant neoplasm of other and unspecified female genital organs				
	White.....Female.....	4			
	Other.....Female.....	4			
177	Malignant neoplasm of prostate				
	White.....Male.....	169			
	Other.....Male.....	56			
178, 179	Malignant neoplasm of testis, and other and unspecified male genital organs				
	White.....Male.....	13		1	
	Other.....Male.....	2			
180	Malignant neoplasm of kidney				
	White.....Male.....	20			1
	Female.....	33		4	1
	Other.....Male.....	6		1	
	Female.....	5			1
181	Malignant neoplasm of bladder and other urinary organs				
	White.....Male.....	33			
	Female.....	27			
	Other.....Male.....	11			
	Female.....	7			
190, 191	Malignant neoplasm of skin				
	White.....Male.....	42			
	Female.....	39			
	Other.....Male.....	1			
	Female.....	4			
192	Malignant neoplasm of eye				
	White.....Male.....	4		1	
	Female.....	5			1
193	Malignant neoplasm of brain and other parts of nervous system				
	White.....Male.....	52	2	2	3
	Female.....	40	2	4	1
	Other.....Male.....	7	1		1
	Female.....	4			1
194	Malignant neoplasm of thyroid gland				
	White.....Male.....	4			
	Female.....	5			
	Other.....Male.....	1			
	Female.....	4			

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not stated	International code number
														175
	1	1		2	4	1	6	8	26	23	7	1		
	1			1		2	1	4	6	3				
														176
						1	1			2				
				1				1	2					
														177
			1				1	2	22	54	70	19		
					1	1		2	13	23	11	5		
														178, 179
				1	4	1	2		3	1				
				1				1						
														180
					2		1	3	5	5	2	1		
			1				3	2	6	9	6	1		
							1	1	2		1			
					1		1	1	1					
														181
								3	6	14	9	1		
						2			6	6	10	3		
					2				6	3				
							2	1	3		1			
														190, 191
		1	2	1	2	4		1	3	15	8	5		
		1	2	4	2	1	2	1	4	8	10	4		
									1					
							1	1	1	1				
														192
				1					2					
									1	2	1			
														193
2	1	1	3	4	6	5	6	1	12	4				
	1			4	3	5		5	10	4	1			
	1													
			1				1		1	1				
			1				1				1			
														194
									2	1		1		
								1	2	1	1			
										1				
								1	1	1	1			

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
196	Malignant neoplasm of bone (including jaw bone)				
	White..... Male.....	16			
	Female.....	15		1	1
	Other..... Male.....	4			1
	Female.....	6			
197	Malignant neoplasm of connective tissue				
	White..... Male.....	6			
	Female.....	8		1	
	Other..... Male.....	3			
	Female.....	2			
195, 198.1, 199.1	Malignant neoplasm of other specified sites, not stated to be secondary				
	White..... Male.....	23			
	Female.....	11			
	Other..... Male.....	5			
	Female.....	4			
156.2, 165, 198.2, 199.2- 199.9	Malignant neoplasm of unspecified site				
	White..... Male.....	34			
	Female.....	42			
	Other..... Male.....	11			
	Female.....	16			
204	Leukemia and aleukemia				
	White..... Male.....	72		4	5
	Female.....	67		6	3
	Other..... Male.....	22		3	1
	Female.....	22	3	3	1
200-203, 205	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues				
	White..... Male.....	61	1	1	4
	Female.....	35			
	Other..... Male.....	16		1	1
	Female.....	12			1
210-239	Benign neoplasms and neoplasms of unspecified nature				
	White..... Male.....	32	1		1
	Female.....	41	2	4	1
	Other..... Male.....	15		1	
	Female.....	31			
III. AND IV.	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES; DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS				
	White..... Total.....	521	14	11	4
	Male.....	258	7	5	4
	Female.....	263	7	6	
	Other..... Total.....	215	17	8	5
	Male.....	90	9	6	3
	Female.....	125	8	2	2

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not stated	International code number
				1	2	1	2	1	2	6	1			196
		1	1	2					3	3	3			
					1	1	2		1		1			
									2					
						1	1	1	1	1		1		197
							2			3	1	1		
1			1				1							
	1						1							
														195,198.1, 199.1
	1			3	1	1	2		2	5	7	1		
						1	2		2	4	1	1		
	1						1		1	2				
						1	1				1	1		
					2		1	2	13	7	7	2		156.2,165, 198.2, 199.2- 199.9
	1				2		3	1	11	10	12	2		
					1	1	2	5	3					
			1			3	3	3	1	4	1			
4	3		2	2	6	6	1	4	8	20	6	1		204
4	2		1	3	2	6	1	5	14	10	8	2		
	1		1	2			3	3	2	3	3			
	1		1	2	1	1	2	3	1	3				
	2		4	3	3	5	1	5	20	8	4			200-203, 205
		1			2	1	3	2	12	11	3			
	3	1		1	1	2	2	1	1	2				
	1	1	1		1		2	2	2	1				
1		2	1	3	6	5		2	5	4	1			210-239
3	2		3	2	1	1	2	3	8	4	4	1		
	1			1		4	2	1	3	1	1			
	1	1	2	2	5	11	4	2	1	1	1			
4	4	10	12	4	8	10	22	32	103	161	105	17		III. AND IV.
3	2	5	4	2	5	5	10	18	54	81	50	3		
1	2	5	8	2	3	5	12	14	49	80	55	14		
2	4	5	2	3	13	12	13	23	35	52	19	2		
1	2	2	2	2	6	7	2	8	8	19	13			
1	2	3		1	7	5	11	15	27	33	6	2		

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
241	Asthma				
	White..... Male.....	69	1	2	1
	Female.....	38	1	3	—
	Other..... Male.....	20	1	3	—
	Female.....	14	1	1	—
250, 251	Nontoxic goiter				
	White..... Male.....	1	—	—	—
	Female.....	3	—	—	—
	Other..... Male.....	1	—	—	—
252	Thyrotoxicosis with or without goiter				
	White..... Male.....	2	—	—	—
	Female.....	6	—	—	—
	Other..... Female.....	5	—	—	—
253, 254	Myxedema, cretinism, and other diseases of thyroid gland				
	White..... Male.....	1	1	—	—
	Female.....	4	—	—	—
260	Diabetes mellitus				
	White..... Male.....	134	—	1	—
	Female.....	155	1	—	—
	Other..... Male.....	39	—	—	1
	Female.....	76	—	—	1
273	Diseases of thymus gland				
	White..... Male.....	5	3	—	—
	Female.....	3	3	—	—
	Other..... Male.....	3	3	—	—
	Female.....	2	2	—	—
274	Diseases of adrenal gland				
	White..... Male.....	3	2	—	—
	Female.....	1	—	—	—
280	Beriberi				
	White..... Female.....	1	—	—	—
	Other..... Female.....	1	—	—	—
281	Pellagra				
	White..... Male.....	1	—	—	—
	Female.....	7	—	—	—
	Other..... Male.....	1	—	—	—
	Female.....	5	—	—	—
283, 284	Rickets (active and late effects)				
	White..... Female.....	1	—	1	—
	Other..... Male.....	1	—	—	—
285, 286	Avitaminosis and other deficiency states				
	White..... Male.....	4	—	—	—
	Female.....	9	—	—	—
	Other..... Male.....	8	1	2	—
	Female.....	4	—	1	—

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not stated	International code number
1		2			1	2	2	6	23	20	7	1		241
		1	3		2	1	1	3	9	7	5	2		
1		1			5	1	1	2	2	2	1			
				1	1	1	2	1	2	4				
										1				250, 251
							1			1	1			
										1				
					1		1							252
							1	1	1	1	2			
							1	2	2					
														253, 254
								1	1	2				
		1	2		3	2	5	11	24	47	36	2		260
		4	4	2	1	2	4	7	30	59	34	7		
			1	2		5	1	5	6	11	7			
1		3			3	2	7	11	17	24	6	1		
				1										273
									1					
														274
			1						1					
														280
						1		1						
														281
							1			1	4			
										2	1			
					1			1	2	1				
														283, 284
		1												
			1							2	1			285, 286
											4	3		
						1		1		2	1			
									1	2				

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
290-293	Anemias				
	White..... Male.....	24		2	1
	Female.....	19			
	Other..... Male.....	11	3		1
	Female.....	13	2		1
295, 296	Hemorrhagic conditions				
	White..... Male.....	7			1
	Female.....	6	1	2	
	Other..... Male.....	3	1		1
	Female.....	4	3		
240, 242- 245, 270, 275-277, 287-289, 294, 297- 299	Allergic disorders; all other endocrine, metabolic and blood diseases				
	White..... Male.....	7			1
	Female.....	10	1		
	Other..... Male.....	3		1	
	Female.....	1			
V.	MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS				
	White..... Total.....	118	3	4	3
	Male.....	92	3	3	1
	Female.....	26		1	2
	Other..... Total.....	72	3		
	Male.....	43	1		
	Female.....	29	2		
300-309	Psychoses				
	White..... Male.....	17			
	Female.....	15			
	Other..... Male.....	12			
	Female.....	15			
322	Alcoholism				
	White..... Male.....	66			
	Female.....	5			
	Other..... Male.....	30			
	Female.....	10			
310-321, 323, 324, 326	Psychoneurosis and disorders of personality				
	White..... Female.....	1			
	Other..... Female.....	1			
325	Mental deficiency				
	White..... Male.....	9	3	3	1
	Female.....	5		1	2
	Other..... Male.....	1	1		
	Female.....	3	2		

Continued

[illegible]

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
VI.	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS				
	White.....Total.....	2,949	19	16	17
	Male.....	1,545	12	8	13
	Female.....	1,404	7	8	4
	Other.....Total.....	1,506	26	16	2
	Male.....	712	13	8	1
	Female.....	794	13	8	1
330-334	Vascular lesions affecting central nervous system				
	White.....Male.....	1,432	2		2
	Female.....	1,325	1	2	
	Other.....Male.....	647	3		
	Female.....	735	3	1	1
340	Meningitis, except meningococcal and tuberculous				
	White.....Male.....	11	5	2	1
	Female.....	4	1	1	
	Other.....Male.....	16	7	3	
	Female.....	15	8	3	
345	Multiple sclerosis				
	White.....Male.....	9			
	Female.....	4			
	Other.....Female.....	1			
350	Paralysis agitans				
	White.....Male.....	10			
	Female.....	14			
	Other.....Male.....	1			
	Female.....	2			
353	Epilepsy				
	White.....Male.....	24		2	4
	Female.....	14		1	
	Other.....Male.....	26			1
	Female.....	24			
387	Glaucoma				
	White.....Male.....	1			
391-393	Otitis media and mastoiditis				
	White.....Male.....	7	3	1	
	Female.....	8	3		1
	Other.....Male.....	1			
	Female.....	3	1		
341-344, 351, 352, 354-369, 380-384, 386, 388- 390, 394- 398	Other diseases of nervous system and sense organs				
	White.....Male.....	51	2	3	6
	Female.....	35	2	4	3
	Other.....Male.....	21	3	5	
	Female.....	14	1	4	

Continued

[illegible]

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
VII.	DISEASES OF THE CIRCULATORY SYSTEM				
	White.....Total.....	8,346	2	3	9
	Male.....	5,222	2	1	3
	Female.....	3,124		2	6
	Other.....Total.....	3,421	2	9	2
	Male.....	1,828	1	4	
	Female.....	1,593	1	5	2
400-402	Rheumatic fever				
	White.....Male.....	14			1
	Female.....	14		1	4
	Other.....Male.....	14		2	
	Female.....	16		3	2
410-416	Chronic rheumatic heart disease				
	White.....Male.....	151			1
	Female.....	90			1
	Other.....Male.....	39			
	Female.....	31			
420	Arteriosclerotic heart disease, including coronary disease				
	White.....Male.....	3,023	1		
	Female.....	1,426			
	Other.....Male.....	648			
	Female.....	409	1		
421	Chronic endocarditis not specified as rheumatic				
	White.....Male.....	76			
	Female.....	50			
	Other.....Male.....	42			
	Female.....	41			
422	Other myocardial degeneration				
	White.....Male.....	438		1	
	Female.....	355			
	Other.....Male.....	163		1	
	Female.....	160		1	
430-434	Other diseases of heart				
	White.....Male.....	370			1
	Female.....	168			1
	Other.....Male.....	199			
	Female.....	153		1	
440-443	Hypertension with heart disease				
	White.....Male.....	787			
	Female.....	722		1	
	Other.....Male.....	586			
	Female.....	635			

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 59 Years	60 to 64 Years	65 to 69 Years	70 to 74 Years	75 to 79 Years	80 and Over	Not stated	International code number
10	21	28	33	67	128	211	361	504	1,583	2,399	2,278	708	1			VII.
4	16	21	14	46	100	162	285	414	1,163	1,455	1,221	315	-----			
6	5	7	19	21	28	49	76	90	420	944	1,057	393	1			
12	16	29	42	79	119	193	239	372	833	881	441	152	-----			
7	7	10	17	47	66	98	131	200	471	459	237	73	-----			
5	9	19	25	32	53	95	108	172	362	422	204	79	-----			
																400-402
2	6	-----	-----	2	1	1	-----	-----	1	-----	-----	-----	-----			
2	-----	1	-----	1	2	-----	1	-----	2	-----	-----	-----	-----			
3	5	1	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----			
2	1	3	1	-----	1	1	-----	1	-----	1	-----	-----	-----			
																410-416
2	5	9	7	8	14	9	13	13	22	25	17	6	-----			
2	2	-----	5	5	5	8	6	2	24	11	15	4	-----			
1	1	4	1	2	1	1	3	4	8	7	5	1	-----			
2	2	1	2	1	-----	2	2	2	8	6	3	-----	-----			
																420
-----	2	2	4	24	49	110	205	296	802	861	545	122	-----			
-----	1	1	4	8	6	23	31	53	223	494	455	127	-----			
1	1	1	6	19	27	36	62	80	178	153	65	19	-----			
1	2	4	5	7	16	32	32	41	103	99	49	17	-----			
																421
-----	1	1	-----	-----	1	1	2	4	21	13	27	5	-----			
-----	2	-----	1	-----	-----	1	-----	-----	4	15	19	8	-----			
-----	-----	1	1	1	1	-----	2	4	11	11	7	3	-----			
-----	-----	1	1	2	1	2	3	2	9	13	3	4	-----			
																422
-----	-----	1	-----	-----	4	-----	9	11	67	118	176	51	-----			
-----	-----	1	-----	1	-----	1	4	5	22	83	153	85	-----			
-----	-----	1	-----	1	3	8	1	13	35	57	30	13	-----			
-----	-----	1	2	4	4	3	7	14	38	47	28	11	-----			
																430-434
-----	2	5	2	3	13	18	26	35	79	106	60	20	-----			
1	-----	3	4	1	3	3	9	3	23	51	42	24	-----			
2	-----	1	2	12	8	13	19	26	55	34	19	8	-----			
-----	3	5	3	5	8	8	13	25	33	30	14	5	-----			
																440-443
-----	-----	2	-----	4	10	18	21	40	111	254	270	57	-----			
-----	-----	-----	1	1	11	11	19	21	91	222	271	73	-----			
-----	-----	-----	1	8	21	31	35	54	167	164	82	23	-----			
-----	1	1	4	8	15	41	42	74	142	196	80	31	-----			

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
444-447	Hypertension without mention of heart disease				
	White..... Male.....	104			
	Female.....	82			
	Other..... Male.....	65			
	Female.....	67			
450	General arteriosclerosis				
	White..... Male.....	174			
	Female.....	169			
	Other..... Male.....	50			
	Female.....	56			
451	Aortic aneurysm specified as non-syphilitic, and dissecting aneurysm				
	White..... Male.....	26			
	Female.....	12			
	Other..... Male.....	6			
	Female.....	4			
455	Gangrene of unspecified cause				
	White..... Male.....	4			
	Female.....	1			
	Other..... Male.....	1			
452-454, 456	Other arterial diseases				
	White..... Male.....	20			
	Female.....	19			
	Other..... Male.....	5			
	Female.....	7			
460-468	Diseases of veins and other diseases of circulatory system				
	White..... Male.....	35	1		
	Female.....	16			
	Other..... Male.....	10	1	1	
	Female.....	14			
VIII.	DISEASES OF THE RESPIRATORY SYSTEM				
	White..... Total.....	832	180	54	11
	Male.....	442	97	29	4
	Female.....	390	83	25	7
	Other..... Total.....	793	369	84	10
	Male.....	403	185	42	4
	Female.....	390	184	42	6
470-475	Acute upper respiratory infections				
	White..... Male.....	18	9	5	2
	Female.....	6	5		
	Other..... Male.....	19	11	6	
	Female.....	19	10	6	

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not stated	International code number
					3	3	2	5	22	26	33	10		444-447
					1	2	5	2	14	18	24	16		
			4	3	4	6	6	13	9	10	8	2		
			4	4	3	6	5	8	14	15	6	2		
				1		1	2	3	8	36	81	42		450
						1	1	1	7	36	70	55	1	
							2	3	3	20	20	4		
									10	13	19	9		451
					1			3	13	4	4	1		
					1	1	1	1	2	3	6	1		
			1				1		1	1				
				1					1	1	1			455
										1				
										1	1			
											1			
		1	1	1	2		4	2	4	3	2			452-454, 456
1		1	2	3			1	3	5	2	1			
								3	1	1				
			1		2				1	1	2			
				2	2	1	1	2	12	8	5	1		460-468
			2	1				1	3	8	1			
		1				1	1	1	2	2				
		3	1	1	3		1	2	3					
														VIII.
5	5	8	10	5	16	16	20	27	72	153	164	86		
2	2	4	5	2	10	9	14	19	51	86	82	26		
3	3	4	5	3	6	7	6	8	21	67	82	60		
9	8	11	12	14	24	25	15	43	51	69	30	19		
6	4	6	7	7	14	12	12	25	23	32	18	6		
3	4	5	5	7	10	13	3	18	28	37	12	13		
								1			1			470-475
										1				
							1			1				
				1		1						1		

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
480-483	Influenza				
	White..... Male.....	48	9	1	-----
	Female.....	78	7	4	1
	Other..... Male.....	62	22	4	-----
	Female.....	62	15	2	-----
490	Lobar pneumonia				
	White..... Male.....	85	9	3	-----
	Female.....	52	7	1	1
	Other..... Male.....	83	20	6	1
	Female.....	66	21	3	1
491	Bronchopneumonia				
	White..... Male.....	104	31	6	1
	Female.....	105	30	14	1
	Other..... Male.....	120	75	18	1
	Female.....	125	79	15	2
492, 493	Primary atypical pneumonia, other and unspecified				
	White..... Male.....	83	27	9	1
	Female.....	82	23	4	3
	Other..... Male.....	74	44	7	-----
	Female.....	95	54	12	1
500	Acute bronchitis				
	White..... Male.....	5	4	1	-----
	Female.....	7	5	1	-----
	Other..... Male.....	5	5	-----	-----
	Female.....	4	2	2	-----
501, 502	Bronchitis, chronic and unqualified				
	White..... Male.....	14	4	-----	-----
	Female.....	12	2	-----	1
	Other..... Male.....	5	4	1	-----
	Female.....	6	2	1	1
510	Hypertrophy of tonsils and adenoids				
	White..... Male.....	2	-----	2	-----
	Female.....	2	-----	1	-----
	Other..... Male.....	2	-----	-----	2
	Female.....	1	-----	-----	-----
518, 521	Empyema and abscess of lung				
	White..... Male.....	8	-----	-----	-----
	Female.....	2	-----	-----	-----
	Other..... Male.....	12	-----	-----	-----
	Female.....	2	-----	-----	-----
519	Pleurisy				
	White..... Male.....	2	-----	-----	-----
	Other..... Male.....	1	-----	-----	-----

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not stated	International code number
1 2	1 2	1 2	1 1	1 4	1 4	1 2 4	2 2 3	2 3 6 4	9 13 8 9	14 18 8 3	7 21 1 1			480-483
1		1 2	2	1	4	3 1 4	3	4 1 3	8 4 13	24 12 11	17 13 3	5 10 3 4		490
	1 2	1 2	2	5	6	2	2	4	6	11	4			491
	1 1	1 2	2	1	2	1 3	1	5 1 4	11 4 1 7	14 11 7 6	24 24 3 1	7 13 1 6		492, 493
	1 3 1	1 2 1	1 1 1	2 1 1	2 1 3	1 2 3	2 1 5	2 6 5	5 2 4	9 11 3 5	16 16 1 3	2 8 1 1		500
											1			501, 502
					1				1	3 5	4 2	2 1		510
				1				1		2				518, 521
		1	2		2	1	2	2	2	1	1			519
	1		1							2				

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
511-517, 520, 522- 527	All other respiratory diseases White..... Male..... Female..... Other..... Male..... Female.....	73 44 20 10	4 4 4 1	2 ----- ----- 1	----- ----- ----- -----
IX.	DISEASES OF THE DIGESTIVE SYSTEM				
	White..... Total..... Male..... Female..... Other..... Total..... Male..... Female.....	651 414 237 448 257 191	81 57 24 221 130 91	28 15 13 37 22 15	8 8 ----- 5 2 3
530-535	Diseases of teeth and supporting structures White..... Male..... Other..... Male..... Female.....	2 1 1	----- ----- -----	----- ----- -----	----- ----- -----
540	Ulcer of stomach White..... Male..... Female..... Other..... Male..... Female.....	39 14 13 6	1 ----- ----- -----	----- 1 ----- -----	----- ----- ----- -----
541	Ulcer of duodenum White..... Male..... Female..... Other..... Male.....	28 4 8	----- ----- -----	----- ----- -----	----- ----- -----
543	Gastritis and duodenitis White..... Female..... Other..... Male..... Female.....	2 2 3	1 1 1	----- ----- -----	----- ----- -----
550-553	Appendicitis White..... Male..... Female..... Other..... Male..... Female.....	23 8 11 8	1 ----- 1 -----	3 ----- 1 -----	1 ----- ----- 1
560, 561, 570	Hernia and intestinal obstruction White..... Male..... Female..... Other..... Male..... Female.....	54 34 38 27	10 4 10 2	1 ----- 3 1	2 ----- ----- -----
571.0	Gastro-enteritis and colitis (between 4 weeks and 2 years) White..... Male..... Female..... Other..... Male..... Female.....	45 23 126 92	40 17 115 82	5 6 11 10	----- ----- ----- -----

Continued

[illegible]

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
571.1	Gastro-enteritis and colitis (2 years and over)				
	White..... Male.....	18	-----	4	5
	Female.....	15	-----	3	-----
	Other..... Male.....	11	-----	6	2
	Female.....	11	-----	4	2
572	Chronic enteritis and ulcerative colitis				
	White..... Male.....	9	1	-----	-----
	Female.....	9	1	-----	-----
	Other..... Male.....	1	-----	-----	-----
	Female.....	4	1	-----	-----
581	Cirrhosis of liver				
	White..... Male.....	111	-----	-----	-----
	Female.....	45	-----	-----	-----
	Other..... Male.....	22	-----	-----	-----
	Female.....	14	-----	-----	-----
584, 585	Cholelithiasis and cholecystitis				
	White..... Male.....	27	-----	-----	-----
	Female.....	43	-----	-----	-----
	Other..... Male.....	1	-----	-----	-----
	Female.....	5	-----	-----	-----
536-539, 542, 544, 545, 573- 580, 582, 583, 586, 587	Other diseases of digestive system				
	White..... Male.....	58	4	2	-----
	Female.....	40	1	3	-----
	Other..... Male.....	23	4	1	-----
	Female.....	20	5	-----	-----
X.	DISEASES OF THE GENITO-URINARY SYSTEM				
	White..... Total.....	528	3	4	3
	Male.....	316	2	3	2
	Female.....	212	1	1	1
	Other..... Total.....	477	1	1	4
	Male.....	266	-----	1	2
	Female.....	211	1	-----	2
590	Acute nephritis				
	White..... Male.....	6	-----	2	1
	Female.....	5	-----	-----	-----
	Other..... Male.....	11	-----	-----	1
	Female.....	13	-----	-----	2
591	Nephritis with edema, including nephrosis				
	White..... Male.....	16	1	1	-----
	Female.....	6	1	1	-----
	Other..... Male.....	7	-----	1	1
	Female.....	11	-----	-----	-----

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not stated	International code number
						1	1		1	1	2	3		571.1
		1						1	1	5	2	2		
					1		1		1	1				
								1		3		1		
					2			1	1	1	3			572
		1	1				1	1	1	3				
											1			
					2				1					
		1	2	6	9	16	14	13	21	21	6	2		581
			1	1	3	8	4	5	6	9	7	1		
				2	1	2	6	2	7	2				
	2				2	4		3	2	1				
						1	2	2	4	11	7			584, 585
			1		1	1	1	2	7	14	12	4		
										1				
									3	1	1			
2	1		2	4	4	5	6	5	6	8	8	1		536-539, 542, 544, 545, 573- 580, 582, 583, 586, 587
		2		1	2	4	1	5	8	5	7	1		
					3	2	4	1	4	3				
		2	1	2	4		1	1	3	1				
3	6	12	15	14	19	24	24	31	74	110	138	48		X.
3	3	7	8	5	13	14	16	21	41	67	80	31		
	3	5	7	9	6	10	8	10	33	43	58	17		
	6	12	21	18	24	33	52	46	88	95	57	19		
		4	9	7	11	15	28	24	53	66	36	10		
	6	8	12	11	13	18	24	22	35	29	21	9		
								1	2					590
	1		3							1				
		2	2	1	1		2	1	1					
	2	1	1	1		1	1		2	2				
		1	1			2	1		3	5	1			591
					1					2	1			
	1	1			1			1	1	1				
						2		1	1	4				

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
592-594	Chronic and unspecified nephritis and other renal sclerosis				
	White.....Male.....	178			1
Female.....	143			
	Other.....Male.....	168			
Female.....	156			
600	Infections of kidney				
	White.....Male.....	25			
Female.....	33			1
	Other.....Male.....	13			
Female.....	13	1		
602, 604	Calculi of urinary system				
	White.....Male.....	12			
Female.....	12			
	Other.....Male.....	2			
Female.....	2			
610	Hyperplasia of prostate				
	White.....Male.....	66			
	Other.....Male.....	43			
601, 603, 605-609, 611-617, 622-637	Other diseases of genito-urinary system				
	White.....Male.....	13	1		
Female.....	13			
	Other.....Male.....	22			
Female.....	16			
XI.	DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM				
	White.....Female.....	40			
	Other.....Female.....	73			
640, 641, 681, 682, 684	Sepsis of pregnancy, childbirth, and puerperium				
	White.....	1			
	Other.....	8			
642, 685, 686	Toxemias of pregnancy and the puerperium, except abortion with toxemia				
	White.....	19			
	Other.....	30			
643, 644, 670-672	Hemorrhage of pregnancy and childbirth				
	White.....	8			
	Other.....	10			
645	Ectopic pregnancy				
	Other.....	3			
650	Abortion without mention of sepsis or toxemia				
	Other.....	1			

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
651	Abortion with sepsis				
	White.....	2			
	Other.....	8			
652	Abortion with toxemia, without mention of sepsis				
	White.....	1			
	Other.....	2			
646-649, 660, 673- 680, 683, 687-689	Other complications of pregnancy, childbirth, and puerperium				
	White.....	9			
	Other.....	11			
XII. AND XIII.	DISEASES OF THE SKIN AND CELLULAR TISSUE; DISEASES OF THE BONES AND ORGANS OF MOVEMENT				
	White..... Total.....	109	3	3	
	Male.....	48	2	3	
	Female.....	61	1		
	Other..... Total.....	48	2	2	
	Male.....	27	1		
	Female.....	21	1	2	
690-698	Infections of skin and subcutaneous tissue				
	White..... Male.....	4		2	
	Female.....	2			
	Other..... Female.....	1			
720-725	Arthritis and spondylitis				
	White..... Male.....	25			
	Female.....	45			
	Other..... Male.....	13			
	Female.....	6			
726, 727	Muscular rheumatism and rheumatism, unspecified				
	White..... Male.....	1			
	Female.....	1			
	Other..... Male.....	2			
	Female.....	1			
730	Osteomyelitis and periostitis				
	White..... Male.....	2			
	Female.....	1			
	Other..... Male.....	4			
	Female.....	1			
737, 745- 749	Ankylosis and acquired musculoskeletal deformities				
	White..... Male.....	2	1		
	Other..... Male.....	1	1		
700-716, 731-736, 738-744	All other diseases of skin and musculoskeletal system				
	White..... Male.....	14	1	1	
	Female.....	12	1		
	Other..... Male.....	7			
	Female.....	12	1	2	

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 59 Years	60 to 64 Years	65 to 69 Years	70 to 74 Years	75 to 79 Years	80 and Over	Not stated	International code number
	1		1													651
	4	2			1	1										
			1													652
		1		1												
	1	3	2	1	1	1										646-649, 660, 673- 680, 683, 687-689
		3	1	1	4	2										
1	4		3	2	1	1	2	8	15	25	32	9				XII. AND XIII.
1	4		1	1	1		1	4	8	12	10					
			2	1		1	1	4	7	13	22	9				
	2	2	3	2		3	1	2	11	11	5	2				
	2	1	1	1		2		1	8	8	2					
		1	2	1		1	1	1	3	3	3	2				
	1										1					690-698
									1		1					
									1							
								3	6	8	8					720-725
				1		1		2	4	9	20	8				
				1		1			7	2	2					
								1	1	1	2	1				
											1					726, 727
														1		
						1				1						
										1						
																730
								1			1					
									1	3						
										1						
							1									737, 745- 749
1	3		1	1	1			1	2	2						700-716, 731-736, 738-744
			2				1	1	2	4	1					
	2	1	1					1		2						
		1	2	1		1	1		1		1	1				

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
XIV.	CONGENITAL MALFORMATIONS				
	White..... Total.....	405	310	38	8
	Male.....	226	175	17	3
	Female.....	179	135	21	5
	Other..... Total.....	129	105	13	1
	Male.....	78	66	4	
	Female.....	51	39	9	1
751	Spina bifida and meningocele				
	White..... Male.....	24	21	2	
	Female.....	22	18	3	1
	Other..... Male.....	3	3		
	Female.....	4	4		
754	Congenital malformations of circulatory system				
	White..... Male.....	115	90	11	
	Female.....	73	52	5	3
	Other..... Male.....	36	29	2	
	Female.....	17	12	4	1
750, 752, 753, 755- 759	All other congenital malformations				
	White..... Male.....	87	64	4	3
	Female.....	84	65	13	1
	Other..... Male.....	39	34	2	
	Female.....	30	23	5	
XV.	CERTAIN DISEASES OF EARLY INFANCY				
	White..... Total.....	1,146	1,145	1	
	Male.....	677	676	1	
	Female.....	469	469		
	Other..... Total.....	948	948		
	Male.....	511	511		
	Female.....	437	437		
760, 761	Birth injuries				
	White..... Male.....	141	141		
	Female.....	74	74		
	Other..... Male.....	81	81		
	Female.....	50	50		
762	Postnatal asphyxia and atelectasis				
	White..... Male.....	152	152		
	Female.....	97	97		
	Other..... Male.....	92	92		
	Female.....	67	67		
763	Pneumonia of newborn				
	White..... Male.....	21	21		
	Female.....	14	14		
	Other..... Male.....	40	40		
	Female.....	28	28		

Continued

[illegible]

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
764	Diarrhea of newborn				
	White..... Male.....	5	5	-----	-----
	Female.....	9	9	-----	-----
	Other..... Male.....	15	15	-----	-----
	Female.....	27	27	-----	-----
765-768	All other infections of newborn				
	White..... Male.....	1	1	-----	-----
	Female.....	2	2	-----	-----
	Other..... Male.....	5	5	-----	-----
	Female.....	1	1	-----	-----
770	Hemolytic disease of newborn (erythroblastosis)				
	White..... Male.....	24	23	1	-----
	Female.....	14	14	-----	-----
	Other..... Male.....	5	5	-----	-----
	Female.....	2	2	-----	-----
769, 771, 772	All other defined diseases of early infancy				
	White..... Male.....	35	35	-----	-----
	Female.....	20	20	-----	-----
	Other..... Male.....	49	49	-----	-----
	Female.....	38	38	-----	-----
773	Ill-defined diseases peculiar to early infancy				
	White..... Male.....	35	35	-----	-----
	Female.....	22	22	-----	-----
	Other..... Male.....	29	29	-----	-----
	Female.....	28	28	-----	-----
774	Immaturity with mention of any other subsidiary condition				
	White..... Male.....	14	14	-----	-----
	Female.....	12	12	-----	-----
	Other..... Male.....	15	15	-----	-----
	Female.....	15	15	-----	-----
776	Immaturity, unqualified				
	White..... Male.....	249	249	-----	-----
	Female.....	205	205	-----	-----
	Other..... Male.....	180	180	-----	-----
	Female.....	181	181	-----	-----
XVI.	SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS				
	White..... Total.....	361	57	7	1
	Male.....	210	31	6	-----
	Female.....	151	26	1	1
	Other..... Total.....	392	162	19	4
	Male.....	227	93	10	3
	Female.....	165	69	9	1

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and Over	Not stated	International code number
														764
														765-768
														770
														769, 771, 772
														773
														774
														776
														XVI.
2	2	1	5	7	11	6	9	16	45	65	71	56		
		1	3	4	3	6	5	11	32	38	43	27		
2	2		2	3	8		4	5	13	27	28	29		
2	3	7	9	6	10	15	6	17	24	47	31	30		
	1	4	4	6	4	10	4	11	15	34	18	10		
2	2	3	5		6	5	2	6	9	13	13	20		

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
794	Senility without mention of psychosis				
	White.....Male.....	23			
	Female.....	32			
	Other.....Male.....	12			
	Female.....	17			
780-793, 795	Symptoms, ill-defined and unknown causes				
	White.....Male.....	187	31	6	
	Female.....	119	26	1	1
	Other.....Male.....	215	93	10	3
	Female.....	148	69	9	1
XVII.	ACCIDENTS, POISONINGS, AND VIOLENCE				
	White.....Total.....	2,076	65	77	64
	Male.....	1,558	38	43	43
	Female.....	518	27	34	21
	Other.....Total.....	1,124	109	66	35
	Male.....	864	66	35	22
	Female.....	260	43	31	13
800-802	Railway accidents				
	White.....Male.....	24			2
	Female.....	2			
	Other.....Male.....	16			
	Female.....	1			
810	Motor vehicle traffic accidents involving collision with railway train				
	White.....Male.....	15			
	Female.....	4			
	Other.....Male.....	8			
	Female.....	1			
812	Motor vehicle traffic accident to pedestrian				
	White.....Male.....	108		6	21
	Female.....	48		7	10
	Other.....Male.....	74		6	8
	Female.....	18		2	3
811, 813- 819	Other motor vehicle traffic accident involving collision				
	White.....Male.....	220		1	4
	Female.....	82	4	4	2
	Other.....Male.....	63		2	3
	Female.....	20		1	
820-824	Motor vehicle noncollision traffic accidents				
	White.....Male.....	266		2	3
	Female.....	42		1	3
	Other.....Male.....	100		2	3
	Female.....	16			2

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 59 Years	60 to 64 Years	65 to 69 Years	70 to 74 Years	75 to 79 Years	80 and Over	Not stated	International code number
																794
											2	9	12			
											3	9	20			
									1	2	4	5				
											2	5	10			
		1	3	4	3	6	5	11	32	36	34	15				780-793, 795
2	2		2	3	8		4	5	13	24	19	9				
	1	4	4	6	4	10	4	11	14	32	14	5				
2	2	3	5		6	5	2	6	9	11	8	10				
																XVII.
79	171	200	189	169	145	156	124	116	183	154	133	51				
57	135	173	156	137	121	129	105	89	143	104	69	16				
22	36	27	33	32	24	27	19	27	40	50	64	35				
31	85	117	141	126	87	73	54	54	76	44	18	8				
26	70	103	110	105	75	61	46	44	59	24	12	6				
5	15	14	31	21	12	12	8	10	17	20	6	2				
	1			5	4	3	3	2	1	2	1					800-802
				1	1											
		3	2	1		3	1	3	2					1		
			1													
																810
	2		2	2		1	2	1	3	2						
	1	1		1					1							
			1	1	1	2		1	1	1						
							1									
																812
3	1	1	4	3	6	5	8	7	10	20	12	1				
5	3	1	2	5	1		1	5	4	3	1					
1	2	4	3	7	7	3	8	6	11	4	4					
	1	1					1	3	3	4						
																811, 813- 819
13	29	39	35	16	15	13	8	11	18	10	8					
6	11	11	6	5	6	3	4	7	5	6	1	1				
3	3	8	6	8	5	6	4	6	5	4						
1	2	1	3	4	1	1		1	3	2						
																820-824
9	50	51	39	33	17	20	14	7	13	7	1					
1	10	4	9		3	5	1	2	1	1	1					
1	16	22	19	9	7	7	4	6	3	1						
	3	3	5	1			1	1								

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
825	Motor vehicle traffic accident of unspecified nature				
	White.....Male.....	44			
	Female.....	14			
	Other.....Male.....	10	2		1
830-835	Motor vehicle nontraffic accidents				
	White.....Male.....	12		7	
	Female.....	7	1	5	1
	Other.....Male.....	7		2	
	Female.....	2		2	
840-845	Other road vehicle accidents				
	White.....Male.....	2			1
	Female.....	1			
	Other.....Male.....	6	1		
850-858	Water transport accidents				
	White.....Male.....	30			1
	Female.....	1			
	Other.....Male.....	13			
860-866	Aircraft accidents				
	White.....Male.....	42			
	Female.....	3			
870-888	Accidental poisoning by solid and liquid substances				
	White.....Male.....	11	1	2	
	Female.....	11	1	4	
	Other.....Male.....	10		4	
	Female.....	11	2	5	
890-895	Accidental poisoning by gases and vapor				
	White.....Male.....	7			
	Female.....	2			
	Other.....Male.....	4			
900-902	Fall from one level to another				
	White.....Male.....	51	5	1	
	Female.....	36		1	
	Other.....Male.....	20	1		
	Female.....	10	2	1	
903	Fall on same level				
	White.....Male.....	41		1	
	Female.....	78			
	Other.....Male.....	1			
	Female.....	12			
904	Unspecified falls				
	White.....Male.....	4			
	Female.....	12			
	Other.....Male.....	4			

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 59 Years	60 to 64 Years	65 to 69 Years	70 to 74 Years	75 to 79 Years	80 and Over	Not stated	International code number
	4	14	7	8	3	1	1	2	3			1				825
		1	2	1	1	1		3	5							
	1	2				1	1		1	1						
1		1				1		1				1				830-835
1		1				1	1		1							
												1				840-845
1																
1	1				1				2							
3	1	3	2	4	6	5	2		2	1						850-858
				1												
1	2	2	1		2	2	2	1								
	2	11	9	12	3	2	2		1							860-866
1			2													
	1				1		2	1	1	1	1	1				870-888
				2		2			2							
				1		4		1								
	1		1		1	1										
	3		1	1	1		1									890-895
	1			1												
		1		1					2							
	4	3			2	4	6	1	6	7	10	2				900-902
1	1	1			1	1			3	7	14	6				
1				4	2	2	3	1	3	2	1					
					1				2	3	1					
1			1	1		1	1	4	1	9	13	8				903
								1	6	13	37	21				
									1							
			1		1				2	4	3	1				
				1						1	2					904
									2	3	4	3				
			1	1				1	1							

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
910	Blow from falling object				
	White..... Male.....	21			
	Female.....	3			2
	Other..... Male.....	18		1	
912	Accident caused by machinery				
	White..... Male.....	33		1	
	Female.....	2		1	
	Other..... Male.....	15		1	
	Female.....	1			
914	Accident caused by electric current				
	White..... Male.....	19		1	
	Other..... Male.....	5			
916	Accident caused by fire and explosion of combustible material (except conflagration)				
	White..... Male.....	20	1	2	1
	Female.....	11	1		
	Other..... Male.....	23		3	1
	Female.....	29	2	10	5
916	Accident caused by conflagration				
	White..... Male.....	30	2	2	3
	Female.....	10	1	3	2
	Other..... Male.....	41	8	8	2
	Female.....	26	4	7	2
917, 918	Accident caused by hot substance, corrosive liquid, steam and radiation				
	White..... Male.....	6		3	
	Female.....	2	1	1	
	Other..... Male.....	2		1	
	Female.....	3	1	1	
919	Accident caused by firearm				
	White..... Male.....	42		2	
	Female.....	4			1
	Other..... Male.....	13			2
	Female.....	6		1	1
921, 922	Inhalation and ingestion of food and other object causing obstruction or suffocation				
	White..... Male.....	18	11	4	
	Female.....	9	6	2	
	Other..... Male.....	20	17	2	
	Female.....	10	9	1	
924	Accidental mechanical suffocation in bed and cradle				
	White..... Male.....	15	14		
	Female.....	12	12		
	Other..... Male.....	24	24		
	Female.....	18	18		

Continued

[illegible]

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
927	Accidents caused by venomous animals and insects				
	White.....Male.....	1			
	Female.....	1			
	Other.....Male.....	1			
929	Accidental drowning				
	White.....Male.....	72		6	6
	Female.....	18		1	
	Other.....Male.....	62	1	2	2
	Female.....	1			
931	Excessive heat and insolation				
	White.....Male.....	22	2	1	
	Female.....	5		1	
	Other.....Male.....	23	3		
	Female.....	6	3		
935	Lightning				
	White.....Male.....	8			
	Female.....	2			
	Other.....Male.....	3			
940-959	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures				
	White.....Male.....	5			
	Female.....	5			
	Other.....Male.....	1			
	Female.....	4			
911, 913, 915, 920, 923, 925, 926, 928, 930, 932- 934, 936, 960-962	All other accidents				
	White.....Male.....	34	2	1	1
	Female.....	15		2	
	Other.....Male.....	20	7		
	Female.....	6	2		
970-973	Suicide by poisoning				
	White.....Male.....	22			
	Female.....	15			
	Other.....Female.....	1			
974	Suicide by hanging and strangulation				
	White.....Male.....	16			
	Female.....	6			
976	Suicide by firearms and explosives				
	White.....Male.....	195			
	Female.....	25			
	Other.....Male.....	26			
	Female.....	2			

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 59 Years	60 to 64 Years	65 to 69 Years	70 to 74 Years	75 to 79 Years	80 and Over	Not stated	International code number
						1										927
		1					1									
																929
11	8	10	6	4	2	4	2	4	6	3						
3	5	1	1	3	1	1	1	1								
8	17	10	8	3	2	1	3	2	2			1				
			1													
	1	2			2	2	1	3	1	3	3	1		1		931
					1	1							1			
1		2	1	2	2		2	3	3			1		3		
	1	1						1								
																935
1	1	2			1	2	1									
1			1			1			1							
																940-959
									1	2	2					
1						1			2	1						
				1	1	1	1			1						
																911, 913, 915, 920, 923, 925, 926, 928, 930, 932- 934, 936, 960-962
1	3		4	5	1	5	2	3	1	2	1	2				
		1	1						2	5	2	2				
1	1	1	2		1	2	1		1	2	1					
		1	1					1				1				
																970-973
		1	4	1	2	2	3	2	6	1						
	1	1	1	1	1	4	5		1							
				1												
		3	3			2	2	2	3	1						974
					1	1		2	1	1						
																976
	3	15	8	11	28	30	18	21	38	16	6	1				
1		2	3	4	3	3	3	1	1	4						
	2	3	4	5	5	1	1	1	4							
					1				1							

TABLE 9—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
963, 975, 977-979	Suicide by all other means				
	White.....Male.....	15			
	Female.....	7			
	Other.....Female.....	3			
981	Homicide by firearms and explosives				
	White.....Male.....	63			
	Female.....	16			
	Other.....Male.....	139		1	
	Female.....	34			
982	Homicide by cutting and piercing instruments				
	White.....Male.....	9			
	Female.....	2		1	
	Other.....Male.....	57	1		
	Female.....	11			
964, 980, 983	Homicide by other means				
	White.....Male.....	12			
	Female.....	5			
	Other.....Male.....	23	1		
	Female.....	8			
984	Injury by intervention of police				
	White.....Male.....	3			
	Other.....Male.....	10			
985	Legal executions				
	Other.....Male.....	2			

Continued

[illegible]

TABLE 10.—DEATHS (EXCLUDING STILLBIRTHS) BY COLOR WITH CRUDE RATES PER 1,000 POPULATION: NORTH CAROLINA AND EACH COUNTY, 1952

Area	Place of death			Place of residence					
	Total	White	Other	Total		White		Other	
				Number	Rate	Number	Rate	Number	Rate
NORTH CAROLINA.....	32,203	21,198	11,005	32,095	7.7	21,090	6.9	11,005	10.0
Alamance.....	405	320	85	473	6.4	382	6.3	91	6.6
Alexander.....	85	75	10	106	7.2	96	7.0	10	9.5
Alleghany.....	66	64	2	68	8.4	66	8.4	2	7.8
Anson.....	191	98	93	204	7.7	108	7.9	96	7.5
Ashe.....	149	149	-----	170	7.8	169	7.9	1	4.3
Avery.....	80	77	3	71	5.3	67	5.1	4	20.9
Beaufort.....	454	250	204	435	11.7	234	10.0	201	14.5
Bertie.....	196	70	126	224	8.5	93	8.9	131	8.2
Bladen.....	171	80	91	234	7.7	118	6.6	116	9.3
Brunswick.....	133	74	59	162	8.2	86	6.9	76	10.4
Buncombe.....	1,322	1,118	204	1,016	7.9	856	7.6	160	10.6
Burke.....	359	330	29	258	5.5	227	5.2	31	9.0
Cabarrus.....	386	321	65	417	6.4	342	6.2	75	7.7
Caldwell.....	236	209	27	270	6.0	242	5.8	28	9.1
Camden.....	36	21	15	54	10.4	33	10.3	21	10.6
Carteret.....	205	169	36	216	9.0	174	8.2	42	14.2
Caswell.....	106	52	54	159	7.6	86	7.9	73	7.2
Catawba.....	363	313	50	390	6.1	332	5.7	58	10.2
Chatham.....	206	134	72	234	9.2	149	8.6	85	10.4
Cherokee.....	143	138	5	133	7.3	128	7.2	5	14.7
Chowan.....	111	56	55	112	8.8	58	8.0	54	9.9
Clay.....	11	10	1	31	5.2	30	5.1	1	15.6
Cleveland.....	402	321	81	430	6.5	339	6.6	91	6.3
Columbus.....	290	170	120	385	7.4	237	7.0	148	8.3
Craven.....	440	217	223	468	8.9	245	6.7	223	13.7
Cumberland.....	826	528	298	658	6.3	419	5.5	239	8.4
Currituck.....	60	42	18	72	11.8	51	12.2	21	11.0
Dare.....	40	36	4	55	10.5	50	10.2	5	13.9
Davidson.....	368	303	65	419	6.5	352	6.1	67	10.3
Davie.....	96	83	13	136	8.8	108	8.1	28	13.0
Duplin.....	240	132	108	349	8.4	199	7.7	150	9.7
Durham.....	1,219	732	487	772	7.3	415	5.8	357	10.2
Edgecombe.....	508	178	330	548	10.5	199	7.9	349	13.0
Forsyth.....	1,457	991	466	1,174	7.8	709	6.5	465	11.2
Franklin.....	231	126	105	287	9.1	158	9.3	129	8.8

TABLE 10—Continued

Area	Place of death			Place of residence					
	Total	White	Other	Total		White		Other	
				Number	Rate	Number	Rate	Number	Rate
Gaston.....	599	478	121	690	5.9	557	5.5	133	8.6
Gates.....	78	28	50	106	11.2	44	10.0	62	12.3
Graham.....	23	23	-----	32	4.6	32	4.7	-----	-----
Granville.....	395	260	135	270	8.3	122	7.0	148	10.0
Greene.....	86	38	48	123	6.9	55	5.8	68	8.0
Guilford.....	1,336	975	361	1,368	6.9	983	6.1	385	10.0
Halifax.....	563	209	354	564	9.6	222	8.7	342	10.3
Harnett.....	315	219	96	356	7.4	243	6.8	113	9.0
Haywood.....	224	219	5	267	7.0	259	6.9	8	9.8
Henderson.....	285	257	28	273	8.5	249	8.3	24	11.7
Hertford.....	192	84	108	173	7.9	75	8.6	98	7.4
Hoke.....	121	40	81	103	6.5	36	5.7	67	7.0
Hyde.....	32	25	7	52	8.4	36	10.1	16	6.1
Iredell.....	539	411	128	464	8.1	344	7.2	120	11.9
Jackson.....	112	104	8	123	6.4	113	6.4	10	6.7
Johnston.....	389	286	103	495	7.5	367	7.1	128	8.8
Jones.....	40	16	24	65	5.9	28	4.7	37	7.3
Lee.....	205	143	62	208	8.5	145	7.9	63	10.0
Lenoir.....	499	284	215	443	9.4	234	8.7	209	10.3
Lincoln.....	162	128	34	171	6.1	137	5.6	34	9.7
McDowell.....	173	153	20	182	6.9	162	6.5	20	14.8
Macon.....	127	124	3	130	8.0	127	8.0	3	8.9
Madison.....	104	102	2	162	8.1	157	7.9	5	26.9
Martin.....	186	92	94	218	7.7	106	7.6	112	7.8
Mecklenburg.....	1,756	1,166	590	1,600	7.7	1,012	6.5	588	11.4
Mitchell.....	76	76	-----	95	6.4	93	6.2	2	45.5
Montgomery.....	104	64	40	123	7.0	82	6.1	41	10.2
Moore.....	295	199	96	288	8.6	192	7.7	96	10.9
Nash.....	596	269	327	538	8.8	245	7.0	293	11.3
New Hanover.....	773	434	339	672	10.1	382	8.3	290	14.2
Northampton.....	184	73	111	261	9.2	106	10.5	155	8.4
Onslow.....	260	195	65	259	5.5	188	4.7	71	10.0
Orange.....	172	105	67	226	6.1	162	5.8	64	7.1
Pamlico.....	74	43	31	87	8.6	53	8.0	34	9.8
Pasquotank.....	263	146	117	230	9.1	122	7.7	108	11.5
Pender.....	138	60	78	149	8.0	65	6.8	84	9.3
Perquimans.....	70	34	36	84	8.8	42	8.4	42	9.2
Person.....	169	109	60	189	7.8	125	8.1	64	7.3
Pitt.....	520	250	270	546	8.5	261	7.5	285	9.6
Polk.....	92	74	18	101	8.7	83	8.2	18	12.2

TABLE 10—Continued

Area	Place of death			Place of residence					
	Total	White	Other	Total		White		Other	
				Number	Rate	Number	Rate	Number	Rate
Randolph.....	272	241	31	323	6.2	294	6.1	29	6.7
Richmond.....	283	164	119	330	8.2	195	6.9	135	11.2
Robeson.....	783	348	435	784	8.7	315	8.3	469	9.0
Rockingham.....	479	355	124	505	7.6	384	7.2	121	9.1
Rowan.....	569	398	171	642	8.4	466	7.3	176	13.7
Rutherford.....	307	254	53	334	7.2	280	6.8	54	9.7
Sampson.....	351	205	146	381	7.6	234	7.4	147	7.9
Scotland.....	284	126	158	222	8.2	110	7.6	112	8.9
Stanly.....	223	187	36	252	6.6	216	6.4	36	8.4
Stokes.....	92	81	11	140	6.6	126	6.5	14	7.6
Surry.....	319	288	31	331	7.1	300	6.8	31	11.8
Swain.....	65	55	10	67	7.1	60	7.6	7	4.5
Transylvania.....	88	81	7	93	5.9	85	5.6	8	10.9
Tyrrell.....	82	55	27	75	15.2	50	17.7	25	11.9
Union.....	307	212	95	333	7.8	236	7.1	97	10.2
Vance.....	318	139	179	301	9.2	133	7.5	168	11.4
Wake.....	1,311	814	497	1,175	8.2	676	6.6	499	12.2
Warren.....	195	48	147	214	9.1	55	7.0	159	10.1
Washington.....	112	43	69	138	10.3	64	8.5	74	12.7
Watauga.....	141	138	3	135	7.3	131	7.2	4	20.2
Wayne.....	695	300	395	554	8.4	315	8.3	239	8.7
Wilkes.....	282	256	26	331	7.2	302	7.0	29	10.7
Wilson.....	576	287	289	531	9.6	245	7.4	286	12.8
Yadkin.....	90	81	9	141	6.3	129	6.0	12	11.1
Yancey.....	61	60	1	87	5.4	86	5.4	1	5.3

TABLE 11.—DEATHS (EXCLUDING STILLBIRTHS) BY COLOR WITH CRUDE RATES PER 1,000 POPULATION; EACH INCORPORATED PLACE HAVING A POPULATION OF 10,000 OR MORE, 1952

Area	Place of death			Place of residence					
	Total	White	Other	Total		White		Other	
				Number	Rate	Number	Rate	Number	Rate
TOTAL.....	12,424	8,117	4,307	8,631	8.7	5,081	7.3	3,550	12.0
Albemarle.....	127	102	25	82	6.1	71	5.9	11	7.3
Asheville.....	846	684	162	557	10.4	412	10.0	145	11.8
Burlington.....	110	96	14	151	5.5	134	5.6	17	5.1
Charlotte.....	1,464	983	481	1,130	8.0	681	6.6	449	11.5
Concord.....	265	216	49	134	8.0	103	7.6	31	9.7
Durham.....	1,083	656	427	574	7.8	280	5.9	294	11.0
Elizabeth City.....	197	113	84	160	12.4	81	9.2	79	19.1
Fayetteville.....	523	314	209	294	7.6	171	7.0	123	8.6
Gastonia.....	322	257	65	211	9.0	152	8.2	59	12.0
Goldsboro.....	284	157	127	219	9.8	115	9.3	104	10.4
Greensboro.....	716	492	224	620	8.0	387	6.7	233	11.8
Greenville.....	97	49	48	158	9.0	78	7.3	80	11.5
Henderson.....	199	94	105	119	10.1	59	9.1	60	11.4
Hickory.....	163	138	25	132	8.8	107	8.3	25	11.5
High Point.....	318	239	79	287	7.1	202	6.3	85	10.2
Kinston.....	330	187	143	211	11.1	101	9.7	110	12.8
Lexington.....	149	116	33	110	7.7	85	7.0	25	11.6
Monroe.....	133	101	32	77	7.0	55	6.9	22	7.3
New Bern.....	269	112	157	203	12.1	82	8.4	121	17.4
Raleigh.....	979	627	352	586	8.4	314	6.1	272	14.8
Reidsville.....	204	130	74	116	9.7	65	8.3	51	12.3
Rocky Mount.....	449	231	218	262	9.3	122	7.0	140	13.0
Salisbury.....	313	211	102	224	11.0	136	8.9	88	17.5
Sanford.....	135	91	44	88	7.9	54	6.3	34	13.2
Shelby.....	181	134	47	121	7.6	96	7.6	25	7.7
Statesville.....	245	199	46	146	8.1	102	7.2	44	11.2
Thomasville.....	76	59	17	68	6.1	50	5.4	18	9.0
Wilmington.....	659	352	307	496	10.4	264	8.5	232	13.9
Wilson.....	402	209	193	276	11.6	119	8.5	157	16.0
Winston-Salem.....	1,186	768	418	818	9.1	402	7.6	416	11.3

TABLE 12.—RESIDENT DEATHS (EXCLUDING STILLBIRTHS) BY CAUSE (ABBREVIATED

List number	CAUSE OF DEATH (Abbreviated list of selected causes with code number opposite each cause)	North Carolina		
		Total	White	Other
	TOTAL—ALL CAUSES.....	32,095	21,090	11,005
1.	Tuberculosis of respiratory system (001-008).....	497	194	303
2.	Tuberculosis, other forms (010-019).....	46	14	32
3.	Syphilis (020-029).....	97	32	65
4.	Typhoid fever (040).....	3	1	2
5.	Paratyphoid fever (041).....			
6.	Amebic dysentery (046).....	2	1	1
7.	Other forms of dysentery (045, 047, 048).....	27	9	18
8.	Scarlet fever (050).....	2	2	
9.	Diphtheria (055).....	9	4	5
10.	Whooping cough (056).....	5	1	4
11.	Meningococcal infections (057).....	42	31	11
12.	Acute poliomyelitis (080).....	21	18	3
13.	Smallpox (084).....			
14.	Measles (085).....	21	15	6
15.	Typhus fever, murine (101).....			
16.	Rocky Mountain spotted fever (104).....	4	4	
17.	Malaria (110-117).....	3	1	2
18.	Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205).....	3,346	2,541	805
19.	Benign and unspecified neoplasms (210-239).....	119	73	46
20.	Diabetes mellitus (260).....	404	289	115
21.	Pellagra (281).....	14	8	6
22.	Vascular lesions affecting central nervous system (330-334).....	4,139	2,757	1,382
23.	Meningitis, except meningococcal and tuberculous (340).....	46	15	31
24.	Rheumatic fever (400-402).....	58	28	30
25.	Chronic rheumatic heart disease (410-416).....	311	241	70
26.	Arteriosclerotic heart disease, including coronary disease (420).....	5,506	4,449	1,057
27.	Nonrheumatic chronic endocarditis and other myocardial degeneration (421, 422).....	1,325	919	406
28.	Other diseases of heart (430-434).....	890	538	352
29.	Hypertension with heart disease (440-443).....	2,730	1,509	1,221
30.	Hypertension without mention of heart (444-447).....	318	186	132
31.	Influenza (480-483).....	250	126	124
32.	Pneumonia (490-493).....	1,074	511	563
33.	Bronchitis (500-502).....	58	38	20
34.	Ulcer of stomach and duodenum (540, 541).....	112	85	27
35.	Appendicitis (550-553).....	50	31	19
36.	Hernia and intestinal obstruction (560, 561, 570).....	153	88	65
37.	Gastritis, duodenitis, enteritis, and colitis (under 2 years) (543, 571.0, 572, 764).....	348	85	263
38.	Gastritis, duodenitis, enteritis, and colitis (2 years and over) (543, 571.1, 572).....	79	50	29
39.	Cirrhosis of liver (581).....	192	156	36
40.	Nephritis and nephrosis (590-594).....	720	354	366
41.	Sepsis of pregnancy, childbirth, and the puerperium (640, 641, 651, 681, 682, 684).....	19	3	16
42.	Other diseases of pregnancy, childbirth, and the puerperium (642-650, 652-660, 670-680, 683, 685-689).....	94	37	57
43.	Congenital malformations (750-759).....	534	405	129
44.	Birth injuries, postnatal asphyxia, and atelectasis (760-762).....	754	464	290
45.	Infections of newborn, except diarrhea of newborn (763, 765-768).....	112	38	74
46.	Other diseases peculiar to early infancy (769-773).....	301	150	151
47.	Immaturity with other subsidiary condition and immaturity unqualified (774, 776).....	871	480	391
48.	All other diseases (residual).....	3,189	2,033	1,156
49.	Motor vehicle accidents (810-835).....	1,181	862	319
50.	All other accidents (800-802, 840-962).....	1,292	803	489
51.	Suicide (963, 970-979).....	333	301	32
52.	Homicide and injury resulting from operations of war (964, 965, 980-999).....	394	110	284

LIST OF 52 CAUSES), BY COLOR: NORTH CAROLINA AND EACH COUNTY, 1952

Alamance		Alexander		Alleghany		Anson		Ashe		Avery		List num- ber
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
382	91	96	10	66	2	108	96	169	1	67	4	Total
1	5		1	1		2	2	1		1		1.
								1				2.
												3.
1												4.
												5.
												6.
	2						1	1				7.
												8.
							1					9.
		1						1				10.
												11.
								5				12.
												13.
												14.
												15.
												16.
59	9	8		8	1	10	5	24	1	3		17.
4		1		1			1					18.
6	1											19.
												20.
54	12	15		8		14	8	18		6	2	21.
												22.
		1						1				23.
5	2	1		1		1	1	2		1		24.
85	7	8		7		26	7	13		14	2	25.
13	4	4		7		3	4	17		2		26.
12	2	6		4		4	1	6				27.
21	8	1	1	4	1	10	16	18		3		28.
1	1	1					3	3				29.
3	2	2		4			1	4		2		30.
8	4			1		3	7	4		2		31.
												32.
						1	1	1				33.
2							1					34.
2						1	2	1		1		35.
	2		1				1					36.
2		1										37.
4	1	1		2		3	1					38.
5	7	3	1	2		6	2	5		1		39.
												40.
												41.
2							2					42.
8	4	3		1		1	1	1		2		43.
5	7		2					4		2		44.
				1			1					45.
2	1					1	1	1				46.
												47.
10	2	6				1	2			3		48.
44	5	26	4	6		12	9	20		18		49.
10	2	6		1		4	8	5				50.
8	2			6		4	5	4		5		51.
5		1		1		1		2		1		52.
							1	6				

TABLE 12—

List number	Beaufort		Bertie		Bladen		Brunswick		Buncombe		Burke	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Total	234	201	93	131	118	116	86	76	856	160	227	31
1.		4	1	1	2	2		1	17	7	2	1
2.								1	1			
3.		2						2	4			
4.												
5.												
6.												
7.										1		
8.												
9.												
10.												
11.								2	2			
12.	1								3			
13.												
14.		1							1			
15.												
16.												
17.												
18.	26	16	12	8	7	7	11	5	115	20	31	2
19.		1							5	2	1	1
20.	5	5	3	2	1	2	1	1	6	3	7	
21.									1			
22.	47	25	14	19	7	10	6	12	110	23	28	7
23.				1		4			1			
24.		1		1	1				1			
25.	1	1			2	1			16		3	
26.	40	13	15	3	28	5	19	6	212	18	30	3
27.	14	10	7	17	1	3	3	2	45	11	12	
28.	4	3	3	3	3	1	11	5	7	4	9	
29.	15	13	3	3	15	20	10	6	62	22	10	1
30.	3		1	3			3	1	14	3	3	
31.	1	10			2		1		4	1	2	
32.	14	19	2	14	5	8	1	8	20	5	5	3
33.									1			
34.			1						5	1	2	
35.									2			
36.			1						2			
37.		3		6	2	4	1		2	1		
38.	1			1	2	2			2			
39.	1	1	1		2				5		1	
40.	4	6	2	6	2	6		2	9	5	3	
41.												
42.	2	1		1		1		1		1	2	
43.	2	1	2	1	2		3	2	15		2	
44.	5	7		3	4	2	2	1	14		3	
45.	2	3		2		1						
46.	3	1		3	4	3		2	6	1	2	
47.	3	9	3	2		2		3	23	6	6	
48.	15	25	16	23	12	17	6	5	77	11	40	8
49.	7	5		2	6	2	3	2	20	2	13	1
50.	15	9	6	2	6	6	3	4	19	9	8	2
51.	2	1		1	2		1		5	1	2	
52.	1	5		3	2	5	1	2	2	2		2

Continued

Cabarrus		Caldwell		Camden		Carteret		Caswell		Catawba		List num- ber
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
342	75	242	28	33	21	174	42	86	73	332	58	Total
2	2	1				1	2		1	1	1	1.
1	1		1				1					2.
1	1									1		3.
												4.
												5.
												6.
												7.
												8.
												9.
												10.
									1	1		11.
		1								1		12.
												13.
												14.
												15.
												16.
												17.
49	12	23	4	4	3	19	3	4	3	35	3	18.
		3								1		19.
10	1	3		1		1		2		4	3	20.
		1										21.
44	8	27	2	4		26	6	15	9	27	6	22.
												23.
												24.
6	1	5			1	1		2	1	2	1	25.
67	7	46	4	10	3	36	2	8	10	75	3	26.
11	2	4		2		11	2	7	2	22	5	27.
4	2	17	4			2	1	7	2	12	1	28.
36	10	11	3	2	1	7	1	8	5	40	9	29.
1	1	1				3	1	2	2	3		30.
1		3						2	2	2	1	31.
10	2	14	1		1	5	1	2	1	6	3	32.
		1										33.
1		1								1		34.
1									1			35.
	1						1		1	1		36.
	1	2	2			2		1	1			37.
1			1	1		2		2		1	1	38.
4		1				1	1			1		39.
2	2	2		2		14	2	1	2	2	1	40.
								1				41.
2												42.
9		5				1	1	2		6		43.
11	2	10			2	1		2	1	9	1	44.
		2			1				3	2		45.
2			1		3	2		1	2	1		46.
7	1	6				8	3	1	5	15	1	47.
25	13	26	3	2	2	13	11	5	7	25	14	48.
12	1	8		2	1	9		4	8	10	1	49.
14	2	10	1	1	3	7	3	1	1	18	3	50.
7	1	5		2		2		4		6		51.
1	1	3	1					2	2	1		52.

TABLE 12—

List number	Chatham		Cherokee		Chowan		Clay		Cleveland		Columbus	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Total	149	85	128	5	58	54	30	1	339	91	237	148
1.	1	1	3		3	2			1	1		6
2.												1
3.		1				1				1		
4.												
5.												
6.												
7.												
8.									1			
9.										2		
10.												
11.									2			
12.		1										
13.												
14.			1									1
15.												
16.												
17.												
18.	20	5	16	1	9	5	6		55	8	24	4
19.	1		2		1				1	1	3	
20.	3	2	3		2		1		3	1	1	2
21.											1	
22.	15	8	17	1	8	10	5		55	12	33	11
23.		1				1			1			
24.	1											1
25.	1	1	3				1		2		2	1
26.	30	4	10		8	6		1	79	11	32	8
27.	4		8		2	6	3		23	1	8	7
28.	5	3	1	1					5	1	18	20
29.	19	9	15	2	1	1	1		11	7	20	13
30.		1	1		1				3		2	2
31.		1	1			1			3	1	1	2
32.	5	4	3			2	2		9	4	8	6
33.											1	
34.	1		1		1							1
35.	1									1		
36.	2	2	2			1			1		2	1
37.	2	1				1			2	2	4	3
38.									1	1	1	
39.	1				1	1			3		1	
40.		2	1		1	1	1		10	3	4	2
41.												1
42.										1	1	
43.	2	1	3		1	1	1		8	1	4	5
44.	1	4				2	1		5	2	5	8
45.									1			2
46.			1			1			1	2	5	6
47.	4	3	8		3	3			6	2	6	6
48.	11	14	21		9	4	1		25	10	27	16
49.	8	2	5		2		3		7	5	12	
50.	10	11	1		3	2	2		13	4	8	8
51.	1				2	1	1		1	2	3	1
52.		3	1			1	1		1	4		3

Continued

Craven		Cumberland		Currituck		Dare		Davidson		Davie		List number
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
245	223	419	239	51	21	50	5	352	67	108	28	Total
2	8	6		1					1	1	1	1.
	2	1	1									2.
	1		3						1			3.
												4.
												5.
												6.
1	1									1		7.
												8.
												9.
												10.
1	1	4										11.
		1										12.
												13.
												14.
												15.
												16.
												17.
27	7	36	20	5		4	1	37	4	13	1	18.
1	1	3	2		1	1		1	1			19.
4	2	7	3					3	1			20.
	1											21.
20	21	48	31	5	2	3		52	12	21	7	22.
			2									23.
1	1							1				24.
1	1	2	1	1				3	1	1		25.
45	25	67	17	11	5	14		87	6	18	4	26.
5	14	5	3	6	3	7		21	2	2	1	27.
	1	9	9	4		3	3	1		2	1	28.
21	34	19	26	6	4	5		13	3	7		29.
2	8	3	3					3				30.
2	3			1				1		1		31.
6	14	7	7	1	1			18	8	3	1	32.
1	3		2									33.
1	1	1	1					4				34.
2		2	1									35.
1	3		2					2		1		36.
2	3	1	2						1			37.
	1	2	2					1	1			38.
2	1	3						3	1	1	2	39.
2	6	5	7					7	3	3	2	40.
			1									41.
	1	1	2								1	42.
14	1	8	6					4		3	1	43.
5	4	13	7				1	4	1	1		44.
	2	1										45.
10	3	13	7					5	2			46.
4	2	35	8		1	1		15	2	1	3	47.
20	19	59	37	6	1	4		29	6	18	2	48.
14	5	32	12	1	3			17	4	5		49.
23	15	14	9	2		6		17	3	3		50.
5		5		1		2		2		1		51.
	7	6	5					1	3	1	1	52.

TABLE 12—

List num- ber	Duplin		Durham		Edgecombe		Forsyth		Franklin		Gaston	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Total	199	150	415	357	199	349	709	465	158	129	557	133
1.	2	3	7	17	-----	9	7	12	4	1	1	5
2.	-----	1	-----	-----	-----	1	1	1	-----	1	-----	-----
3.	1	1	1	3	-----	2	1	1	-----	-----	-----	3
4.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
6.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
7.	-----	-----	-----	-----	1	2	-----	-----	-----	-----	-----	-----
8.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
9.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
10.	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
11.	-----	1	-----	-----	-----	2	-----	-----	-----	1	-----	-----
12.	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	1	-----
13.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
14.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
15.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
16.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
17.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
18.	20	7	62	35	24	28	107	46	15	9	55	10
19.	-----	1	4	1	-----	2	3	2	-----	-----	4	2
20.	1	1	9	4	2	2	5	4	5	2	6	-----
21.	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
22.	41	22	54	40	36	39	88	60	16	14	77	14
23.	-----	-----	-----	-----	-----	3	-----	3	-----	1	1	-----
24.	-----	2	-----	1	-----	2	-----	3	-----	-----	1	-----
25.	1	3	4	-----	-----	-----	7	5	2	-----	8	2
26.	38	11	127	47	40	32	178	33	42	12	122	11
27.	11	4	11	6	12	17	14	7	5	5	29	5
28.	9	11	7	6	-----	5	22	37	-----	5	30	11
29.	9	11	15	60	15	42	49	59	26	14	35	7
30.	-----	-----	6	4	1	4	7	5	-----	-----	5	-----
31.	-----	-----	-----	2	-----	2	4	1	1	2	5	3
32.	8	4	7	10	9	10	10	19	2	9	10	9
33.	-----	-----	-----	-----	-----	2	1	-----	-----	-----	3	-----
34.	-----	-----	-----	1	-----	1	1	-----	-----	-----	2	-----
35.	-----	-----	-----	1	-----	1	1	-----	-----	-----	-----	-----
36.	1	-----	-----	1	1	4	5	4	2	-----	3	1
37.	3	4	1	3	-----	16	2	5	-----	3	3	-----
38.	-----	-----	-----	-----	1	1	1	3	-----	-----	-----	-----
39.	3	-----	5	3	-----	1	4	2	2	-----	6	1
40.	3	5	5	5	2	15	10	30	4	2	7	3
41.	-----	-----	-----	1	-----	-----	-----	-----	-----	1	-----	-----
42.	-----	2	-----	-----	-----	2	-----	1	-----	1	2	-----
43.	2	1	9	3	2	3	15	10	4	2	13	1
44.	3	4	6	7	4	16	18	9	2	4	19	4
45.	-----	1	-----	-----	-----	3	1	3	-----	-----	1	2
46.	2	2	2	5	-----	11	5	4	1	1	3	-----
47.	2	3	6	20	7	14	13	15	-----	5	11	4
48.	18	13	34	28	20	35	57	42	10	19	45	17
49.	11	6	14	9	10	5	30	12	9	4	23	10
50.	3	19	9	24	5	11	23	13	2	5	20	8
51.	5	-----	8	-----	6	-----	9	1	4	-----	4	-----
52.	2	7	1	10	1	3	8	13	-----	6	1	-----

Continued

Gates		Graham		Granville		Greene		Guilford		Halifax		List number
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
44	62	32	-----	122	148	55	68	983	385	222	342	Total
1	2	2	-----	1	3	1	4	11	8	6	8	1
			-----		1			1	2		1	2
			-----					4	3		3	3.
			-----									4.
			-----									5.
			-----									6.
			-----								4	7.
			-----									8.
			-----							1	1	9.
			-----									10.
			-----									11.
			-----									12.
			-----									13.
			-----									14.
			-----									15.
			-----					2				16.
			-----									17.
4	4	3	-----	15	7	6	7	113	56	19	24	18.
			-----		1		1	2	1			19.
	1		-----	2	2		1	15	6	3	1	20.
			-----									21.
12	12		-----	11	13	5	8	146	41	35	58	22.
			-----					2	1	1		23.
			-----						1			24.
			-----	1				14		1		25.
7	2	5	-----	28	9	13	6	231	46	46	22	26.
5	9		-----	8	7	2	1	46	14	12	3	27.
1	4	1	-----	7	12	1	2	11	7	2	4	28.
3	4		-----	11	22	7	9	53	53	18	46	29.
1			-----	6				6	4	1	3	30.
2			-----	1	3			3	5			31.
1	4		-----	2	8		3	22	15	4	21	32.
			-----					2		2	1	33.
			-----		1	1		7	2		2	34.
			-----		1							35.
			-----		1		1	5	1	1	1	36.
			-----		4		1		2	6	22	37.
	1		-----					1			1	38.
		1	-----	1				10	1		2	39.
	1	1	-----	3	6	3	1	13	9	4	19	40.
			-----									41.
		1	-----		2		2	2	1		2	42.
			-----	1	1	2		31	4	3	4	43.
	1	2	-----	1	5	3	3	27	14	8	6	44.
		1	-----					1	2	1	3	45.
			-----		2			6	2	3	3	46.
	3		-----	1	11		5	23	7	8	19	47.
4	5	12	-----	11	14	2	6	91	44	16	35	48.
2	4	1	-----	4	3	3		34	10	9	8	49.
1	4	2	-----	4	3	2	5	25	11	5	7	50.
			-----	3		4		18		4	1	51.
	1		-----		6		2	5	12	3	7	52.

TABLE 12—

List num- ber	Harnett		Haywood		Henderson		Hertford		Hoke		Hyde	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Total	243	113	259	8	249	24	75	98	36	67	36	16
1.	5	6	4		1			5	1	2		1
2.												
3.					1		1	1		1		
4.												
5.												
6.												
7.												
8.												
9.					1							
10.												
11.			1									
12.												
13.												
14.										1		
15.												
16.												
17.												
18.	28	9	24		43	2	16	7	3	2	7	1
19.	3											1
20.		2	2		6	1	2		1	2		
21.			1									
22.	35	14	43	1	26	6	15	13	6	10	7	1
23.					1							
24.			3	1	1							
25.	4	1	9		4					1	1	
26.	45	2	56	2	50		14	12	6	2	9	3
27.	13	8	4		7	1	4	5	1	8	3	
28.	7	4	2		2	1	2	3	1	1		
29.	22	10	31		12	5	4	16		9	2	1
30.	4	2	1		3		1	2	1	3	1	
31.	3	5	1		1	1		2				
32.	7	8	12	1	7		1	3	2	4		2
33.	2				2							
34.					3							
35.	1	1							1			
36.	1				1					1		
37.		2	1		1			1		2		
38.				1			1			2		
39.	5	1			1							
40.	4	1	4		3	1		4	2	2	1	
41.												
42.								1				1
43.	6	3	7	1	6			1				
44.	3	5	6		5	1		1	1	1		
45.	1											
46.	1	1	1		1		1	1				
47.		2	5		4	1		5	2			
48.	17	7	22		25	2	7	5	4	7		1
49.	11	3	6	1	9	1		3	3	1	1	
50.	8	10	11		16		6	5	1	2	3	2
51.	5		2		5						1	1
52.	2	6			1	1		2		3		1

Continued

Iredell		Jackson		Johnston		Jones		Lee		Lenoir		List number
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
344	120	113	10	367	128	28	37	145	63	234	209	Total
3	3			6	4			1	2	1	7	1.
		1		1	1		1		1			2.
	2								2		1	3.
												4.
												5.
			1								1	6.
				1								7.
												8.
												9.
		1		1						1		10.
												11.
												12.
												13.
												14.
												15.
												16.
29	12	21	1	48	10	2		13	3	21	17	17.
1				3						1	1	18.
4	2	1		3	1					7	1	19.
												20.
											1	21.
43	12	11		45	15	7	4	21	5	35	48	22.
				1								23.
1					2			1			2	24.
2		1		2				2	3	2	2	25.
68	8	31	2	73	16	3	2	34	6	32	21	26.
43	5	3	1	13	2	2	1	3	1	15	2	27.
8	2	1		14	13	1	2	5		7	7	28.
18	16	4		30	8	2	1	7	6	20	6	29.
3	1	1		5	2		5	2		2	3	30.
1		3		4	3		1	2	1	2	2	31.
6	8	2		2	5	2	1	1	6	2	6	32.
				1	1			1		1		33.
2							1			1	2	34.
1	1											35.
2		1		2		1		2		1	1	36.
	1				4		1	2	4	2	5	37.
	1			2						1		38.
3				3				4		4		39.
5	3	5		10	4	2	2		1	4	11	40.
							1				1	41.
				1			1		2	1	2	42.
6	1	3	1	4	1	2	1	2	1	2	4	43.
9	4	6		8	5			3	1	3	7	44.
1				1						2	3	45.
3	6	1		2	3	1		2	2	5	2	46.
12	5	2		4	2		2	6		7	12	47.
48	11	4	1	40	15	2	6	13	4	27	20	48.
9	3	5	1	17	4	1	2	10	2	8	6	49.
6	8	5	2	8	4		1	5	4	10	4	50.
5				10			1	3	2	5		51.
2	5			2	3				4	2	1	52.

TABLE 12—

List num- ber	Lincoln		McDowell		Macon		Madison		Martin		Mecklenburg	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Total	137	34	162	20	127	3	157	5	106	112	1,012	588
1.					3		2		2	4	3	8
2.										1	1	1
3.	1		1				1				4	2
4.												
5.												
6.												1
7.							1			1	1	
8.												
9.											1	
10.												1
11.			1								2	
12.					1						2	
13.												
14.					1		2					
15.												
16.												
17.												1
18.	15	2	23	3	18	1	17		6	11	124	34
19.					2					1	2	4
20.		1	2		1		2		1	1	7	7
21.										1		
22.	22	4	18	5	11		25	1	11	13	114	57
23.										1		
24.			1								1	1
25.	3	1	1		3		7		2	1	14	6
26.	24	4	20	2	18		28		26	15	298	103
27.	7	3	4		6		5		5	4	17	18
28.	4	1	5	1	7		5			1	12	5
29.	15	3	8	4	13		11	1	23	8	55	93
30.					1						8	12
31.	2		1	1	2					4	3	5
32.	7	1	2		5		1		1	8	16	38
33.			1		1						1	1
34.		1			1		1				5	2
35.			1				1				1	1
36.			2				1				4	8
37.			1				1			2	4	12
38.							1				2	1
39.	1		1				1		1		8	2
40.	4		9	1			3		3	1	9	14
41.		1										
42.		1			1				2		1	2
43.	2		2		1		4		1	1	22	10
44.	3		3				1		1	1	47	22
45.		3							1	1	6	8
46.			4						1	1	7	4
47.	2	2	3		2	1	5		2	7	24	10
48.	7	2	23	2	18		18		7	16	78	41
49.	9	4	11		4		4	2	1	1	44	8
50.	8		13		7	1	7	1	6	3	42	21
51.							1		3	1	14	1
52.	1		1	1			1			2	8	23

Continued

Mitchell		Montgomery		Moore		Nash		New Hanover		Northampton		List number
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
93	2	82	41	192	96	245	293	382	290	106	155	Total
4		1		4	2	5	14	1	2	1	9	1
						1	1				3	2
1			1		1		2		2	1	1	3.
					1							4.
												5.
												6.
												7.
											2	9.
1						1				1	1	10.
		1										11.
												12.
												13.
												14.
												15.
												16.
												17.
13	1	13	3	31	5	30	16	53	27	14	11	18.
				1					1			19.
1			1	1		4	2	8			1	20.
	1											21.
11		17	13	24	15	37	31	44	49	16	18	22.
							1				1	23.
							3					24.
				1	1	1		2	3	2		25.
7		15	3	44	10	60	39	108	40	18	9	26.
1		2	1	10	3	10	12	21	12	7	8	27.
		2		2	1	2	2	3	4	3	6	28.
11		3	6	7	9	17	37	14	22	9	11	29.
1		2			2	4	3	4	3		2	30.
2					1	1			2			31.
10		4	1	2	3	2	19	5	21	2	7	32.
				2	1							33.
		1		2	1			3	1	1		34.
		1					2	2		1		35.
1				1			1	1	2		1	36.
1					3	3	14	1	2	2	8	37.
1		1						1			1	38.
		1		1		2	2	3	3			39.
1				2	5	7	6	6	10	2	5	40.
											2	41.
						1	4					42.
		1		4		5	3	2		1		43.
3		2		3	1	3	10	10	13	1	2	44.
				1	2	1	2	1			2	45.
			1	2	1	1	5	1	1		2	46.
1			1	3		5	19	7	4		9	47.
15		10	4	24	14	19	17	52	37	15	18	48.
2		1	1	11	3	10	10	6	7	2	6	49.
3		3	4	6	4	8	7	12	11	6	8	50.
2			1	3		3	3	4		1		51.
		1			7	2	6	6	11		1	52.

TABLE 12--

List num- ber	Onslow		Orange		Pamlico		Pasquotank		Pender		Perquimans	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Total	188	71	162	64	53	34	122	108	65	84	42	42
1.	2	2	1	1	1		1	1	1	1		1
2.												
3.							2	2				
4.												
5.												
6.												
7.										3		
8.												
9.												
10.												
11.	2	1										
12.												
13.												
14.												
15.												
16.												
17.												
18.	9	5	24	6	7	1	10	11	10	5	2	1
19.	2	1		1						1		
20.	1		3	2			3	1	1	1	3	1
21.												
22.	13	12	22	7	11	2	17	9	11	10	6	6
23.						1	1					
24.						1	1					
25.	2	1	3				2	3				
26.	29	6	38	5	6	2	41	8	12	1	9	7
27.	5		5		6	4	4	1	3	8	5	7
28.	2		6	5	2	2	2				1	4
29.	4	2	13	7	4	2	10	12	10	8	1	3
30.			1	2		1		2				
31.		1					1	1	1	3	1	
32.	9	6	9	3	1	4	1	8	2	3	2	
33.								1	1			
34.	2		1									
35.												
36.	5	1	1		1			2		1		
37.		1				1		2		2		2
38.					1		1			1		
39.	5			1			1					1
40.	4	1	2		4	2	4	10		1	1	2
41.										1		
42.	1	1				1		1				1
43.	3	1	2				3	1	3	2		
44.	21	1	2	1		1		5		1	1	
45.	3	1										
46.				1				3		1		
47.	10	4	3	4		1	1	3	1	6	1	1
48.	16	10	10	8	5	4	6	9	4	15	5	2
49.	19	2	6	5		1	6	1	1	2	3	
50.	11	10	7	3	3	3	5	7	2	6		3
51.	7		3	2	1			2	1		1	
52.	1	1						2	1	1		

Continued

Person		Pitt		Polk		Randolph		Richmond *		Robeson		List number
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
125	64	261	285	83	18	294	29	195	135	315	469	Total
		1	17	3	1	1		2	5	4	9	1
						1						2.
			1						1		2	3.
												4.
												5.
										1		6.
									1			7.
												8.
											1	9.
1				1								10.
										1		11.
			1									12.
											1	13.
								1				14.
												15.
16	6	38	16	7	3	43	3	20	6	29	27	18.
			1								2	19.
2	1	3	1	3		1		4	3	5	3	20.
										1	2	21.
10	9	29	28	7	4	34	3	24	15	50	36	22.
		1						1			4	23.
	1	2	4			1				1	1	24.
		2	3	2		1	1	1	2	1	1	25.
22	8	57	29	22	1	53	4	35	8	52	45	26.
3	3	11	8	4		18		12	13	6	10	27.
9	3	10	10	1		16	3	14	8	6	14	28.
19	10	28	37	9	2	25	2	13	19	25	41	29.
		1	5			5	1	2	2	1	6	30.
1	2	2	2	1				1	1	2	1	31.
3	3	3	7	1		7	1	4	5	9	29	32.
				1		1		1		1	3	33.
		1		1		1	1	3		1		34.
			1					1			1	35.
1		1	1			1		1	1	1	5	36.
1	2		7	2	1	1		2	5	6	24	37.
			1	1		2				1	1	38.
1		2				2		2	1	2	1	39.
1	3	3	4	1		4	1	3	6	4	12	40.
			1									41.
		3	2			1			1		3	42.
3		3	6			1		6	2	4	10	43.
		12	4	1		6		3	2	18	17	44.
2	1		4			1			1		3	45.
			4			1		2	1	2	8	46.
4	4	6	8		1	4		2	3	5	20	47.
13	4	20	33	6	2	36	4	13	17	36	64	48.
7	1	9	13	4		13	3	13	2	21	19	49.
4	1	7	15	5	3	11	2	9	2	13	27	50.
2		5	1			2				5	1	51.
	2	2	10						2	1	15	52.

TABLE 12—

List num- ber	Rockingham		Rowan		Rutherford		Sampson		Scotland		Stanly	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Total	384	121	466	176	280	54	234	147	110	112	216	36
1.	1	3	3	1	3	1		2	1	3	2	
2.			1					1				
3.	1	1		2		1						
4.												
5.												
6.												
7.												
8.												
9.												
10.												
11.			1					1				
12.	3					1						
13.												
14.												
15.												
16.							1					
17.												
18.	53	12	60	14	42	2	24	8	13	10	23	3
19.	2		4	3			1		1			
20.	10	1	13	1	4		2	2			4	
21.	2											
22.	57	17	50	35	47	10	34	17	10	8	22	3
23.	1									2		1
24.												
25.	6	1	3	1	2		3				3	
26.	68	7	111	25	63	2	49	17	19	8	53	6
27.	30	7	24	13	13		8	9	2	5	3	2
28.	14	7	3	1	2	6	3	3		3	2	
29.	24	20	27	20	7		28	21	12	18	18	5
30.	2	1	2	4	3		3	2	2	1		1
31.	2		2	2	3	1		1			2	
32.	6	10	11	8	15	5	6	12	3	7	4	2
33.				1	1				1			
34.	1		3		4	1	2	1			2	
35.	1		2	2	2		1					1
36.	2		3	1				1	1		2	
37.	1	3		1	1		2	4	3	7		
38.			2		1						1	
39.	3	1	2		2	1	2		1			
40.	7	4	16	7			2	7	3	4	5	1
41.		1										
42.	3						2	2				
43.	5	1	20		4	2	7	2	3	1	2	
44.	9	1	10	6	2		4	1	2	3	2	
45.						1		2		4		
46.	3	2	2	1	1		1	2	1	2	5	
47.	7	4	10	6	3	9	3	1	2	4	7	2
48.	26	8	29	9	28	8	21	10	15	10	25	6
49.	16	5	12	1	7	1	9	8	8	7	17	3
50.	8		30	7	15	2	12	5	5	5	6	
51.	8	1	5		5		4	1	1		6	
52.	2	3	4	4				4	1			

Continued

Stokes		Surry		Swain		Transylvania		Tyrrell		Union		List number
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
126	14	300	31	60	7	85	8	50	25	236	97	Total
		4		2		1				1	8	1.
		1									1	2.
												3.
												4.
												5.
												6.
		2										7.
												8.
												9.
		1								1		10.
							1			1		11.
												12.
		1										13.
												14.
												15.
												16.
16	1	34	3	4		16	1	4	1	27	2	18.
		1		1							2	19.
	1	5				1		2	3	3		20.
												21.
12		37	4	9	1	4	1	10	3	21	13	22.
		2										23.
1		1						1				24.
4		4	1						1	4	1	25.
22	3	38	6	15		13		5		51	4	26.
2	1	19	1	3		4		8	3	6		27.
2		15	2	4		3	1	1		5	1	28.
18	1	29	5	1		12	1	8	1	26	8	29.
		3		1		1	1	1		1	2	30.
3		1	1	1		1			1	3	12	31.
4		8	3	2	1	3		2	1	6	4	32.
											1	33.
1		1		1				1			1	34.
1									1			35.
		1								1		36.
	1	2		1						1	1	37.
		1								1	1	38.
		3						1		1		39.
	1	3		1		2				11	3	40.
												41.
										1	1	42.
5		6		1						7	1	43.
3	1	1		2		2				3	5	44.
								1			1	45.
2		1							1	1		46.
2	1	11		1		1				7	2	47.
14	2	33	3	5	4	8	2	5	5	20	14	48.
7		16	1	4		5			2	12	1	49.
5	1	11		1	1	4			2	9	5	50.
1		2				3				4		51.
1		2	1			1				1	2	52.

TABLE 12—

List num- ber	Vance		Wake		Warren		Washington		Watauga	
	White	Other	White	Other	White	Other	White	Other	White	Other
Total	133	168	676	499	55	159	64	74	131	4
1.	1	3	3	16	1	1			2	
2.			1	4						
3.		1	1	6				1	1	
4.										
5.										
6.										
7.										
8.										
9.										
10.										
11.										
12.										
13.										
14.										
15.										
16.										
17.				1			1			
18.	12	8	94	33	6	9	6	5	14	
19.		1	1	2				1	1	
20.	2	2	11	7		3	1	1	2	
21.										
22.	18	15	93	93	10	17	8	16	22	
23.				2				1		
24.		1					1			
25.	1		9	3	1	5			7	
26.	38	16	177	67	14	10	10	1	18	1
27.	6	8	17	16	5	2	8	5	5	
28.	5	9	16	14	1	7		2	2	
29.	9	22	42	52	7	23	3	7	6	
30.		1	7	5	1		1			
31.	1	3	1	3		6	1	3	1	
32.	3	7	13	21	2	8	2	3	11	
33.		1							2	
34.			3				1			
35.										
36.	1		2	3					1	
37.		3	2	6	1	8				
38.		1	2			1				
39.			5	1					1	
40.	3	5	6	11		9	1	2	1	
41.			2	3						
42.		3		1						
43.	1	1	7	7		1	1		5	
44.		1	20	18		3		1	3	
45.		1				2	1			
46.	1	3	3	6	1	4		3	1	
47.	4	5	15	15	1	8	5	1	2	
48.	16	30	68	43	2	17	8	12	8	
49.	3	3	19	12		8	2	2	8	
50.	5	8	24	19	2	5	3	6	4	1
51.	3		11			1			3	
52.		6	1	9		1		1		2

Continued

[illegible]

TABLE 13.—RESIDENT DEATHS (EXCLUDING STILLBIRTHS) BY CAUSE (ABBREVIATED OF 10,000 OR

List number	CAUSE OF DEATH (Abbreviated list of selected causes with code number opposite each cause)	Total deaths	
		White	Other
	TOTAL—ALL CAUSES.....	5,081	3,550
1.	Tuberculosis of respiratory system (001-008).....	48	121
2.	Tuberculosis, other forms (010-019).....	6	8
3.	Syphilis (020-029).....	10	35
4.	Typhoid fever (040).....		
5.	Paratyphoid fever (041).....		
6.	Amebic dysentery (046).....		1
7.	Other forms of dysentery (045, 047, 048).....		2
8.	Scarlet fever (050).....		
9.	Diphtheria (055).....		1
10.	Whooping cough (056).....		
11.	Meningococcal infections (057).....	3	
12.	Acute poliomyelitis (080).....	5	
13.	Smallpox (084).....		
14.	Measles (085).....	1	
15.	Typhus fever, murine (101).....		
16.	Rocky Mountain spotted fever (104).....		
17.	Malaria (110-117).....		2
18.	Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205).....	659	318
19.	Benign and unspecified neoplasms (210-239).....	17	20
20.	Diabetes mellitus (260).....	72	40
21.	Pellagra (281).....	1	1
22.	Vascular lesions affecting central nervous system (330-334).....	628	458
23.	Meningitis, except meningococcal and tuberculous (340).....	4	5
24.	Rheumatic fever (400-402).....	4	9
25.	Chronic rheumatic heart disease (410-416).....	49	26
26.	Arteriosclerotic heart disease, including coronary disease (420).....	1,342	431
27.	Nonrheumatic chronic endocarditis and other myocardial degeneration (421, 422).....	169	105
28.	Other diseases of heart (430-434).....	91	100
29.	Hypertension with heart disease (440-443).....	263	460
30.	Hypertension without mention of heart (444-447).....	47	52
31.	Influenza (480-483).....	16	22
32.	Pneumonia (490-493).....	88	149
33.	Bronchitis (500-502).....	9	8
34.	Ulcer of stomach and duodenum (540, 541).....	21	10
35.	Appendicitis (550-553).....	5	5
36.	Hernia and intestinal obstruction (560, 561, 570).....	24	27
37.	Gastritis, duodenitis, enteritis, and colitis (under 2 years) (543, 571.0, 572, 764).....	8	55
38.	Gastritis, duodenitis, enteritis, and colitis (2 years and over) (543, 571.1, 572).....	12	8
39.	Cirrhosis of liver (581).....	58	14
40.	Nephritis and nephrosis (590-594).....	59	135
41.	Sepsis of pregnancy, childbirth, and the puerperium (640, 641, 651, 681, 682, 684).....	2	5
42.	Other diseases of pregnancy, childbirth, and the puerperium (642-650, 652-660, 670-680, 683, 685-689).....	5	7
43.	Congenital malformations (750-759).....	103	35
44.	Birth injuries, postnatal asphyxia, and atelectasis (760-762).....	144	96
45.	Infections of newborn, except diarrhea of newborn (763, 765-768).....	9	11
46.	Other diseases peculiar to early infancy (769-773).....	42	36
47.	Immaturity with other subsidiary condition and immaturity unqualified (774, 776).....	136	90
48.	All other diseases (residual).....	464	336
49.	Motor vehicle accidents (810-835).....	160	76
50.	All other accidents (800-802, 840-962).....	183	123
51.	Suicide (963, 970-979).....	79	6
52.	Homicide and injury resulting from operations of war (964, 965, 980-999).....	34	101

TABLE 13—

List number	Elizabeth City		Fayetteville		Gastonia		Goldsboro		Greensboro		Greenville	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Total	81	79	171	123	152	59	115	104	387	233	78	80
1.	1	1	1			3		2	4	5		5
2.				1					1	1		
3.	2	2		3		1	2			3		
4.												
5.												
6.												
7.												
8.												
9.												
10.												
11.			1									
12.												
13.												
14.												
15.												
16.												
17.												
18.	7	10	14	13	13	4	14	9	38	38	12	6
19.			2	2		2	1		2			
20.	2	1	3	1			2	3	7	3		
21.												
22.	13	8	22	17	16	10	14	19	57	21	6	9
23.	1			1					1	1		
24.											1	1
25.	1	1						1	6		1	1
26.	27	5	35	10	38	3	19	9	107	26	21	12
27.	1	1	2	1	11	2	3		13	7	5	2
28.			3	6	11	3	5	8	3	4	2	2
29.	8	11	4	16	7	3	1	3	17	32	5	8
30.		1	1	1	2		5		2	4	1	4
31.					2		1	3	1	2		1
32.		3	4	1	1	5	2	6	7	8		1
33.		1		1	1		1	1	2			
34.			1				1	1	3	2		
35.			1									
36.		1		1	1		1	2	2	1		
37.			1	1	1		1	6				1
38.	1		1	1					1			
39.	1		3		3		2	1	5			
40.		9		4		1		4	3	7	1	2
41.								1				
42.				1					2	1		
43.	2		4	2	5		3		16	1	2	
44.		2	6	1	6	2	3	1	14	7	3	1
45.			1		1			1	1	1		1
46.		3	5	3	1		1		4	2		2
47.		2	11	5	4	2	5	2	10	4	3	1
48.	4	8	30	19	16	9	12	11	33	30	6	10
49.	6	1	6	4	4	8	6	1	7	7	2	4
50.	4	5	4	4	7	1	7	6	7	5	4	5
51.		1	2		1		1		10		1	
52.		2	3	3			2	3	1	10	2	1

Continued

[illegible]

TABLE 13—

List number	New Bern		Raleigh		Reidsville		Rocky Mount		Salisbury		Sanford	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Total	82	121	314	272	65	51	123	140	136	88	54	34
1.	1	7	2	14	1	1	4	6	3	-----	1	2
2.	-----	1	1	-----	-----	-----	-----	-----	1	-----	-----	-----
3.	-----	1	1	5	-----	-----	-----	1	-----	2	-----	2
4.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
6.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
7.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
8.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
9.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
10.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
11.	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----
12.	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	-----	-----
13.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
14.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
15.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
16.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
17.	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
18.	12	2	43	17	9	6	23	11	19	8	6	2
19.	-----	-----	-----	2	-----	-----	-----	-----	-----	2	-----	-----
20.	1	-----	5	4	3	-----	2	2	5	1	-----	-----
21.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
22.	8	8	41	51	6	5	16	23	17	22	7	3
23.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
24.	-----	1	-----	-----	-----	-----	-----	1	-----	-----	1	-----
25.	-----	1	6	3	-----	-----	-----	-----	2	-----	-----	3
26.	21	14	84	40	14	4	32	14	31	14	10	4
27.	1	7	7	8	3	5	5	8	7	3	-----	-----
28.	-----	1	5	7	4	2	-----	1	3	1	4	-----
29.	9	22	18	31	1	13	4	26	3	12	1	-----
30.	1	6	2	2	1	1	-----	3	1	2	-----	-----
31.	-----	1	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
32.	1	5	8	9	-----	2	5	2	1	2	-----	5
33.	-----	2	-----	-----	-----	-----	-----	-----	-----	1	1	-----
34.	1	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
35.	-----	-----	-----	-----	-----	-----	-----	1	1	1	-----	-----
36.	-----	1	-----	2	-----	-----	-----	3	2	-----	-----	-----
37.	-----	2	-----	2	-----	2	-----	3	-----	-----	1	4
38.	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
39.	-----	1	3	1	1	-----	-----	-----	1	-----	4	-----
40.	-----	4	2	8	2	3	3	3	3	3	-----	-----
41.	-----	-----	2	2	-----	-----	-----	-----	-----	-----	-----	-----
42.	-----	1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
43.	4	1	3	-----	2	-----	-----	2	3	-----	-----	1
44.	2	1	7	13	2	1	2	4	3	5	2	-----
45.	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
46.	1	2	2	4	1	1	-----	-----	1	-----	1	1
47.	1	1	10	3	2	1	2	5	1	3	2	-----
48.	6	12	39	23	5	2	9	16	10	2	3	3
49.	4	1	3	4	2	1	3	1	2	-----	5	1
50.	6	9	10	9	2	-----	6	3	12	3	3	1
51.	2	-----	8	-----	2	-----	4	-----	1	-----	1	1
52.	-----	3	-----	7	-----	1	1	1	2	-----	-----	1

Continued

Shelby		Statesville		Thomasville		Wilmington		Wilson		Winston-Salem		List number
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
96	25	102	44	50	18	264	232	119	157	402	416	Total
	1	2	2			1	2	1	15	2	12	1.
									1	1	1	2.
			2				2		1		1	3.
												4.
												5.
												6.
												7.
												8.
	1											9.
												10.
										2		11.
												12.
												13.
												14.
												15.
												16.
												17.
15	2	9	5	4		38	21	11	8	70	42	18.
1							1	1		2	2	19.
1		1	2			4		3		1	4	20.
												21.
15	4	13	3	5	1	33	39	17	10	38	47	22.
											3	23.
								1			2	24.
2						1	2			3	5	25.
16	4	28	4	14	3	73	30	33	10	110	32	26.
9		9	1	3	1	14	10	6	4	6	7	27.
						3	3	1	1	14	34	28.
4	5	5	6	3	1	9	17	8	18	23	54	29.
2				1		3	2	5	1	2	5	30.
							1	1	3	2	1	31.
3	1	2	3	3	3	5	17		9	3	14	32.
						1				1		33.
		1				1	1		1	1		34.
						1			1	1		35.
		1		2		1		1	3	3	4	36.
						1	1		10	1	5	37.
						1			1	1	3	38.
2		2		1		1	2	1	1	3	2	39.
6	2		1	2	2	4	9	5	20	5	29	40.
												41.
											1	42.
2		1	1	1		1		2	5	7	10	43.
3		5	2	1	1	8	12		2	13	8	44.
1									1		3	45.
1		3	1	2	2	1			3	2	3	46.
1		4	1	2	2	4	4		4	7	15	47.
5	1	11	7	2		34	33	10	9	30	37	48.
3	1	3		1	2	3	5	3	3	22	11	59.
3	1	1	2	2		11	8	5	4	14	8	50.
1		1				2		3	2	7		51.
	2		1	1		5	10	1	6	5	11	52.

TABLE 14.—DEATHS (EXCLUDING STILLBIRTHS) FROM

Year	Total deaths	Typhoid and paratyphoid fever	Undulant fever	Meningococcal infections	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Tetanus	Tuberculosis, respiratory	Tuberculosis, all other	Gonorrhea
1916.....	31,389	702	-----	60	62	402	410	42	69	3,129	448	15
1917.....	33,969	728	-----	22	41	562	315	68	55	2,975	424	12
1918.....	42,274	568	-----	45	23	705	251	68	72	3,029	383	15
1919.....	30,947	444	-----	17	24	218	271	36	59	2,753	357	8
1920.....	32,654	322	-----	35	39	357	299	55	59	2,660	344	16
1921.....	29,454	314	-----	35	45	385	372	51	53	2,492	247	24
1922.....	30,821	298	-----	24	77	203	513	62	47	2,451	265	11
1923.....	32,142	260	-----	30	30	492	350	58	51	2,428	239	16
1924.....	33,238	270	-----	21	36	497	330	47	58	2,497	276	14
1925.....	32,548	279	-----	24	30	153	303	51	38	2,539	255	36
1926.....	34,562	277	-----	29	35	298	262	55	39	2,521	273	27
1927.....	32,917	234	-----	28	34	624	277	39	21	2,319	259	18
1928.....	36,160	191	1	21	41	188	369	53	37	2,238	217	27
1929.....	36,919	166	2	35	55	280	343	51	36	2,392	244	28
1930.....	35,782	163	1	68	44	305	282	68	40	2,236	252	34
1931.....	33,116	162	2	44	64	199	244	52	35	2,143	206	29
1932.....	31,051	163	2	26	34	242	166	34	30	2,030	194	35
1933.....	30,547	128	3	32	50	205	216	45	28	1,935	183	34
1934.....	35,180	90	2	35	39	424	199	54	26	1,956	202	42
1935.....	33,485	82	-----	39	22	307	162	45	28	1,764	173	39
1936.....	35,630	71	1	65	21	36	188	30	37	1,902	190	16
1937.....	33,981	78	2	45	20	168	160	34	22	1,765	159	8
1938.....	33,599	74	3	32	22	265	168	20	39	1,710	159	6
1939.....	31,652	51	5	30	12	229	164	16	21	1,463	151	7
1940.....	31,904	38	4	22	10	90	107	10	10	1,492	116	7
1941.....	31,752	29	-----	20	12	199	83	11	16	1,415	156	1
1942.....	29,414	19	2	32	8	104	76	8	15	1,326	135	2
1943.....	29,971	16	1	73	12	116	53	5	16	1,257	109	8
1944.....	29,390	10	1	61	5	145	40	5	15	1,145	94	8
1945.....	28,897	13	-----	53	6	97	96	4	14	1,159	103	9
1946.....	28,724	8	1	30	3	59	46	7	10	1,096	86	6
1947.....	30,187	7	-----	31	2	54	32	1	18	1,047	81	7
1948.....	30,161	8	-----	20	1	44	30	2	18	882	67	5
1949***	31,009	5	1	32	1	34	25	2	14	889	83	1
1950***	31,130	1	3	19	2	60	27	1	12	697	51	2
1951***	31,140	3	2	42	-----	53	18	1	18	584	46	5
1952***	32,095	3	1	42	2	5	9	-----	19	497	46	2

*1916-1949 data from NOVS reports; 1950-1952 from N. C. reports. Data by place of occurrence, 1916-1938; by place of residence, 1939-1952.

**Includes all accidents except motor vehicle; legal executions included 1916-1929.

***Coded by the 6th Revision of the International Classification.

SELECTED CAUSES: NORTH CAROLINA, 1916-1952*

Year	Dysentery	Malaria	Syphilis	Influenza	Smallpox	Measles	Polio-myelitis	Cancer	Acute rheumatic fever	Diabetes mellitus	Pellagra	Alcoholism
1916.....	457	337	305	634	13	171	49	1,083	103	160	485	32
1917.....	610	268	273	403	13	1,042	34	1,046	103	159	620	20
1918.....	556	189	243	7,948	3	308	21	1,072	108	179	696	12
1919.....	291	201	173	3,802	9	125	18	1,003	92	158	400	21
1920.....	324	210	223	2,995	28	62	22	1,017	79	198	318	27
1921.....	261	180	228	378	20	147	26	1,120	85	195	338	35
1922.....	232	183	217	1,362	8	25	20	1,228	77	231	330	26
1923.....	217	169	249	1,653	13	588	25	1,220	75	232	239	24
1924.....	184	145	273	748	29	456	27	1,304	96	245	281	41
1925.....	187	141	241	1,089	5	16	25	1,328	76	222	382	45
1926.....	186	102	301	1,619	14	96	52	1,405	84	265	455	51
1927.....	164	60	299	1,088	15	246	18	1,458	77	243	671	37
1928.....	189	64	327	1,567	17	515	28	1,520	89	280	851	57
1929.....	153	64	325	2,304	2	20	21	1,602	107	308	950	54
1930.....	156	47	379	789	6	5	18	1,525	82	318	1,031	72
1931.....	111	46	334	1,150	2	113	37	1,549	71	341	695	82
1932.....	84	53	280	819	-----	61	24	1,639	80	396	479	66
1933.....	92	51	316	1,027	-----	90	18	1,728	67	368	392	92
1934.....	128	66	403	822	-----	334	17	1,763	74	384	438	127
1935.....	98	91	380	1,028	-----	70	72	1,780	47	366	383	130
1936.....	124	150	430	1,179	-----	9	18	1,784	57	412	351	92
1937.....	110	87	434	857	1	39	27	1,898	50	388	332	104
1938.....	110	70	445	500	1	251	15	1,914	74	381	254	79
1939.....	80	53	454	629	-----	62	14	2,007	50	494	205	94
1940.....	60	60	442	691	-----	11	16	2,092	67	503	167	73
1941.....	88	28	379	823	-----	104	17	2,089	56	472	144	68
1942.....	53	33	328	299	-----	55	12	2,249	60	455	116	61
1943.....	57	22	312	498	1	24	16	2,391	54	485	105	43
1944.....	36	25	292	515	-----	59	40	2,328	44	509	70	61
1945.....	38	24	293	386	-----	7	13	2,504	43	465	72	57
1946.....	13	8	245	269	-----	43	16	2,523	35	498	73	67
1947.....	18	2	266	272	-----	25	21	2,766	36	575	57	94
1948.....	17	1	194	159	-----	6	143	2,855	30	564	40	99
1949***	36	3	193	170	-----	91	16	3,261	107	402	22	82
1950***	27	1	145	252	-----	17	23	3,163	47	411	26	98
1951***	20	3	113	169	-----	6	10	3,283	49	396	14	125
1952***	29	3	97	250	-----	22	24	3,346	58	404	14	111

TABLE 14—

Year	Intracranial vascular lesions	Diseases of the heart	Pneumonia	Diarrhea and enteritis (under 2 years)	Diarrhea and enteritis (2 years and over)	Appendicitis	Nephritis	Premature birth	Scullity	Suicide	Homicide
1916.....	1,882	2,372	2,517	1,871	474	183	1,745	1,243	633	82	203
1917.....	2,053	2,574	2,595	2,364	684	203	2,049	1,255	750	76	179
1918.....	2,033	2,617	4,210	1,997	631	201	2,043	1,272	616	99	187
1919.....	1,906	2,227	2,155	1,410	374	219	1,745	1,220	537	83	217
1920.....	2,132	2,634	2,626	1,398	352	222	1,926	1,413	598	100	252
1921.....	2,071	2,853	1,958	1,708	402	246	2,038	1,361	540	113	224
1922.....	2,343	2,918	2,331	1,437	313	249	2,216	1,405	597	110	244
1923.....	2,410	3,014	2,439	1,456	375	278	2,230	1,476	586	101	267
1924.....	2,646	3,465	2,804	1,481	331	335	2,478	1,598	525	111	284
1925.....	2,582	3,574	2,414	1,472	250	318	2,821	1,560	562	128	260
1926.....	2,628	3,869	2,677	1,442	306	327	2,879	1,500	516	159	287
1927.....	2,573	3,858	2,186	1,155	275	297	2,735	1,523	434	132	280
1928.....	2,778	4,356	2,795	1,284	270	321	2,968	1,687	431	188	306
1929.....	3,081	4,717	2,714	973	279	301	3,194	1,463	433	234	329
1930.....	3,030	4,922	2,703	1,091	277	318	3,285	1,491	620	275	349
1931.....	2,717	4,520	2,503	831	201	301	3,005	1,309	438	319	339
1932.....	2,691	4,593	2,545	650	172	302	3,006	1,395	355	286	394
1933.....	2,569	4,709	2,081	805	195	304	2,906	1,376	329	267	434
1934.....	2,928	5,446	3,173	996	230	332	3,325	1,625	374	238	468
1935.....	2,937	5,399	2,803	828	145	313	3,094	1,519	296	272	391
1936.....	3,331	6,053	3,290	805	198	312	3,391	1,391	354	296	392
1937.....	2,989	5,905	2,988	838	173	321	3,011	1,514	332	300	393
1938.....	3,144	6,184	2,745	1,009	175	285	3,004	1,438	291	336	349
1939.....	3,091	5,455	2,164	637	165	278	3,445	1,380	257	286	356
1940.....	3,164	5,413	2,003	490	130	224	3,433	1,329	301	291	388
1941.....	2,991	5,978	1,900	692	116	230	3,273	1,284	276	286	374
1942.....	3,055	5,830	1,617	446	76	212	2,983	1,285	300	245	362
1943.....	3,114	6,182	1,663	424	87	166	2,973	1,233	257	251	261
1944.....	3,103	6,390	1,477	494	71	147	2,952	1,146	262	221	299
1945.....	3,162	6,456	1,488	407	69	160	2,910	1,089	242	246	307
1946.....	3,052	6,682	1,312	189	58	113	2,734	1,359	208	290	362
1947.....	3,369	7,492	1,309	156	60	96	2,577	1,364	240	316	418
1948.....	3,355	8,048	1,313	176	53	92	2,431	1,309	202	322	419
1949***.....	3,810	9,567	1,126	272	68	79	888	958	163	290	377
1950***.....	3,815	10,072	1,102	291	71	77	816	866	123	346	378
1951***.....	4,039	10,342	1,020	250	51	62	704	913	92	288	321
1952***.....	4,139	10,762	1,073	348	79	50	720	871	84	333	394

*1916-1949 data from NOVS reports; 1950-1952 from N. C. reports. Data by place of occurrence, 1916-1938; by place of residence, 1939-1952.

**Includes all accidents except motor vehicle; legal executions included 1916-1929.

***Coded by the 6th Revision of the International Classification.

Continued

Year	Motor vehicle accidents	All other accidents**	Conflagration	Lightning	Ill-defined and not specified	Infant deaths	Maternal deaths
1916.....	54	1,312	24	17	2,676	7,112	593
1917.....	65	1,378	42	24	2,931	7,601	629
1918.....	79	1,242	34	23	3,328	7,686	815
1919.....	104	1,210	18	18	2,593	6,223	684
1920.....	133	1,307	28	15	3,063	6,909	814
1921.....	139	1,245	12	18	2,880	6,633	650
1922.....	169	1,303	27	18	2,836	6,510	651
1923.....	258	1,350	27	32	2,607	6,813	670
1924.....	328	1,361	39	15	2,773	7,208	678
1925.....	410	1,348	36	30	2,590	6,595	725
1926.....	508	1,371	38	18	2,608	6,769	726
1927.....	538	1,301	27	20	2,760	6,588	547
1928.....	620	1,340	37	23	2,996	6,935	635
1929.....	636	1,307	21	18	2,875	6,106	651
1930.....	682	1,294	34	17	2,619	6,037	639
1931.....	696	1,290	53	36	2,381	5,455	596
1932.....	598	1,153	40	6	1,406	5,183	529
1933.....	776	1,226	41	16	1,035	4,977	514
1934.....	928	1,395	61	17	1,045	6,212	569
1935.....	1,015	1,386	49	16	1,100	5,422	511
1936.....	979	1,466	46	22	1,179	5,247	502
1937.....	1,045	1,391	44	23	1,142	5,180	429
1938.....	910	1,245	60	21	1,067	5,487	421
1939.....	903	1,312	61	21	1,056	4,676	371
1940.....	1,013	1,319	53	17	1,075	4,631	412
1941.....	1,261	1,260	69	17	1,108	5,053	336
1942.....	827	1,345	63	17	1,050	4,342	307
1943.....	729	1,472	70	22	878	4,416	306
1944.....	694	1,491	73	23	790	4,115	266
1945.....	767	1,318	74	11	652	3,782	248
1946.....	1,052	1,313	85	15	653	3,742	203
1947.....	879	1,424	93	15	722	3,938	192
1948.....	827	1,417	118	9	712	3,858	207
1949***.....	940	1,295	115	9	666	4,113	127
1950***.....	1,096	1,191	72	14	664	3,674	126
1951***.....	1,143	1,253	107	11	673	3,620	118
1952***.....	1,181	1,292	108	13	575	3,929	113

TABLE 15.—LEADING CAUSES OF RESIDENT DEATHS (EXCLUDING STILLBIRTHS) BY AGE, COLOR, AND SEX: NORTH CAROLINA, FOUR-YEAR AVERAGE, 1949-1952

Cause of death (International code number follows each cause)	Total*		White				Other			
			Male		Female		Male		Female	
	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.
ALL AGES (Ten leading causes)										
Total all causes.....		31, 177		12, 040		8, 418		5, 813		4, 906
Diseases of heart (410-443).....	1	10, 208	1	4, 525	1	2, 701	1	1, 593	1	1, 389
Vascular lesions affecting central nervous system (330-334).....	2	3, 920	2	1, 358	3	1, 229	2	649	2	685
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205).....	3	3, 247	3	1, 170	2	1, 308	4	320	3	450
Influenza and pneumonia, including pneumonia of newborn (480-483, 490- 493, 763).....	4	1, 345	6	338	4	327	3	353	4	328
All accidents (except motor vehicle) (800- 802, 840-962).....	5	1, 248	5	548	5	247	5	312	8	141
Motor vehicle accidents (810-835).....	6	1, 089	4	635	10	166	7	237		
Immaturity (774, 776).....	7	892	7	277	6	205	8	214	5	195
Nephritis and nephrosis (590-594).....	8	771	8	227	9	181	10	179	7	184
Tuberculosis, all forms (001-019).....	9	719					6	238	5	195
Diseases of arteries (450-456).....	10	551	9	220	7	193				
Congenital malformations (750-759).....		522	10	211	8	182				
Homicide and legal executions (980-985, 964).....		369					8	214		
Dysentery, gas'tritis, duodenitis, enteritis, colitis, and diarrhea of newborn (045- 048, 543, 571, 572, 764).....		408							9	115
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689).....		121							10	80
UNDER 1 YEAR (Seven leading causes)										
Total all causes.....		3, 810		1, 129		812		1, 040		829
Immaturity (774, 776).....	1	892	1	277	1	205	1	214	1	195
Influenza and pneumonia, including pneumonia of newborn (480-483, 490- 493, 763).....	2	542	5	105	4	85	2	183	2	170
Congenital malformations (750-759).....	3	414	2	166	2	141	6	65	6	42
Birth injuries (760, 761).....	4	353	3	150	3	86	4	74	5	45
Postnatal asphyxia and atelectasis (762)	5	331	4	126	5	80	4	74	4	51
Dysentery, gastritis, duodenitis, enteritis, colitis, and diarrhea of newborn (045-048, 543, 571, 572, 764).....	6	301	6	50	6	37	3	120	3	95
All accidents (except motor vehicle) (800-802, 840-962).....	7	148	7	37	7	26	7	49	7	37

*Where the "total" does not equal the sum of the four classes it is due to rounding off or because a particular cause of death was not a leading cause in all classes.

TABLE 15—Continued

Cause of death (International code number follows each cause)	Total*		White				Other			
			Male		Female		Male		Female	
	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.
1-4 YEARS (Six leading causes)										
Total all causes.....		612		177		151		157		127
All accidents (except motor vehicle) (800-802, 840-962).....	1	106	1	27	1	20	2	30	2	28
Influenza and pneumonia (480-483, 490- 493).....	2	103	3	21	1	20	1	32	1	31
Motor vehicle accidents (810-835).....	3	51	2	22	4	15	4	8	4	7
Congenital malformations (750-759).....	4	43	4	16	3	18	5	5	5	5
Dysentery, gastritis, duodenitis, enteritis, and colitis (045-048, 543, 571, 572).....	5	42	6	11	6	8	3	13	3	10
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205).....	6	35	5	14	5	13	5	5		
Tuberculosis, all forms (001-019).....		14							6	4
5-14 YEARS (Six leading causes)										
Total all causes.....		504		188		121		112		82
Motor vehicle accidents (810-835).....	1	102	1	49	1	26	2	19	2	9
All accidents (except motor vehicle) (800-802, 840-962).....	2	98	2	41	2	16	1	27	1	15
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205).....	3	48	3	23	3	15	4	6	5	5
Influenza and pneumonia (480-483, 490- 493).....	4	31	4	8	4	8	3	8	3	7
Rheumatic fever (400-402).....	5	22	6	5	5	6	4	6	5	5
Diseases of heart (410-443).....	6	18					6	5	4	6
Congenital malformations (750-759).....		17	5	6	5	6				
15-24 YEARS (Six leading causes)										
Total all causes.....		996		395		158		252		191
Motor vehicle accidents (810-835).....	1	278	1	179	1	35	1	55	5	10
All accidents (except motor vehicle) (800-802, 840-962).....	2	146	2	81	4	11	2	46	6	9
Tuberculosis, all forms (001-019).....	3	86			6	8	4	30	1	44
Homicide and legal executions (980-985, 964).....	4	70	6	11			2	46	4	11
Diseases of heart (410-443).....	5	60	4	19	3	12	5	11	3	18
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205).....	6	54	3	22	2	16	6	7		
Suicide (970-979, 963).....		27	5	17						
Deliveries and complications of pregnancy, childbirth, and the puerperium (640- 689).....		39			4	11			2	28

*Where the "total" does not equal the sum of the four classes it is due to rounding off or because a particular cause of death was not a leading cause in all classes.

TABLE 15—Continued

Cause of death (International code number follows each cause)	Total*		White				Other			
			Male		Female		Male		Female	
	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.
25-44 YEARS (Eight leading causes)										
Total all causes.....		3,768		1,334		669		951		813
Diseases of heart (410-443).....	1	787	1	297	2	106	1	191	1	194
Malignant neoplasms, including lymphatic, and hematopoietic tissues (140-205).....	2	413	4	109	1	173	7	31	2	101
Motor vehicle accidents (810-835).....	3	372	2	224	3	41	3	93		
All accidents (except motor vehicle) (800-802, 840-962).....	4	302	3	172	7	24	5	88		
Tuberculosis, all forms (001-019).....	5	268	6	54	5	33	3	93	3	89
Vascular lesions affecting central nervous system (330-334).....	6	226	7	50	4	39	6	66	4	71
Homicide and legal executions (980-985, 964).....	7	221	8	44			2	132	7	33
Suicide (970-979, 963).....	8	136	5	95	8	23				
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689).....		79			6	29			5	50
Nephritis and nephrosis (590-594).....		129					8	28	6	47
Influenza and pneumonia (480-483, 490- 493).....		83							8	23
45-64 YEARS (Eight leading causes)										
Total all causes.....		8,600		3,481		1,815		1,808		1,496
Diseases of heart (410-443).....	1	3,508	1	1,649	1	567	1	724	1	568
Malignant neoplasms, including lymphatic, and hematopoietic tissues (140-205).....	2	1,332	2	432	2	525	3	154	3	221
Vascular lesions affecting central nervous system (330-334).....	3	1,264	3	383	3	278	2	293	2	311
Nephritis and nephrosis (590-594).....	4	240	8	64	5	38	5	71	4	68
Tuberculosis, all forms (001-019).....	5	228	7	79	7	26	4	85	6	39
Motor vehicle accidents (810-835).....	6	191	4	103	6	31	7	50		
All accidents (except motor vehicle) * (800-802, 840-962).....	7	184	5	98			6	51		
Influenza and pneumonia (480-483, 490- 493).....	8	156			7	26	8	47	5	43
Suicide (970-979, 963).....		121	6	97						
Diabetes mellitus (260).....		135			4	39			7	35
Hypertension without mention of heart (444-447).....		105							8	24

*Where the "total" does not equal the sum of the four classes it is due to rounding off or because a particular cause of death was not a leading cause in all classes.

TABLE 15—Continued

Cause of death (International code number follows each cause)	Total*		White				Other			
			Male		Female		Male		Female	
	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.
65 YEARS AND OVER (Eight leading causes)										
Total all causes		12,877		5,332		4,689		1,491		1,366
Diseases of heart (410-443)	1	5,823	1	2,553	1	2,010	1	659	1	601
Vascular lesions affecting central nervous system (330-334)	2	2,402	2	918	2	906	2	283	2	296
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	3	1,358	3	568	3	564	3	116	3	112
Diseases of arteries (450-456)	4	439	4	176	4	171	6	50	6	42
Influenza and pneumonia (480-483, 490- 493)	5	405	5	138	5	168	5	52	5	48
Nephritis and nephrosis (590-594)	6	360	6	115	7	116	4	70	4	59
All accidents (except motor vehicle) (800-802, 840-962)	7	263	7	93	6	129				
Diabetes mellitus (260)	8	216			8	101			7	26
Hyperplasia of prostate (610)		106	8	76			7	30		
Hypertension without mention of heart (444-447)		165					8	23	8	25

*Where the "total" does not equal the sum of the four classes it is due to rounding off or because a particular cause of death was not a leading cause in all classes.

TABLE 16.—MOTOR VEHICLE AND NONMOTOR VEHICLE ACCIDENTAL DEATHS BY PLACE OF OCCURRENCE: NORTH CAROLINA, EACH COUNTY AND EACH INCORPORATED PLACE HAVING A POPULATION OF 10,000 OR MORE, 1952

Area	All accidents	Motor vehicle		Nonmotor vehicle			
		Traffic	Nontraffic	Railway, water transport, and other road vehicle	Aircraft	All other	
						870-936, 940-962	
International list number	800-962	810-825	830-835	800-802, 840-845, 850-858	860-866	Home (.0)	Other (.1-.9)
NORTH CAROLINA.....	2,494	1,168	28	96	44	618	540
Alamance.....	23	11				5	7
Burlington.....	2					1	1
Alexander.....	4	3					1
Alleghany.....	6	2				3	1
Anson.....	20	13		2		3	2
Ashe.....	6	3	1			2	
Avery.....	3					1	2
Beaufort.....	42	15		3		10	14
Bertie.....	12	4		1		4	3
Bladen.....	19	10		1		5	3
Brunswick.....	13	4	1	1			7
Buncombe.....	60	25	2			19	14
Asheville.....	47	17	2			16	12
Burke.....	29	14	2			4	9
Cabarrus.....	33	16		3		9	5
Concord.....	16	9		2		3	2
Caldwell.....	17	6				6	5
Camden.....	6	2			1	1	2
Carteret.....	14	7		2		3	2
Caswell.....	6	4		1		1	
Catawba.....	30	11		1	1	12	5
Hickory.....	14	4			1	7	2
Chatham.....	27	10	2	1		8	6
Cherokee.....	10	6	1				3
Chowan.....	12	3			3	3	3
Clay.....							
Cleveland.....	36	12		2	2	12	8
Shelby.....	17	6				6	5
Columbus.....	25	9		1	2	3	10
Craven.....	55	19		3	8	12	13
New Bern.....	26	10		1		10	5
Cumberland.....	82	46		2	1	14	19
Fayetteville.....	36	21		2		8	5
Currituck.....	5	3		1		1	
Dare.....	7	2		1		3	1
Davidson.....	32	16			1	7	8
Lexington.....	13	8				4	1
Thomasville.....	8	5				1	2
Davie.....	4	4					
Duplin.....	25	7	1	4		10	3

TABLE 16—Continued

Area	All accidents	Motor vehicle		Nonmotor vehicle			
		Traffic	Nontraffic	Railway, water transport, and other road vehicle	Aircraft	All other	
						870-936, 940-962	
International list number	800-962	810-825	830-835	800-802, 840-845, 850-858	860-866	Home (.0)	Other (.1-.9)
Durham.....	81	28	2	3	-----	22	26
Durham.....	64	20	2	2	-----	20	20
Edgecombe.....	26	14	-----	-----	-----	7	5
Rocky Mount.....	2	1	-----	-----	-----	-----	1
Forsyth.....	87	43	-----	1	-----	23	20
Winston-Salem.....	67	34	-----	1	-----	20	12
Franklin.....	19	14	-----	-----	-----	4	1
Gaston.....	45	25	-----	4	-----	12	4
Gastonia.....	23	19	-----	-----	-----	4	-----
Gates.....	7	4	-----	1	-----	1	1
Graham.....	1	-----	-----	-----	1	-----	-----
Granville.....	26	11	-----	-----	-----	4	11
Greene.....	11	3	-----	-----	2	2	4
Guilford.....	75	38	2	-----	2	27	6
Greensboro.....	40	20	2	-----	-----	12	6
High Point.....	15	7	-----	-----	1	7	-----
Halifax.....	37	21	-----	1	2	7	6
Harnett.....	41	22	1	-----	-----	6	12
Haywood.....	9	2	-----	-----	-----	3	4
Henderson.....	26	7	1	1	-----	9	8
Hertford.....	23	9	-----	1	-----	5	8
Hoke.....	7	5	-----	-----	-----	-----	2
Hyde.....	5	3	-----	-----	1	-----	1
Iredell.....	39	19	-----	1	-----	15	4
Statesville.....	17	9	-----	-----	-----	7	1
Jackson.....	12	5	-----	-----	-----	5	2
Johnston.....	26	17	1	4	-----	3	1
Jones.....	2	1	-----	-----	-----	1	-----
Lee.....	15	7	-----	-----	-----	5	3
Sanford.....	7	3	-----	-----	-----	-----	4
Lenoir.....	29	16	-----	-----	5	4	4
Kinston.....	15	10	-----	-----	-----	4	1
Lincoln.....	17	10	1	1	-----	3	2
McDowell.....	25	11	-----	-----	4	3	7
Macon.....	15	3	-----	1	-----	5	6
Madison.....	8	5	-----	-----	-----	-----	3
Martin.....	10	-----	-----	1	-----	5	4
Mecklenburg.....	133	61	-----	9	1	36	26
Charlotte.....	100	47	-----	4	-----	30	19
Mitchell.....	2	-----	-----	-----	1	-----	1
Montgomery.....	8	1	-----	-----	-----	3	4
Moore.....	30	19	-----	-----	-----	4	7
Nash.....	47	29	2	-----	1	12	3
Rocky Mount.....	31	18	1	-----	-----	10	2
New Hanover.....	41	14	-----	1	-----	12	14

TABLE 16—Continued

Area	All accidents	Motor vehicle		Nonmotor vehicle			
		Traffic	Nontraffic	Railway, water transport, and other road vehicle	Aircraft	All other	
						870-936, 940-962	
International list number	800-962	810-825	830-835	800-802, 840-845, 850-858	860-866	Home (.0)	Other (.1-.9)
Wilmington.....	29	8				11	10
Northampton.....	15	8				4	2
Onslow.....	49	25	1		2	12	9
Orange.....	18	7	1			6	3
Pamlico.....	10	1			3	4	2
Pasquotank.....	28	12			1	8	6
Elizabeth City.....	20	8			1	7	4
Pender.....	18	9			1	3	5
Perquimans.....	2	2					
Person.....	13	8					5
Pitt.....	35	16	1			10	8
Greenville.....	2					1	1
Polk.....	9	4				3	2
Randolph.....	32	20			2	5	5
Richmond.....	24	14				5	5
Robeson.....	75	45			3	17	10
Rockingham.....	27	18			1	4	4
Reidsville.....	10	8					2
Rowan.....	38	6	1		4	17	10
Salisbury.....	19	4				9	6
Rutherford.....	23	6			2	7	8
Sampson.....	32	16			1	11	4
Scotland.....	32	15	2			9	6
Stanly.....	19	15				2	2
Albemarle.....	14	11				2	1
Stokes.....	8	4			1	1	2
Surry.....	26	17				3	6
Swain.....	7	4			1	2	
Transylvania.....	5	1				1	3
Tyrrell.....	6	2			1	1	1
Union.....	24	11	1			9	3
Monroe.....	7	3					4
Vance.....	20	10			1	4	5
Henderson.....	11	8				2	1
Wake.....	82	32			6	25	19
Raleigh.....	47	14			2	18	13
Warren.....	16	9				3	4
Washington.....	10	4				5	1
Watauga.....	10	5				3	2
Wayne.....	59	24			2	13	20
Goldsboro.....	36	16			1	9	10
Wilkes.....	30	24	1			2	3
Wilson.....	33	12			4	8	8
Wilson.....	17	7				5	5
Yadkin.....	8	6				2	
Yancey.....	3	2					1

TABLE 17.—ACCIDENTAL DEATHS BY CAUSE, COLOR, AND SEX WITH CRUDE RATES PER 100,000 ESTIMATED POPULATION: NORTH CAROLINA, 1952

Type of accident (International code number follows each cause)	Place of occurrence					
	Total		White		Other	
	Number	Rate	Male	Female	Male	Female
All accidents.....	2,494	59.8	1,227	454	607	206
Railway accidents (800-802).....	44	1.1	23	2	18	1
Motor vehicle traffic accidents (810-825).....	1,168	28.0	660	204	246	58
Accident involving collision with railway train (810).....	27	0.6	12	5	9	1
Accident to pedestrian (812).....	245	5.9	108	47	72	18
Other accidents involving collision (811, 813-819).....	425	10.2	248	98	60	19
Noneollision traffic accidents (820-824).....	453	10.9	282	50	102	19
Accident of unspecified nature (825).....	18	0.4	10	4	3	1
Motor vehicle nontraffic accidents (830-835).....	28	0.7	11	7	8	2
Other road vehicle accidents (840-845).....	8	0.2	2	1	5	-----
Water transport accidents (850-858).....	44	1.1	29	1	14	-----
Aircraft accidents (860-866).....	44	1.1	43	1	-----	-----
Accidental poisoning by solid and liquid substances (870-888).....	41	1.0	10	11	9	11
Accidental poisoning by gases and vapor (890-895).....	12	0.3	5	3	4	-----
Accidental falls (900-904).....	278	6.7	100	129	25	24
From one level to another (900-902).....	119	2.9	51	37	20	11
On same level (903).....	135	3.2	43	79	1	12
Unspecified falls (904).....	24	0.6	6	13	4	1
Blow from falling object (910).....	43	1.0	23	3	17	-----
Accident caused by machinery (912).....	52	1.2	34	2	15	1
Accident caused by electric current (914).....	25	0.6	21	-----	4	-----
Accident caused by fire and explosion of combustible material (except conflagration) (916).....	79	1.9	15	12	23	29
Conflagration (916).....	108	2.6	31	10	41	26
Accident caused by hot substance, corrosive liquid, steam, and radiation (917, 918).....	15	0.4	6	2	4	3
Accident caused by firearm (919).....	65	1.6	42	4	13	6
Inhalation and ingestion of food or other object causing obstruction or suffocation (921, 922).....	58	1.4	19	9	20	10
Accidental mechanical suffocation in bed and cradle (924).....	69	1.7	15	12	24	18
Accidents caused by bites and stings of venomous animals and insects (927).....	2	0.0	1	-----	1	-----
Accidental drowning and submersion (929).....	148	3.5	70	14	63	1
Excessive heat and insolation (931).....	57	1.4	21	5	25	6
Lightning (935).....	13	0.3	7	2	4	-----
All other accidents (911, 913, 915, 920, 923, 925, 926, 928, 930, 932-934, 936, 940-962).....	93	2.2	39	20	24	10

TABLE 18.—RESIDENT INFANT DEATHS BY CAUSE AND AGE: NORTH CAROLINA, 1952

Cause of death (International code number follows each cause)	Under 1 day	1 day	2 days	Under 7 days	Under 28 days	Under 1 year
Total all causes.....	1,077	415	231	2,021	2,434	3,929
Tuberculosis, all forms (001-019).....						5
Syphilis and its sequelae (020-029).....					1	2
Whooping cough (056).....						2
Typhoid and paratyphoid fever (040,041).....						1
Dysentery, all forms (045-048).....						17
Scarlet fever (050).....						
Streptococcal sore throat (051).....						1
Septicemia and pyemia (053).....					2	8
Diphtheria (055).....						1
Meningococcal infections (057).....						14
Tetanus (061).....				1	3	4
Acute poliomyelitis (080).....						
Acute infectious encephalitis (082).....						
Measles (085).....				1	1	3
Rubella (German measles) (086).....						
Leukemia and aleukemia (204).....						3
Diseases of thymus gland (273).....	1			2	2	11
Rickets (active and late effects) (283, 284).....						
Anemias (290-293).....						5
Hemorrhagic conditions (295, 296).....		1	1	3	4	5
Meningitis, except meningococcal and tuberculous (340).....				1	3	21
Otitis media and mastoiditis (391-393).....						7
Influenza and pneumonia, except pneumonia of newborn (480-483, 490-493).....					8	473
Acute upper respiratory infections (470-475).....				2	4	35
Hernia and intestinal obstruction (560, 561, 570).....	2		2	7	13	26
Gastritis, enteritis, and colitis, except diarrhea of newborn (543, 571, 572).....						260
Congenital malformations (750-759).....	93	35	27	202	261	415
Spina bifida and meningocele (751).....	8	2	3	15	24	46
Congenital malformations of circulatory system (754).....	35	23	15	91	109	183
All other congenital malformations (750, 752, 753, 755- 759).....	50	10	9	96	128	186
Birth injuries (760, 761).....	195	61	36	320	342	346
Without immaturity.....	77	32	27	160	173	176
With immaturity.....	118	29	9	160	169	170
Postnatal asphyxia and atelectasis (762).....	182	98	54	384	404	408
Without immaturity.....	76	49	27	178	188	189
With immaturity.....	106	49	27	206	216	219
Pneumonia of newborn (763).....	7	3	3	36	103	103
Without immaturity.....	4	1	2	24	75	75
With immaturity.....	3	2	1	12	28	28
Diarrhea of newborn (764).....		1		3	56	56

TABLE 18—*Continued*

Cause of death (International code number follows each cause)	Under 1 day	1 day	2 days	Under 7 days	Under 28 days	Under 1 year
Without immaturity.....		1		1	43	43
With immaturity.....				2	13	13
Other infections of newborn (765-768).....		1	1	4	9	9
Without immaturity.....			1	2	7	7
With immaturity.....		1		2	2	2
Neonatal disorders arising from maternal toxemia (769)....	24	12	3	44	46	46
Without immaturity.....	4	2	2	8	8	8
With immaturity.....	20	10	1	36	38	38
Hemolytic disease of newborn (770).....	18	5	5	40	44	44
Without immaturity.....	12	5	4	30	33	33
With immaturity.....	6		1	10	11	11
Hemorrhagic disease of newborn (771).....	5	6	9	24	30	32
Without immaturity.....	5	6	7	20	24	26
With immaturity.....			2	4	6	6
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment (772, 773).....	46	17	11	88	118	178
Without immaturity.....	7	4	5	17	27	72
With immaturity.....	39	13	6	71	91	106
Immaturity with mention of any other subsidiary condition (774).....	16	3	4	32	34	56
Immaturity, unqualified (776).....	448	153	64	732	799	815
Symptoms and ill-defined conditions (780-793, 795).....	30	14	8	65	93	219
All other diseases (residual).....	4	3		12	19	125
All accidents (800-962).....	4	2	3	16	33	172
Accidental poisonings (870-888, 890-895).....						4
Accident caused by fire and explosion of combustible material, except conflagration (916).....						4
Accident caused by conflagration (916).....					1	15
Inhalation and ingestion of food or other object causing obstruction or suffocation (921, 922).....		1	2	7	10	43
Accidental mechanical suffocation in bed and cradle (924).....	1	1		3	12	68
All other accidental causes (800-866, 900-915, 917- 920, 923, 925-962).....	3		1	6	10	38
Homicide (964, 980-999).....	2			2	2	2

TABLE 19.—RESIDENT INFANT AND MATERNAL DEATHS BY COLOR WITH RATES PER 1,000 LIVE BIRTHS: NORTH CAROLINA AND EACH COUNTY, 1952 AND FIVE-YEAR AVERAGE, 1948-1952

Area	Infant mortality										Maternal mortality									
	Deaths (1952)					Average rate (1948-1952)					Deaths (1952)					Average rate (1948-1952)				
	Total		White		Other	Total		White		Other	Total		White		Other	Total		White		Other
			No.	Rate		No.	Rate	No.	Rate		No.	Rate	No.	Rate		No.	Rate	No.	Rate	
	No.	Rate	No.	Rate	No.	No.	Rate	No.	Rate	No.	No.	Rate	No.	Rate	No.	No.	Rate	No.	Rate	No.
NORTH CAROLINA	3,929	35.4	1,924	26.0	2,005	54.1	35.2	27.4	50.8	113	1.0	40	0.5	73	2.0	1.3	0.7	2.4		
Alamance	45	22.6	24	15.4	21	48.7	23.6	20.4	34.3	2	1.0	2	1.3			0.9	0.6	1.9		
Alexander	18	54.9	13	44.2	5	147.1	33.8	30.5	62.5							1.1	1.2			
Alleghany	4	26.8	4	28.0			26.2	27.1												
Anson	16	22.0	3	10.2	13	29.9	34.8	27.2	39.6	2	2.7			2	4.6	1.3	0.7	1.7		
Ashe	6	12.0	6	12.2			32.0	31.3	100.0							0.4	0.4			
Avery	6	18.0	6	18.2			19.1	19.3								1.6	1.1			62.5
Beaufort	70	72.1	19	38.7	51	106.3	58.0	40.2	78.8	3	3.1	2	4.1	1	2.1	1.6	1.8	1.3		
Bertie	39	49.2	5	20.9	34	61.4	44.5	25.5	52.6	1	1.3			1	1.8	1.0	1.6	0.7		
Bladen	43	46.4	14	30.4	29	62.4	44.9	34.4	55.6	1	1.1			1	2.2	2.2	1.3	3.1		
Brunswick	20	38.9	6	22.8	14	55.8	37.8	30.9	45.4	1	1.9			1	4.0	1.9		3.9		
Buncombe	77	28.1	65	26.9	12	36.8	32.9	31.7	40.6	1	0.4			1	3.1	0.6	0.3	2.6		
Burke	22	21.4	18	19.5	4	39.6	20.2	19.5	26.1	2	1.9	2	2.2			1.1	1.3			
Cabarrus	41	26.7	36	29.2	5	16.6	26.4	26.9	24.6	2	1.3	2	1.6			0.6	0.6			
Caldwell	39	33.6	35	33.0	4	40.4	31.6	31.5	33.5							0.6	0.7			
Camden	8	70.2			8	137.9	44.2	30.8	55.7							1.6	3.4			
Carteret	23	31.3	17	27.2	6	55.0	29.6	28.9	59.7							0.6	0.7			
Caswell	21	37.3	6	30.0	15	41.3	40.5	33.6	44.6	1	1.8	1	5.0			2.1	2.8	1.7		
Catawba	48	29.1	38	26.3	10	48.3	27.0	26.2	33.6							0.2	0.3			
Chatham	24	33.0	9	20.7	15	51.0	31.8	18.5	51.2							1.8		4.5		
Cherokee	14	35.1	14	35.7			41.1	40.9	50.8							0.4	0.5			

Chowan.....	14	38.5	4	24.2	10	50.3	45.9	29.2	58.5	---	---	---	---	---	---	1.1	---	1.9
Clay.....	4	38.1	4	38.8	---	---	28.4	28.6	---	---	---	---	---	---	---	1.6	---	1.6
Cleveland.....	43	25.1	27	22.7	16	30.5	26.8	24.1	33.1	1	0.6	---	---	---	---	1.5	1.3	1.9
Columbus.....	67	43.6	33	36.9	34	53.0	43.6	36.0	54.8	2	1.3	---	1	1.1	1	1.6	0.4	2.6
Craven.....	73	42.1	42	36.3	31	53.8	37.8	28.2	54.8	1	0.6	---	---	---	1	1.7	1.0	2.2
Cumberland.....	130	31.0	85	27.6	45	40.6	32.0	28.8	39.8	4	1.0	---	1	0.3	3	2.7	0.6	2.4
Currituck.....	1	6.9	---	---	1	14.7	35.0	48.4	---	---	---	---	---	---	---	1.1	0.6	---
Dare.....	2	19.6	1	10.6	1	125.0	29.0	25.3	68.2	---	---	---	---	---	---	1.5	2.7	---
Davidson.....	46	27.8	32	22.4	14	63.3	32.9	28.7	61.4	---	---	---	---	---	---	1.9	2.1	---
Davie.....	12	29.9	8	24.5	4	53.3	34.1	30.1	54.2	1	2.5	---	---	---	1	13.3	0.5	1.0
Duplin.....	41	35.4	17	26.5	24	46.5	39.9	28.6	53.7	2	1.7	---	---	---	2	3.9	1.1	0.7
Durham.....	73	29.6	20	13.4	53	54.2	27.5	18.7	41.4	1	0.4	---	---	---	2	1.0	3.4	6.1
Edgecombe.....	107	65.4	19	30.5	88	86.9	52.6	33.1	64.3	2	1.2	---	---	---	1	1.0	0.8	1.7
Forsyth.....	115	30.7	58	21.8	57	52.3	30.0	20.3	51.7	1	0.3	---	---	---	2	2.0	1.0	0.7
Franklin.....	27	33.2	5	15.4	22	45.0	39.7	26.3	48.9	2	2.5	---	---	---	1	0.9	1.0	2.5
Gaston.....	90	30.9	64	24.6	26	83.6	30.9	30.6	32.7	2	0.7	---	2	0.8	---	---	0.6	3.4
Gates.....	10	49.3	1	16.1	9	63.8	40.6	25.4	48.4	---	---	---	---	---	---	0.8	0.7	1.6
Graham.....	3	18.5	3	19.1	---	---	26.9	26.6	38.5	1	6.2	---	1	6.4	---	1.7	---	2.6
Granville.....	39	48.0	5	15.5	34	69.4	41.1	26.0	51.1	2	2.5	---	---	---	2	4.1	1.1	---
Greene.....	17	29.9	6	26.2	11	32.4	38.1	25.3	47.3	2	3.5	---	---	---	2	5.9	2.2	3.6
Guilford.....	149	28.7	97	24.3	52	43.6	28.1	23.5	44.0	3	0.6	---	2	0.5	1	0.8	0.9	3.2
Halifax.....	118	65.1	32	58.6	86	67.9	52.4	38.1	58.9	2	1.1	---	---	---	2	1.6	0.5	1.9
Harnett.....	35	26.7	17	19.6	18	40.8	29.1	22.7	41.5	---	---	---	---	---	---	2.8	1.3	3.5
Haywood.....	25	32.2	25	32.8	---	---	26.6	27.0	10.3	---	---	---	---	---	---	1.6	1.0	2.8
Henderson.....	23	31.4	21	31.3	2	32.8	34.7	32.5	61.2	---	---	---	---	---	---	0.2	0.2	---
Hertford.....	14	23.4	1	6.2	13	29.7	42.0	22.6	50.2	1	1.7	---	---	---	---	0.8	0.9	---
Hoke.....	9	17.9	4	23.3	5	15.1	38.6	22.3	46.1	---	---	---	---	---	1	2.3	1.8	2.5
Hyde.....	2	13.1	---	---	22	22.7	25.0	17.7	30.4	1	6.5	---	---	---	1	11.4	1.8	1.4
Iredell.....	55	36.8	29	25.5	26	72.4	36.5	27.2	67.8	---	---	---	---	---	---	2.5	2.9	2.2
Jackson.....	16	41.3	14	41.4	2	40.8	28.8	28.9	27.6	---	---	---	---	---	---	0.5	0.4	1.2
																1.9	1.1	7.9

Pender.....	24	47.2	4	19.3	20	66.4	42.2	31.9	49.4	1	2.0	1	3.3	1.6	2.7
Perquimans.....	5	21.1	2	19.2	3	22.6	36.0	26.9	42.3	1	4.2	1	7.5	0.8	1.4
Person.....	17	22.0	9	20.7	8	23.6	23.3	19.1	28.3					1.1	1.2
Pitt.....	68	33.5	23	25.8	45	39.7	39.6	23.0	52.6	6	3.0	3	2.6	1.5	2.0
Polk.....	7	32.1	5	28.2	2	48.8	38.4	36.7	45.9					0.9	1.0
Randolph.....	17	13.3	16	14.0	1	7.5	26.4	24.8	39.9	1	0.8	1	0.9	1.1	1.5
Richmond.....	42	36.3	21	29.1	21	48.4	37.8	36.4	40.3	1	0.9			1.1	2.0
Robeson.....	182	58.8	43	41.2	139	67.7	49.7	31.8	59.2	3	1.0	3	1.5	1.2	1.3
Rockingham.....	50	29.6	30	23.5	20	48.5	32.9	27.5	48.8	4	2.4	3	2.3	1.3	3.4
Rowan.....	73	43.1	50	36.4	23	71.7	37.4	32.4	57.2					0.8	1.8
Rutherford.....	33	32.0	16	19.0	17	90.9	26.4	23.4	41.3					1.3	4.3
Samson.....	52	36.6	24	32.4	28	41.1	35.0	30.5	40.2	4	2.8	2	2.7	1.8	1.2
Scotland.....	43	50.8	14	38.3	29	60.4	49.7	39.2	58.2					2.8	3.9
Stanly.....	24	26.9	19	24.9	5	38.8	27.9	24.9	44.9					1.5	5.8
Stokes.....	17	32.9	13	29.3	4	54.8	33.0	31.2	45.0					1.3	1.4
Surry.....	31	25.5	29	25.5	2	26.3	30.1	28.6	51.4					1.1	2.3
Swain.....	8	31.0	5	24.8	3	53.6	34.3	28.1	54.1					1.4	1.9
Tennessee.....	4	10.7	4	11.5			16.7	16.4	21.1					1.5	1.6
Tyrrell.....	5	43.1	2	40.0	3	45.5	46.5	44.4	48.3					4.8	9.1
Union.....	42	38.1	23	30.7	19	53.8	38.0	32.8	50.8	2	1.8	1	1.3	1.1	2.5
Vance.....	41	40.0	9	19.1	32	57.9	46.2	30.1	59.1	3	2.9			2.6	3.1
Wake.....	115	31.8	52	22.2	63	49.3	34.6	25.0	52.1	6	1.7	2	0.9	0.7	2.8
Warren.....	40	56.1	3	15.8	37	70.7	43.6	13.7	52.3					4.5	5.4
Washington.....	23	55.6	8	40.4	15	69.4	51.9	33.5	69.2					1.6	3.1
Watauga.....	16	38.6	15	37.0	1	111.1	30.9	31.0	28.6						
Wayne.....	70	40.5	31	34.5	39	46.9	38.3	26.6	51.9	3	1.7	1	1.1	1.2	2.1
Wilkes.....	35	32.0	31	30.0	4	67.8	29.2	28.5	40.6	1	0.9	1	1.0	0.9	0.9
Wilson.....	89	54.5	16	20.1	73	87.2	51.0	28.3	72.7					2.5	4.1
Yadkin.....	8	16.7	7	15.6	1	32.3	19.6	19.4	22.6						
Yancey.....	5	15.3	5	15.6			21.4	21.1	45.5	2	6.1	2	6.2	2.0	2.1

TABLE 20.—RESIDENT LIVE BIRTHS, ILLEGITIMATES, STILLBIRTHS, DEATHS, "OTHER") WITH NUMBER OCCURRING IN HOSPITALS: NORTH

Area	Live births						Stillbirths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other	White	Other
NORTH CAROLINA.....	73,972	37,028	69,292	17,880	1,595	7,601	1,168	1,331	1,071	789
Urban.....	26,062	11,110	25,742	7,712	615	2,681	401	430	387	301
Rural.....	47,910	25,918	43,550	10,168	980	4,920	767	901	684	488
Alamance.....	1,562	431	1,513	194	27	83	16	15	15	10
Burlington.....	598	95	593	33	10	20	6	4	6	3
Graham.....	125	7	122	3	6	2	1	-----	1	-----
Rural.....	839	329	798	158	11	61	9	11	8	7
Alexander (All rural).....	294	34	290	29	12	7	7	3	7	3
Alleghany (All rural).....	143	6	109	1	4	-----	1	-----	-----	-----
Anson.....	293	435	267	87	5	85	6	11	6	6
Wadesboro.....	63	34	63	18	-----	5	1	1	1	1
Rural.....	230	401	204	69	5	80	5	10	5	5
Ashe (All rural).....	493	6	411	5	24	2	12	-----	9	-----
Avery (All rural).....	330	4	302	2	14	1	7	-----	7	-----
Beaufort.....	491	480	469	201	8	122	11	20	10	11
Belhaven.....	34	41	33	25	-----	11	-----	-----	-----	-----
Washington.....	159	128	159	45	1	39	3	2	3	1
Rural.....	298	311	277	131	7	72	8	18	7	10
Bertie (All rural).....	239	554	228	213	1	91	6	17	6	9
Bladen (All rural).....	461	465	369	182	6	76	10	15	8	8
Brunswick (All rural).....	263	251	238	83	4	50	1	15	1	8
Buncombe.....	2,416	326	2,356	221	67	56	42	15	40	5
Asheville.....	955	291	950	202	29	51	23	14	22	5
Rural.....	1,461	35	1,406	19	38	5	19	1	18	-----
Burke.....	925	101	876	97	28	16	11	2	11	1
Morgan'son.....	204	54	199	54	5	8	2	-----	2	-----
Valdese.....	47	2	47	2	1	-----	5	-----	5	-----
Rural.....	674	45	630	41	22	8	4	2	4	1
Cabarrus.....	1,232	301	1,221	260	22	76	27	18	27	17
Concord.....	354	98	354	83	5	19	9	3	9	3
Rural.....	878	203	867	177	17	57	18	15	18	14
Caldwell.....	1,060	99	961	80	43	13	23	2	21	2
Lenoir.....	200	49	196	48	4	7	3	1	3	1
Rural.....	860	50	765	32	39	6	20	1	18	1
Camden (All rural).....	56	58	50	6	1	11	2	4	2	2
Carteret.....	626	109	617	62	7	22	8	7	8	6
Beaufort.....	85	32	84	20	2	5	1	3	1	3
Morehead City.....	165	24	164	23	1	6	4	1	4	1
Rural.....	376	53	369	19	4	11	3	3	3	2
Caswell (All rural).....	200	363	165	93	-----	59	2	15	2	8
Catawba.....	1,445	207	1,418	161	39	44	24	6	23	6
Hickory.....	401	94	400	80	7	22	9	4	8	4
Newton.....	152	17	149	15	2	1	5	1	5	1

INFANT DEATHS, AND MATERNAL DEATHS BY COLOR (INDIANS INCLUDED IN
CAROLINA AND EACH COUNTY, URBAN AND RURAL, 1952

Deaths				Infant deaths				Maternal deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
21,090	11,005	8,557	3,619	1,924	2,005	1,559	926	40	73	35	52
6,877	4,435	3,328	1,761	680	591	602	355	11	14	10	12
14,213	6,570	5,229	1,858	1,244	1,414	957	571	29	59	25	40
382	91	133	26	24	21	20	8	2		2	
134	17	56	3	6	5	6	2				
33	8	10	4					1		1	
215	66	67	19	18	16	14	6	1		1	
96	10	44	5	13	5	11	3				
66	2	22	1	4		2					
108	96	29	16	3	13	3	2		2		1
18	11	8	4								
90	85	21	12	3	13	3	2		2		1
169	1	52		6		5					
67	4	33	1	6		5					
234	201	81	53	19	51	14	17	2	1	2	1
12	23	5	6		4		1				
58	71	17	18	6	11	4	3				
164	107	59	29	13	36	10	13	2	1	2	1
93	131	24	27	5	34	5	5		1		1
118	116	48	32	14	29	9	9		1		1
86	76	38	25	6	14	5	8		1		1
856	160	339	62	65	12	57	8		1		
412	145	172	56	23	7	22	5		1		
444	15	167	6	42	5	35	3				
227	31	98	8	18	4	17	1	2		2	
53	17	26	5	5	3	5					
9		7		2		2					
165	14	65	3	11	1	10	1	2		2	
342	75	180	49	36	5	31	5	2		2	
103	31	58	18	11	2	11	2				
239	44	122	31	25	3	20	3	2		2	
242	28	91	11	35	4	19	4				
44	17	24	6	8	2	6	2				
198	11	67	5	27	2	13	2				
33	21	10	7		8		3				
174	42	57	12	17	6	13	4				
22	20	10	7	3	1	1					
31	7	13		2		2					
121	15	34	5	12	5	10	4				
86	73	29	15	6	15	6	6	1		1	
332	58	182	21	38	10	34	3				
107	25	68	9	12	5	12	1				
42	10	26	2	6		5					

TABLE 20—

Area	Live births						Stillbirths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other	White	Other
Rural.....	892	96	869	66	30	21	10	1	10	1
Chatham.....	434	294	412	235	6	51	3	12	3	8
Siler City.....	79	10	78	10	2	1		2		2
Rural.....	355	284	334	225	4	50	3	10	3	6
Cherokee (All rural).....	392	7	349	6	13	3	7		4	
Chowan.....	165	199	147	76	1	50	5	7	4	1
Edenton.....	52	60	49	27	1	13	1	1	1	
Rural.....	113	139	98	49		37	4	6	3	1
Clay (All rural).....	103	2	60	2	2	2	1		1	
Cleveland.....	1,190	525	1,097	256	24	109	16	18	14	14
Kings Mountain.....	163	44	159	39	6	5	1		1	
Shelby.....	316	110	312	80	3	30	5	4	5	4
Rural.....	711	371	626	137	15	74	10	14	8	10
Columbus.....	895	642	795	280	21	118	17	24	16	16
Whiteville.....	91	26	90	21		7	2	1	2	1
Rural.....	804	616	705	259	21	111	15	23	14	15
Craven.....	1,157	576	1,147	207	13	150	9	16	9	13
New Bern.....	321	208	321	67	3	72	1	10	1	8
Rural.....	836	368	826	140	10	78	8	6	8	5
Cumberland.....	3,079	1,108	3,008	527	17	188	60	33	58	21
Faye teville.....	1,368	550	1,346	305	10	83	30	17	30	13
Rural.....	1,711	558	1,662	222	7	105	30	16	28	8
Currituck (All rural).....	76	68	65	9		9	1	2	1	
Dare (All rural).....	94	8	87	1	2	2	1	1	1	
Davidson.....	1,431	221	1,406	180	44	57	16	14	16	11
Lexington.....	356	91	354	76	13	20	5	10	5	7
Thomasville.....	220	64	220	45	7	14	1	3	1	3
Rural.....	855	66	832	59	24	23	10	1	10	1
Davie (All rural).....	326	75	290	45	8	21	3	1	3	1
Duplin (All rural).....	641	516	503	170	7	87	11	19	11	11
Durham.....	1,492	977	1,486	921	20	209	21	42	18	39
Durham.....	920	722	918	698	15	170	14	33	11	32
Rural.....	572	255	568	223	5	39	7	9	7	7
Edgecombe.....	623	1,013	588	201	8	260	6	42	5	14
Rocky Mount*.....	205	142	204	49	1	29	1	6	1	3
Tarboro.....	159	125	157	46	2	46	1	6	1	1
Rural.....	259	746	227	106	5	185	4	30	3	10
Forsyth.....	2,662	1,090	2,634	993	38	337	40	37	39	32
Winston-Salem.....	1,614	988	1,612	900	23	318	25	35	25	30
Rural.....	1,048	102	1,022	93	15	19	15	2	14	2

*See Nash County for remainder of Rocky Mount.

Continued

Deaths				Infant deaths				Maternal deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
183	23	88	10	20	5	17	2				
149	85	70	36	9	15	9	11				
25	2	19	2	4	1	4	1				
124	83	51	34	5	14	5	10				
128	5	51		14		11					
58	54	18	11	4	10	2	2				
21	24	8	5	2	2	1	1				
37	30	10	6	2	8	1	1				
30	1	18		4		3					
339	91	134	45	27	16	20	10		1		1
46	5	16	1	9	1	7					
96	25	45	11	9	1	8					
197	61	73	33	9	14	5	10		1		1
237	148	108	42	33	34	28	18	1	1	1	
21	16	10	7	2	3	2	3				
216	132	98	35	31	31	26	15	1	1	1	
245	223	122	78	42	31	35	18		1		1
82	121	41	42	8	14	5	9		1		1
163	102	81	36	34	17	30	9				
419	239	201	99	85	45	78	31	1	3	1	3
171	123	88	53	36	22	32	18		1		1
248	116	113	46	49	23	46	13	1	2	1	2
51	21	11	2		1						
50	5	16	1	1	1		1				
352	67	163	25	32	14	30	5				
85	25	49	10	10	4	10	1				
50	18	34	6	8	8	7	3				
217	24	80	9	14	2	13	1				
108	28	33	11	8	4	7	3		1		1
199	150	45	37	17	24	14	12		2		1
415	357	171	153	20	53	20	42		1		1
280	294	116	134	15	37	15	33		1		1
135	63	55	19	5	16	5	9				
199	349	69	89	19	88	14	31		2		1
55	90	19	25	4	10	4	3				
39	36	13	10	4	4	2	2				
105	223	37	54	11	74	8	26		2		1
709	465	335	261	58	57	52	42		1		1
402	416	204	237	35	53	32	39		1		1
307	49	131	24	23	4	20	3				

TABLE 20—

Area	Live births						Stillbirths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other	White	Other
Franklin.....	324	489	315	210	7	89	4	14	4	6
Louisburg.....	42	51	42	26	1	13	1	1	1	1
Rural.....	282	438	273	184	6	76	4	13	4	5
Gaston.....	2,602	311	2,479	190	61	56	51	9	47	6
Belmont.....	245	13	240	9	5	3	5	4	4	---
Bessemer City.....	96	10	95	4	3	1	2	2	2	---
Cherryville.....	90	4	89	4	4	4	2	2	2	---
Gastonia.....	862	75	846	69	20	14	15	3	15	3
Rural.....	1,309	209	1,209	104	29	38	27	6	24	3
Gates (All rural).....	62	141	58	39	1	25	6	6	2	2
Graham (All rural).....	157	5	152	3	6	---	4	---	4	---
Granville.....	322	460	301	301	2	81	8	21	8	16
Oxford.....	82	65	80	45	---	20	3	3	3	3
Rural.....	240	425	221	256	2	61	5	18	5	13
Greene (All rural).....	229	339	147	55	3	85	3	17	1	8
Guilford.....	3,994	1,194	3,950	1,013	82	227	46	45	45	32
Greensboro.....	1,789	608	1,781	562	44	119	16	25	16	19
High Point.....	798	269	795	212	21	52	11	14	11	9
Rural.....	1,407	317	1,374	239	17	56	19	6	18	4
Halifax.....	546	1,266	518	186	11	236	10	40	10	13
Roanoke Rapids.....	182	29	182	29	1	4	5	1	5	1
Scotland Neck.....	49	31	45	3	---	7	1	---	1	---
Rural.....	315	1,206	291	154	10	225	4	39	4	12
Harnett.....	868	441	831	241	16	119	11	13	11	8
Dunn.....	141	98	141	46	4	33	3	3	3	1
Rural.....	727	343	690	195	12	86	8	10	8	7
Haywood.....	763	13	751	12	28	6	14	1	14	1
Canton.....	123	3	123	2	1	---	1	---	1	---
Waynesville.....	111	7	110	7	7	3	1	1	1	1
Rural.....	529	3	518	3	20	3	12	---	12	---
Henderson.....	671	61	636	44	22	15	9	1	5	---
Hendersonville.....	171	36	166	30	3	12	---	---	---	---
Rural.....	500	25	470	14	19	3	9	1	5	---
Hertford.....	161	437	133	149	4	50	1	9	1	6
Ahoskie.....	51	56	50	35	---	12	---	2	---	2
Rural.....	110	381	83	114	4	38	1	7	1	4
Hoke (All rural).....	172	331	116	42	2	77	3	20	2	5
Hyde (All rural).....	65	88	63	35	1	32	1	4	1	3
Iredell.....	1,137	359	1,124	274	21	80	19	11	18	8
Mooresville.....	181	45	181	45	5	9	2	---	2	---
Statesville.....	348	95	343	73	6	31	5	6	4	6
Rural.....	608	219	600	156	10	40	12	5	12	2
Jackson (All rural).....	338	49	254	42	10	13	5	2	2	2
Johnston.....	1,214	491	1,054	168	21	93	24	18	22	11
Selma.....	84	30	69	9	3	8	3	2	3	1

Continued

Deaths				Infant deaths				Maternal deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
158	129	55	35	5	22	4	7	2			1
12	21	6	2	1		1					
146	108	49	33	4	22	3	7	2			1
557	133	239	42	64	26	49	9	2		2	
40	3	18		5	1	4					
25	9	8	1	2	1						
16		5									
152	59	74	24	21	10	18	4				
324	62	134	17	36	14	27	5	2		2	
44	62	12	9	1	9	1	3				
32		9		3		3		1		1	
122	148	38	49	5	34	4	16		2		2
36	42	9	15	1	7		3				
86	106	29	34	4	27	4	13		2		2
55	68	15	21	6	11	3	5		2		2
983	385	459	151	97	52	82	31	2	1	2	1
387	233	187	99	46	25	42	14	2	1	2	1
202	85	127	27	22	13	19	8				
394	67	145	25	29	14	21	9				
222	342	110	80	32	86	30	32		2		1
82	13	51	13	17	8	17	8				
13	8	6			5						
127	321	53	67	15	73	13	24		2		1
243	113	95	37	17	18	12	9				
29	27	19	7	2	2	2	1				
214	86	76	30	15	16	10	8				
259	8	103	4	25		18					
44	1	20		6		5					
43	4	21	3	4		2					
172	3	62	1	15		11					
249	24	108	13	21	2	15	2				
61	14	26	6	5	1	5	1				
188	10	82	7	16	1	10	1				
75	98	23	18	1	13	1	5		1		1
16	15	9	6		5		2				
59	83	14	12	1	8	1	3		1		1
36	67	12	13	4	5	4	2				
36	16	8	3		2				1		1
344	120	144	43	29	26	28	15				
55	22	16	11	1	7	1	4				
102	44	54	15	14	6	14	4				
187	54	74	17	14	13	13	7				
113	10	34	4	14	2	9	1				
367	128	114	31	22	24	18	7	1		1	
25	17	9	2	2	2	1	1				

TABLE 20—

Area	Live births						Stillbirths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other	White	Other
Smithfield.....	93	48	93	24	-----	11	2	5	1	3
Rural.....	1,037	413	892	135	18	74	19	11	18	7
Jones (All rural).....	154	200	138	74	6	37	2	4	2	-----
Lee.....	532	263	519	217	10	63	4	13	4	11
Sanford.....	245	106	245	85	2	34	3	7	3	5
Rural.....	287	157	274	132	8	29	1	6	1	6
Lenoir.....	693	739	662	200	20	170	9	23	7	8
Kinston.....	325	283	319	82	10	53	3	9	3	3
Rural.....	368	456	343	118	10	117	6	14	4	5
Lincoln.....	582	107	563	21	15	20	10	4	9	2
Lincolnton.....	140	21	138	8	-----	6	1	-----	1	-----
Rural.....	442	86	425	13	15	14	9	4	8	2
McDowell.....	487	25	456	16	13	8	2	-----	2	-----
Marion.....	98	8	98	8	1	5	-----	-----	-----	-----
Rural.....	389	17	358	8	12	3	2	-----	2	-----
Macon (All rural).....	351	7	226	2	8	1	11	-----	7	-----
Madison (All rural).....	418	4	301	3	11	2	12	-----	9	-----
Martin.....	330	487	279	176	6	98	6	12	5	6
Williamston.....	73	109	72	50	1	25	1	2	1	1
Rural.....	257	378	207	126	5	73	5	10	4	5
Mecklenburg.....	4,212	1,727	4,192	1,450	216	438	66	71	65	47
Charlotte.....	2,808	1,332	2,798	1,153	197	346	49	57	49	37
Rural.....	1,404	395	1,394	297	19	92	17	14	16	10
Mitchell (All rural).....	320	1	276	1	17	-----	5	-----	5	-----
Montgomery (All rural).....	342	148	335	98	5	26	2	6	2	6
Moore.....	748	337	728	276	15	74	16	5	16	5
Southern Pines.....	123	61	119	46	-----	23	1	1	1	1
Rural.....	625	276	609	230	15	51	15	4	15	4
Nash.....	783	935	729	135	15	168	13	38	11	16
Rocky Mount*.....	258	128	257	34	4	28	2	8	2	3
Rural.....	525	807	472	101	11	140	11	30	9	13
New Hanover.....	1,070	584	1,066	563	19	160	16	22	15	20
Wilmington.....	722	490	720	471	16	131	10	19	9	17
Rural.....	348	94	346	92	3	29	6	3	6	3
Northampton (All rural).....	183	656	143	65	3	119	4	12	2	3
Onslow.....	648	231	635	145	16	67	12	7	12	6
Jacksonville.....	161	37	160	30	7	15	5	-----	5	-----
Rural.....	487	194	475	115	9	52	7	7	7	6
Orange.....	552	314	544	224	8	56	9	10	9	8
Chapel Hill.....	162	66	162	46	-----	16	2	2	2	2

*See Edgecombe County for remainder of Rocky Mount.

Continued

Deaths				Infant deaths				Maternal deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
28	22	5	6	1	1	1					
314	89	100	23	19	21	16	6	1		1	
28	37	12	12	5	6	4	1		2		1
145	63	64	30	17	14	14	8		2		2
54	34	30	19	6	9	6	6				
91	29	34	11	11	5	8	2		2		2
234	209	95	45	22	41	18	15	1	3	1	2
101	110	43	22	7	15	6	6	1	1	1	1
133	99	52	23	15	26	12	9		2		1
137	34	68	11	10	6	8	2		2		1
39	11	24	4	8	1	7					
98	23	44	7	2	5	1	2		2		1
162	20	62	5	19		13					
28		13		4		4					
134	20	49	5	15		9					
127	3	30	2	4	1	2	1	1			
157	5	41	1	16		8					
106	112	34	27	9	26	7	4	2		2	
18	28	11	8	2	5	2	2	1		1	
88	84	23	19	7	21	5	2	1		1	
1,012	588	526	230	124	90	112	52	1	2	1	1
681	449	377	186	86	59	78	40	1	1	1	1
331	139	149	44	38	31	34	12		1		
93	2	30	1	7		7					
82	41	34	10	3	5	2	1				
192	96	86	34	17	15	14	8				
23	24	8	7	4	3	3	1				
169	72	78	27	13	12	11	7				
245	293	98	74	18	72	15	21	1	4	1	3
67	50	21	16	2	6	1	4	1		1	
178	243	77	58	16	66	14	17		4		3
382	290	174	170	25	31	23	27				
264	232	125	140	18	25	17	23				
118	58	49	30	7	6	6	4				
106	155	32	35	6	34	4	14		2		2
188	71	107	28	44	19	39	11	1	1	1	1
34	13	24	5	10	4	10	3				
154	58	83	23	34	15	29	8	1	1	1	1
162	64	53	20	6	9	6	6				
20	13	7	8								

TABLE 20—

Area	Live births						Stillbirths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other	White	Other
Rural.....	390	248	382	178	8	40	7	8	7	6
Pamlico (All rural).....	148	140	77	13	3	34	6	6	2	2
Pasquotank.....	386	295	374	72	3	49	4	11	4	6
Elizabeth City.....	287	141	283	52	2	29	4	6	4	5
Rural.....	99	154	91	20	1	20	5	5	1	1
Pender (All rural).....	207	301	194	110	7	70	1	9	1	6
Perquimans.....	104	133	99	11	26	1	9	1	1	2
Person.....	434	339	396	222	3	44	12	16	11	11
Roxboro.....	78	44	77	40	6	3	3	3	3	3
Rural.....	356	295	319	182	3	38	9	16	8	11
Pitt.....	893	1,134	775	446	11	277	17	36	14	15
Farmville.....	41	62	31	12	1	23	3	4	2	2
Greenville.....	266	212	260	108	1	58	3	3	3	1
Rural.....	586	860	484	326	9	196	11	29	9	12
Polk (All rural).....	177	41	161	23	6	10	4	2	2	1
Randolph.....	1,143	134	1,113	109	22	21	11	11	11	9
Asheboro.....	346	48	344	44	6	11	2	3	2	3
Rural.....	797	86	769	65	16	10	9	8	9	6
Richmond.....	722	434	668	146	12	95	12	19	12	11
Hamlet.....	84	21	84	9	1	4	4	4	4	4
Rockingham.....	109	41	106	13	1	10	1	1	1	1
Rural.....	529	372	478	124	11	84	7	18	7	10
Robeson.....	1,044	2,053	929	1,008	24	326	9	68	8	38
Lumberton.....	255	94	246	47	3	25	1	7	1	2
Rural.....	789	1,959	683	961	21	301	8	61	7	36
Rockingham.....	1,279	412	1,165	209	22	72	17	9	17	5
Draper.....	62	7	59	3	1	1	1	1	1	1
Leaksville.....	113	20	111	13	1	3	2	2	2	2
Reidsville.....	205	104	201	57	3	24	3	2	3	3
Rural.....	899	281	794	136	18	44	11	7	11	5
Rowan.....	1,373	321	1,353	232	21	77	15	9	13	7
Salisbury.....	342	117	342	88	3	29	4	3	4	3
Spencer.....	73	11	73	11	2	2	2	2	2	2
Rural.....	958	193	938	133	16	46	11	6	9	4
Rutherford.....	843	187	653	48	21	51	16	3	10	2
Forest City.....	135	40	115	11	8	11	1	1	1	1
Rutherfordton.....	92	25	83	7	4	8	2	2	2	2
Spindale.....	93	15	88	5	1	3	1	1	1	1
Rural.....	523	107	367	25	9	31	10	3	6	2
Sampson.....	741	681	671	127	15	107	18	18	17	10
Clinton.....	105	66	102	17	2	16	2	2	2	2
Rural.....	636	615	569	110	13	91	18	18	17	10
Scotland.....	366	480	322	188	11	103	6	19	4	13
Laurinburg.....	168	111	164	58	3	22	2	5	2	3
Rural.....	198	369	158	130	8	81	4	14	2	10

Continued

Deaths				Infant deaths				Maternal deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
142	51	46	12	6	9	6	6	-----	-----	-----	-----
53	34	8	6	3	5	1	1	-----	1	-----	1
122	108	49	27	6	18	5	10	-----	1	-----	-----
81	79	41	22	3	9	3	7	-----	-----	-----	-----
41	29	8	5	3	9	2	3	-----	1	-----	-----
65	84	20	23	4	20	4	11	-----	1	-----	-----
42	42	8	7	2	3	1	-----	-----	1	-----	-----
125	64	42	18	9	8	7	7	-----	-----	-----	-----
21	14	7	5	2	1	2	1	-----	-----	-----	-----
104	50	35	13	7	7	5	6	-----	-----	-----	-----
261	285	93	77	23	45	19	21	3	3	1	3
23	17	7	1	2	5	2	1	-----	-----	-----	-----
78	80	31	27	9	8	7	5	-----	-----	-----	-----
160	188	55	49	12	32	10	15	3	3	1	3
83	18	27	7	5	2	3	2	-----	-----	-----	-----
294	29	130	11	16	1	14	-----	1	-----	1	-----
40	12	24	5	5	1	5	-----	-----	-----	-----	-----
254	17	106	6	11	-----	9	-----	1	-----	1	-----
195	135	58	34	21	21	16	10	-----	1	-----	1
26	18	11	4	1	-----	1	-----	-----	-----	-----	-----
27	24	9	7	4	1	4	1	-----	-----	-----	-----
142	93	38	23	16	20	11	9	-----	1	-----	1
315	469	135	166	43	139	35	66	-----	3	-----	2
57	57	35	12	8	10	8	1	-----	-----	-----	-----
258	412	100	154	35	129	27	65	-----	3	-----	2
384	121	143	43	30	20	25	8	3	1	3	1
27	2	9	1	1	-----	1	-----	-----	-----	-----	-----
44	2	13	1	3	-----	1	-----	1	1	1	1
65	51	37	20	8	8	7	4	-----	-----	-----	-----
248	66	84	21	18	12	16	4	2	-----	2	-----
466	176	190	51	50	23	39	11	-----	-----	-----	-----
136	88	62	30	9	9	8	5	-----	-----	-----	-----
33	4	11	1	3	-----	2	-----	-----	-----	-----	-----
297	84	117	20	38	14	29	6	-----	-----	-----	-----
280	54	105	28	16	17	8	11	-----	-----	-----	-----
26	7	15	4	3	5	3	3	-----	-----	-----	-----
29	12	13	10	-----	3	-----	3	-----	-----	-----	-----
22	6	9	2	4	2	2	1	-----	-----	-----	-----
203	29	68	12	9	7	3	4	-----	-----	-----	-----
234	147	83	19	24	28	14	6	2	2	2	1
39	21	22	4	4	1	4	-----	1	-----	1	-----
195	126	61	15	20	27	10	6	1	2	1	1
110	112	47	33	14	29	10	15	-----	-----	-----	-----
41	28	22	8	6	6	6	3	-----	-----	-----	-----
69	84	25	25	8	23	4	12	-----	-----	-----	-----

TABLE 20—

Area	Live births						Stillbirths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other	White	Other
Stanly.....	762	129	746	100	5	27	14	2	14	1
Albemarle.....	228	33	225	32	1	6	3		3	
Rural.....	534	96	521	68	4	21	11	2	11	1
Stokes (All rural).....	443	73	314	25	7	13	9	2	8	
Surry.....	1,138	76	981	42	31	10	21	3	20	2
Elkin.....	86	2	85	2	1		1		1	
Mount Airy.....	181	7	165	4	6	1	2	1	2	
Rural.....	871	67	731	36	24	9	18	2	17	2
Swain (All rural).....	202	56	113	47	3	8	1	2		2
Transylvania.....	347	27	278	12	8	3	5		4	
Brevard.....	111	23	106	10	4	3	1			
Rural.....	236	4	172	2	4		4		4	
Tyrrell (All rural).....	50	66	47	34		14	2	1	2	1
Union.....	749	353	716	96	12	75	12	17	12	7
Monroe.....	173	65	170	21	4	11	1	8	1	2
Rural.....	576	288	546	75	8	64	11	9	11	5
Vance.....	471	553	465	233	3	85	9	28	9	19
Henderson.....	245	193	243	100	2	39	7	11	7	7
Rural.....	226	360	222	133	1	46	2	17	2	12
Wake.....	2,340	1,277	2,246	635	21	223	39	58	35	31
Raleigh.....	1,022	455	1,018	338	12	86	22	16	22	12
Wake Forest.....	60	18	56	9	2	2	1	1	1	1
Rural.....	1,258	804	1,172	288	7	135	16	41	12	18
Warren (All rural).....	190	523	183	106	1	49	4	19	4	4
Washington.....	198	216	193	92	1	57	3	10	3	7
Plymouth.....	75	75	75	44	1	19	2	5	2	3
Rural.....	123	141	118	48		38	1	5	1	4
Watauga.....	405	9	400	8	9	1	11		11	
Boone.....	73	8	73	8	2	1	1		1	
Rural.....	332	1	327		7		10		10	
Wayne.....	898	832	792	355	12	185	16	18	12	9
Goldsboro.....	338	305	328	112	3	68	3	6	3	2
Mount Olive.....	48	73	44	48	1	26		1		
Rural.....	512	454	420	195	8	91	13	11	9	7
Wilkes.....	1,035	59	835	19	37	10	17	3	14	1
North Wilkesboro.....	138	15	126	5	6	2	1			
Rural.....	897	44	709	14	31	8	16	3	14	1
Wilson.....	795	837	727	323	10	218	9	31	9	18
Wilson.....	371	339	367	123	5	99	4	14	4	8
Rural.....	424	498	360	200	5	119	5	17	5	10
Yadkin (All rural).....	449	31	440	28	10	3	6	1	6	1
Yancey (All rural).....	321	5	258	5	7		2			

Continued

Deaths				Infant deaths				Maternal deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
216	36	81	17	19	5	15	4				
71	11	31	4	10	2	6	1				
145	25	50	13	9	3	9	3				
126	14	38	3	13	4	5					
300	31	109	5	29	2	21					
21	1	10		2		1					
36	4	18		3		2					
243	26	81	5	24	2	18					
60	7	20	1	5	3	3					
85	8	21	2	4		2					
17	8	6	2	2		1					
68		15		2		1					
50	25	24	10	2	3	2	1				
236	97	91	15	23	19	20	4	1	1	1	
55	22	21	3	5	2	5					
181	75	70	12	18	17	15	4	1	1	1	
133	168	58	63	9	32	6	12		3		1
59	60	33	30	3	9	2	7		1		
74	108	25	33	6	23	4	5		2		1
676	499	317	209	52	63	45	42	2	4	1	4
314	272	165	124	26	23	23	21	2	2	1	2
17	15	5	9		3		2		1		1
345	212	147	76	26	37	22	19		1		1
55	159	10	19	3	37	3	3				
64	74	37	16	8	15	7	5				
17	27	9	5	2	6	2	3				
47	47	28	11	6	9	5	2				
131	4	49		15	1	9					
18	3	10		3		3					
113	1	39		12	1	6					
315	239	121	56	31	39	26	16	1	2	1	1
115	104	56	23	13	13	12	2		1		1
30	26	12	7	2	6	1	5				
170	109	53	26	16	20	13	9	1	1	1	
302	29	91	5	31	4	17	1	1		1	
24	3	10	1	2	1	2	1				
278	26	81	4	29	3	15		1		1	
245	286	107	97	16	73	14	32				
119	157	48	56	4	36	4	14				
126	129	59	41	12	37	10	18				
129	12	44	2	7	1	4					
86	1	22		5		3		2		1	

TABLE 21.—RESIDENT LIVE BIRTHS, ILLEGITIMATES, STILLBIRTHS, DEATHS, INFANT DEATHS, AND MATERNAL DEATHS OF INDIANS WITH NUMBER OCCURRING IN HOSPITALS: NORTH CAROLINA, EACH COUNTY, URBAN AND RURAL, 1952

Area	Live births			Stillbirths		Deaths		Infant deaths		Maternal deaths	
	Total	Hos- pital	Ille- giti- mate	Total	Hos- pital	Total	Hos- pital	Total	Hos- pital	Total	Hos- pital
NORTH CAROLINA.....	1,314	783	170	36	24	213	89	84	45	2	1
Urban.....	23	18	3			6	2	2			
Rural.....	1,291	765	167	36	24	207	87	82	45	2	1
Bladen.....	7	3		1							
Brunswick.....				1	1						
Buncombe.....	1	1									
Catawba.....	1	1	1								
Cherokee.....	2	2									
Columbus.....	24	8	4			7	3	3	2		
Cumberland.....	24	11	2			5	2	1			
Fayetteville.....	5	4				2	1				
Rural.....	19	7	2			3	1	1			
Graham.....	5	3									
Guilford.....	1	1									
Greensboro.....	1	1									
Rural.....											
Halifax.....	2										
Harnett.....	8	1	1	1		1					
Dunn.....						1					
Hoke.....	34	3	6	4	1	5	1	1			
Jackson.....	42	38	11	1	1	8	3	2	1		
New Hanover.....	3	3									
Wilmington.....	1	1									
Rural.....	2	2									
Person.....	4	4									
Richmond.....	1										
Robeson.....	1,031	611	128	22	16	174	78	73	42	2	1
Lumberton.....	10	6	2			3	1	2			
Rural.....	1,021	605	126	22	16	171	77	71	42	2	1
Sampson.....	23	10	1	1	1	4	1	1			
Scotland.....	44	35	8	2	2	3		1			
Laurinburg.....	6	6	1								
Rural.....	38	29	7	2	2						
Swain.....	54	47	8	2	2	6	1	2			
Wake.....	3	1									
Warren.....				1							

TABLE 22.—RESIDENT LIVE BIRTHS AND DEATHS (EXCLUDING STILLBIRTHS) BY COLOR AND INSTITUTION OF OCCURRENCE: NORTH CAROLINA AND EACH COUNTY, 1952

Area	Non-institutional			General hospital				Veterans hospital				All other institutions			
	Births		Deaths	Births		Deaths		Births		Deaths		Births		Deaths	
	White	Other	White	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
NORTH CAROLINA.....	4,023	19,091	11,154	6,815	17,880	8,557	3,619	1		279	116	56	57	1,100	455
Alamance.....	49	237	214	60	1,513	194	133			9				26	5
Alexander.....	4	5	51	5	290	29	44							1	
Alleghany.....	34	5	41	1	109	1	22							3	
Anson.....	26	347	76	78	267	87	16			1	1		1	2	1
Ashe.....	82	1	113		411	5	52			1	1			3	
Avery.....	28	2	29	3	302	2	33			2				3	
Beaufort.....	22	278	134	140	469	201	53			3	1		1	16	7
Bertie.....	11	341	64	103	228	213	27							5	1
Bladen.....	92	283	61	78	369	182	48			2	2			7	4
Brunswick.....	25	167	47	47	238	83	25						1	1	4
Burke.....	60	105	413	75	2,356	221	339			33	8			71	15
Burke.....	48	4	108	21	876	97	8			3		1		18	2
Calhoun.....	11	41	138	20	1,221	260	49			5	3			19	3
Caldwell.....	98	19	139	15	961	80	11			3	2	1		9	
Camden.....	6	52	21	14	50	6	7			1				1	
Carteret.....	8	47	112	28	617	62	12			1	1	1		4	1
Caswell.....	35	270	53	57	105	93	15			1				3	1
Catawba.....	27	46	140	31	1,418	161	21			5				5	6
Chatham.....	21	59	73	47	412	235	36			1	1	1		5	1
Cherokee.....	42	1	71	5	349	6	51			2		1		4	

TABLE 22—Continued

Area	Non-institutional				General hospital				Veterans hospital				All other institutions			
	Births		Deaths		Births		Deaths		Births		Deaths		Births		Deaths	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Chowan.....	18	123	35	42	147	76	18	11			1				4	1
Clay.....	43		11	1	60	2	18				1					
Cleveland.....	53	241	190	42	1,097	256	134	45			2		40	28	13	4
Columbus.....	100	362	118	99	795	280	108	42			1	2			10	5
Craven.....	10	369	110	131	1,147	207	122	78			2	4			11	10
Cumberland.....	71	581	191	127	3,008	527	201	99			10	5			17	8
Currituck.....	11	59	40	19	65	9	11	2								
Dare.....	7	7	33	4	87	1	16	1							1	
Davidson.....	25	41	171	39	1,406	180	163	25			1				17	3
Davie.....	36	30	66	15	290	45	33	11			1				8	2
Duplin.....	138	346	146	107	563	170	45	37			2	3			6	3
Durham.....	6	56	201	178	1,486	921	171	153			3	1			40	25
Edgecombe.....	34	812	117	244	588	201	69	89	1		2	1			11	15
Forsyth.....	28	97	324	178	2,634	993	335	261			9	9			41	17
Franklin.....	9	279	90	87	315	210	55	35			3	2			10	5
Gaston.....	122	120	293	86	2,479	190	239	42			9	1	1	1	16	4
Gates.....	4	102	30	49	58	39	12	9				1			2	3
Graham.....	5	2	22		152	3	9				1					
Granville.....	21	189	76	97	301	301	38	49			1	1			7	1
Greene.....	82	284	37	45	147	55	15	21							3	2

Guilford.....	44	181	423	200	3,950	1,013	459	151				9	6			92	28
Halifax.....	28	1,080	98	250	518	186	110	80				3				11	12
Harnett.....	36	199	139	70	831	241	95	37				5	2	1		4	4
Haywood.....	12	1	146	4	751	12	103	4				3				7	
Henderson.....	35	15	123	7	636	44	108	13				3	2		2	15	2
Hertford.....	28	288	47	78	133	149	23	18				3	1			2	1
Hoke.....	56	289	21	52	116	42	12	13								3	2
Hyde.....	2	53	23	11	63	35	8	3								5	2
Iredell.....	12	85	171	71	1,124	274	144	43				1		1		28	6
Jackson.....	84	7	69	6	254	42	34	4				3				7	
Johnston.....	160	322	230	91	1,054	168	114	31				6	4		1	17	2
Jones.....	16	126	16	24	138	74	12	12					1				
Lee.....	13	46	74	30	519	217	61	30				3	1			4	2
Lenoir.....	31	538	127	156	662	200	95	45				4	2		1	8	6
Lincoln.....	19	84	60	23	563	21	68	11						2		9	
McDowell.....	30	9	93	15	456	16	62	5				3		1		4	
Macon.....	125	5	90	1	226	2	30	2				2				5	
Madison.....	117	1	106	3	301	3	41	1				3				7	1
Marion.....	51	311	70	77	279	176	34	27					1			2	7
Mecklenburg.....	19	277	397	314	4,192	1,450	526	230				11	5	1		78	39
Mitchell.....	44		56	1	276	1	30	1				3				4	
Montgomery.....	7	50	41	29	335	98	34	10								7	2
Moore.....	20	61	81	55	728	276	86	34				3				22	7
Nash.....	53	800	118	194	729	135	98	74				7		1		22	25
New Hanover.....	4	20	185	108	1,066	563	174	170				8	1		1	15	11
Norhampton.....	40	591	66	113	143	65	32	35				2	2			6	5
Onslow.....	13	86	77	38	635	145	107	28				1	1			3	4
Orange.....	8	90	96	43	544	224	53	20				1	1			12	
Pamlico.....	71	127	42	28	77	13	8	6								3	
Pasquotank.....	12	223	67	70	374	72	49	27					2			6	9

TABLE 22—Continued

Area	Non-institutional				General hospital				Veterans hospital				All other institutions			
	Births		Deaths		Births		Deaths		Births		Deaths		Births		Deaths	
	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
Pender.....	13	190	42	58	194	110	20	23	---	---	1	1	---	1	2	2
Perquimans.....	5	122	31	35	99	11	8	7	---	---	1	---	---	---	2	---
Person.....	38	117	76	46	396	222	42	18	---	---	1	---	---	---	6	---
Pitt.....	118	688	159	198	775	446	93	77	---	---	1	2	---	---	8	8
Polk.....	16	18	53	11	161	23	27	7	---	---	2	---	---	---	1	---
Randolph.....	30	25	149	18	1,113	109	130	11	---	---	1	---	---	---	14	---
Richmond.....	54	288	128	96	668	146	58	34	---	---	2	1	---	---	7	4
Robeson.....	115	1,041	163	284	929	1,008	135	166	---	---	4	8	---	4	13	11
Rockingham.....	114	203	227	67	1,165	209	143	43	---	---	2	3	---	---	12	8
Rowan.....	19	89	243	119	1,353	232	190	51	---	---	6	2	1	---	27	4
Rutherford.....	189	139	164	26	653	48	105	28	---	---	1	---	---	---	10	---
Sampson.....	70	554	141	125	671	127	83	19	---	---	2	1	---	---	8	2
Scotland.....	44	292	57	74	322	188	47	33	---	---	3	3	---	---	3	2
Staudy.....	16	29	121	19	746	100	81	17	---	---	4	---	---	---	10	---
Stokes.....	129	48	78	11	314	25	38	3	---	---	1	---	---	---	9	---
Surry.....	156	34	173	25	981	42	109	5	---	---	2	1	1	---	16	---
Swain.....	89	9	38	6	113	47	20	1	---	---	1	---	---	---	1	---
Transylvania.....	69	15	62	5	278	12	21	2	---	---	---	---	---	---	2	1
Tyrell.....	3	32	23	15	47	34	24	10	---	---	1	---	---	---	2	---
Union.....	33	255	136	76	716	96	91	15	---	---	1	---	---	2	8	6

Vance.....	5	320	63	102	465	233	58	63	1	2	1	11	1
Wake.....	93	641	308	263	2,246	635	317	209	9	4	1	42	23
Warren.....	7	417	39	138	183	106	19	19	4	2		2	
Washington.....	5	124	26	53	193	92	37	16				1	
Wataga.....	5	1	76	3	400	8	49		2			4	1
Wayne.....	106	408	175	167	792	355	121	56	7	1		12	15
Wilkes.....	200	40	198	19	835	19	91	5	5	1		8	4
Wilson.....	68	514	122	180	727	323	107	97	5	2		11	27
Yadkin.....	9	3	74	10	440	28	44	2				11	
Yancey.....	63		58	1	258	5	22					6	

TABLE 23.—RESIDENT STILLBIRTHS BY COLOR AND SEX WITH RATES PER 1,000 LIVE BIRTHS: NORTH CAROLINA AND EACH COUNTY, 1952

Area	Grand total		White				Other			
			Total		Male	Female	Total		Male	Female
	Number	Rate	Number	Rate	Number	Number	Number	Rate	Number	Number
NORTH CAROLINA....	2,499	22.5	1,168	15.8	626	542	1,331	35.9	781	550
Alamance.....	31	15.6	16	10.2	8	8	15	34.8	8	7
Alexander.....	10	30.5	7	23.8	5	2	3	88.2	2	1
Alleghany.....	1	6.7	1	7.0	1					
Anson.....	17	23.4	6	20.5	2	4	11	25.3	10	1
Ashe.....	12	24.0	12	24.3	4	8				
Avery.....	7	21.0	7	21.2	1	6				
Beaufort.....	31	31.9	11	22.4	7	4	20	41.7	10	10
Bertie.....	23	29.0	6	25.1	3	3	17	30.7	11	6
Bladen.....	25	27.0	10	21.7	7	3	15	32.3	9	6
Brunswick.....	18	35.0	1	3.8		1	17	67.7	6	11
Buncombe.....	57	20.8	42	17.4	23	19	15	46.0	6	9
Burke.....	13	12.7	11	11.9	6	5	2	19.8	1	1
Cabarrus.....	45	29.4	27	21.9	12	15	18	59.8	14	4
Caldwell.....	25	21.6	23	21.7	8	15	2	20.2	2	
Camden.....	6	52.6	2	35.7	2		4	69.0	2	2
Carteret.....	15	20.4	8	12.8	4	4	7	64.2	3	4
Caswell.....	17	30.2	2	10.0		2	15	41.3	9	6
Catawba.....	28	16.9	24	16.6	14	10	4	19.3	1	3
Chatham.....	15	20.6	3	6.9	2	1	12	40.8	6	6
Cherokee.....	7	17.5	7	17.9	3	4				
Chowan.....	12	33.0	5	30.3	2	3	7	35.2	5	2
Clay.....	1	9.5	1	9.7	1					
Cleveland.....	34	19.8	16	13.4	11	5	18	34.3	11	7
Columbus.....	41	26.7	17	19.0	10	7	24	37.4	20	4
Craven.....	25	14.4	9	7.8	6	3	16	27.8	9	7
Cumberland.....	93	22.2	60	19.5	33	27	33	29.8	16	17
Currituck.....	3	20.8	1	13.2		1	2	29.4	1	1
Dare.....	2	19.6	1	10.6		1	1	125.0	1	
Davidson.....	30	18.2	16	11.2	8	8	14	63.3	13	1
Davie.....	4	10.0	3	9.2	2	1	1	13.3		1
Duplin.....	30	25.9	11	17.2	5	6	19	36.8	12	7
Durham.....	63	25.5	21	14.1	12	9	42	43.0	27	15
Edgecombe.....	48	29.3	6	9.6	5	1	42	41.5	26	16
Forsyth.....	77	20.5	40	15.0	23	17	37	33.9	24	13
Franklin.....	18	22.1	4	12.3	2	2	14	28.6	7	7

TABLE 23—Continued

Area	Grand total		White				Other			
			Total		Male	Female	Total		Male	Female
	Number	Rate	Number	Rate	Number	Number	Number	Rate	Number	Number
Gaston.....	60	20.6	51	19.6	26	25	9	28.9	3	6
Gates.....	6	29.6					6	42.6	4	2
Graham.....	4	24.7	4	25.5	1	3				
Granville.....	29	35.7	8	24.8	3	5	21	42.9	11	10
Greene.....	20	35.2	3	13.1	2	1	17	50.1	10	7
Guilford.....	91	17.5	46	11.5	24	22	45	37.7	25	20
Halifax.....	50	27.6	10	18.3	7	3	40	31.6	26	14
Harnett.....	24	18.3	11	12.7	6	5	13	29.5	8	5
Haywood.....	15	19.3	14	18.3	7	7	1	76.9	1	
Henderson.....	10	13.7	9	13.4	4	5	1	16.4		1
Hertford.....	10	16.7	1	6.2		1	9	20.6	3	6
Hoke.....	23	45.7	3	17.4	3		20	60.4	10	10
Hyde.....	5	32.7	1	15.4		1	4	45.5	3	1
Iredell.....	30	20.1	19	16.7	10	9	11	30.6	5	6
Jackson.....	7	18.1	5	14.8	5		2	40.8		2
Johns'on.....	42	24.6	24	19.8	15	9	18	36.7	7	11
Jones.....	6	16.9	2	13.0		2	4	20.0	2	2
Lee.....	17	21.4	4	7.5	3	1	13	49.4	5	8
Lenoir.....	32	22.3	9	13.0	3	6	23	31.1	14	9
Lincoln.....	14	20.3	10	17.2	5	5	4	37.4	2	2
McDowell.....	2	3.9	2	4.1	1	1				
Macon.....	11	30.7	11	31.3	5	6				
Madison.....	12	28.4	12	28.7	8	4				
Martin.....	18	22.0	6	18.2	2	4	12	24.6	8	4
Mecklenburg.....	137	23.1	66	15.7	40	26	71	41.1	42	29
Mitchell.....	5	15.6	5	15.6	3	2				
Montgomery.....	8	16.3	2	5.8	1	1	6	40.5	3	3
Moore.....	21	19.4	16	21.4	13	3	5	14.8	3	2
Nash.....	51	29.7	13	16.6	8	5	38	40.6	22	16
New Hanover.....	38	23.0	16	15.0	10	6	22	37.7	11	11
Northampton.....	16	19.1	4	21.9	4		12	18.3	7	5
Onslow.....	19	21.6	12	18.5	10	2	7	30.3	4	3
Orange.....	19	21.9	9	16.3	4	5	10	31.8	5	5
Pamlico.....	6	20.8					6	42.9	3	3
Pasquotank.....	15	22.0	4	10.4	1	3	11	37.3	7	4
Pender.....	10	19.7	1	4.8	1		9	29.9	8	1
Perquimans.....	10	42.2	1	9.6		1	9	67.7	4	5
Person.....	28	36.2	12	27.6	7	5	16	47.2	9	7
Pitt.....	53	26.1	17	19.0	12	5	36	31.7	22	14
Polk.....	6	27.5	4	22.6	3	1	2	48.8		2

TABLE 23—Continued

Area	Grand total		White				Other			
			Total		Male	Female	Total		Male	Female
	Number	Rate	Number	Rate	Number	Number	Number	Rate	Number	Number
Randolph.....	22	17.2	11	9.6	10	1	11	82.1	4	7
Richmond.....	31	26.8	12	16.6	8	4	19	43.8	8	11
Robeson.....	77	24.9	9	8.6	6	3	68	33.1	47	21
Rockingham.....	26	15.4	17	13.3	6	11	9	21.8	7	2
Rowan.....	24	14.2	15	10.9	7	8	9	28.0	4	5
Rutherford.....	19	18.4	16	19.0	3	13	3	16.0	1	2
Sampson.....	36	25.3	18	24.3	11	7	18	26.4	12	6
Scotland.....	25	29.6	6	16.4	3	3	19	39.6	11	8
Stanly.....	16	18.0	14	18.4	3	11	2	15.5	1	1
Stokes.....	11	21.3	9	20.3	6	3	2	27.4	1	1
Surry.....	24	19.8	21	18.5	8	13	3	39.5	2	1
Swain.....	3	11.6	1	5.0	-----	1	2	35.7	1	1
Transylvania.....	5	13.4	5	14.4	3	2	-----	-----	-----	-----
Tyrrell.....	3	25.9	2	40.0	1	1	1	15.2	1	-----
Union.....	29	26.3	12	16.0	5	7	17	48.2	12	5
Vance.....	37	36.1	9	19.1	5	4	28	50.6	18	10
Wake.....	97	26.8	39	16.7	16	23	58	45.4	35	23
Warren.....	23	32.3	4	21.1	2	2	19	36.3	11	8
Washington.....	13	31.4	3	15.2	1	2	10	46.3	5	5
Watauga.....	11	26.6	11	27.2	6	5	-----	-----	-----	-----
Wayne.....	34	19.7	16	17.8	12	4	18	21.6	9	9
Wilkes.....	20	18.3	17	16.4	7	10	3	50.8	1	2
Wilson.....	40	24.5	9	11.3	3	6	31	37.0	20	11
Yadkin.....	7	14.6	6	13.4	4	2	1	32.3	1	-----
Yancey.....	2	6.1	2	6.2	1	1	-----	-----	-----	-----


TABLE 24.—RESIDENT STILLBIRTHS BY COLOR AND SEX WITH RATES PER 1,000 LIVE BIRTHS: EACH INCORPORATED PLACE HAVING A POPULATION OF 10,000 OR MORE, 1952

Area	Grand total		White				Other			
			Total		Male	Female	Total		Male	Female
	Number	Rate	Number	Rate	Number	Number	Number	Rate	Number	Number
Total.....	657	23.4	297	15.4	168	129	360	40.9	216	144
Albemarle.....	3	11.5	3	13.2	1	2				
Asheville.....	37	29.7	23	24.1	14	9	14	48.1	5	9
Burlington.....	10	14.4	6	10.0	4	2	4	42.1	2	2
Charlotte.....	106	25.6	49	17.5	30	19	57	42.8	36	21
Concord.....	12	26.5	9	25.4	4	5	3	30.6	2	1
Durham.....	47	28.6	14	15.2	9	5	33	45.7	22	11
Elizabeth City...	10	23.4	4	13.9	1	3	6	42.6	4	2
Fayetteville.....	47	24.5	30	21.9	19	11	17	30.9	10	7
Gastonia.....	18	19.2	15	17.4	8	7	3	40.0	1	2
Goldsboro.....	9	14.0	3	8.9	3		6	19.7	4	2
Greensboro.....	41	17.1	16	8.9	7	9	25	41.1	13	12
Greenville.....	6	12.6	3	11.3	2	1	3	14.2	2	1
Henderson.....	18	41.1	7	28.6	4	3	11	57.0	6	5
Hickory.....	13	26.3	9	22.4	5	4	4	42.6	1	3
High Point.....	25	23.4	11	13.8	5	6	14	52.0	11	3
Kinston.....	12	19.7	3	9.2	1	2	9	31.8	8	1
Lexington.....	15	33.6	5	14.0	2	3	10	109.9	9	1
Monroe.....	9	37.8	1	5.8	1		8	123.1	5	3
New Bern.....	11	20.8	1	3.1		1	10	48.1	5	5
Raleigh.....	38	25.7	22	21.5	10	12	16	35.2	8	8
Reidsville.....	5	16.2	3	14.6	1	2	2	19.2	1	1
Rocky Mount.....	17	23.2	3	6.5	3		14	51.9	7	7
Salisbury.....	7	15.3	4	11.7	1	3	3	25.6	1	2
Sanford.....	10	28.5	3	12.2	2	1	7	66.0	3	4
Shelby.....	9	21.1	5	15.8	3	2	4	36.4	3	1
Statesville.....	11	24.8	5	14.4	3	2	6	63.2	3	3
Thomasville.....	4	14.1	1	4.5	1		3	46.9	3	
Wilmington.....	29	23.9	10	13.9	6	4	19	38.8	10	9
Wilson.....	18	25.4	4	10.8	2	2	14	41.3	8	6
Winston-Salem...	60	23.1	25	15.5	16	9	35	35.4	23	12

TABLE 25.—RESIDENT STILLBIRTHS BY AGE OF MOTHER, COLOR, AND ATTENDANT WITH PERCENTAGE DISTRIBUTION: NORTH CAROLINA, 1952

Age of mother in years	Grand total	White								Other							
		Total	Attended by:						Total	Attended by:							
			Physician		Midwife		Other			Physician		Midwife		Other			
			No.	%	No.	%	No.	%		No.	%	No.	%	No.	%		
			No.	%	No.	%	No.	%		No.	%	No.	%	No.	%		
All ages	2, 499	1, 168	1, 156	99.0	8	0.7	4	0.3	1, 331	1, 092	82.0	224	16.8	15	1.1		
12	1								1	1	100.0						
13	1								1			1	100.0				
14	4								4	4	100.0						
15	32	11	11	100.0					21	15	71.4	6	28.6				
16	51	18	18	100.0					33	26	78.8	6	18.2	1	3.0		
17	84	33	31	93.9			2	6.1	51	39	76.5	11	21.6	1	2.0		
18	112	51	50	98.0	1	2.0			61	45	73.8	14	23.0	2	3.3		
19	108	59	59	100.0					49	33	67.3	16	32.7				
20	119	53	53	100.0					66	57	86.4	9	13.6				
21	106	59	59	100.0					47	41	87.2	5	10.6	1	2.1		
22	126	66	66	100.0					60	52	86.7	8	13.3				
23	138	70	69	98.6	1	1.4			68	55	80.9	13	19.1				
24	124	62	62	100.0					62	49	79.0	12	19.4	1	1.6		
25	107	56	56	100.0					51	40	78.4	9	17.6	2	3.9		
26	109	53	53	100.0					56	47	83.9	9	16.1				
27	114	48	47	97.9	1	2.1			66	56	84.8	10	15.2				
28	113	53	53	100.0					60	49	81.7	11	18.3				
29	111	60	60	100.0					51	37	72.5	13	25.5	1	2.0		
30	121	52	52	100.0					69	58	84.1	9	13.0	2	2.9		
31	71	35	35	100.0					36	29	80.6	7	19.4				
32	98	45	45	100.0					53	49	92.5	4	7.5				
33	73	34	34	100.0					39	33	84.6	5	12.8	1	2.6		
34	85	40	40	100.0					45	42	93.3	3	6.7				
35	82	34	34	100.0					48	42	87.5	5	10.4	1	2.1		
36	79	30	30	100.0					49	39	79.6	9	18.4	1	2.0		
37	57	31	29	93.5	2	6.5			26	23	88.5	3	11.5				
38	70	26	24	92.3	2	7.7			44	32	72.7	12	27.3				
39	54	23	23	100.0					31	26	83.9	5	16.1				
40	40	19	19	100.0					21	20	95.2	1	4.8				
41	26	10	10	100.0					16	13	81.3	2	12.5	1	6.3		
42	22	8	7	87.5	1	12.5			14	14	100.0						
43	10	4	4	100.0					6	5	83.3	1	16.7				
44	7	5	5	100.0					2	2	100.0						
45	9	3	3	100.0					6	6	100.0						
46	1	1	1	100.0													
47	1	1	1	100.0													
48	1								1	1	100.0						
Not stated	32	15	13	86.7			2	13.3	17	12	70.6	5	29.4				

UNIVERSITY OF N.C. AT CHAPEL HILL



00015568930

This **BOOK** may be kept out **TWO WEEKS ONLY**, and is subject to a fine of **FIVE CENTS** a day thereafter. It is **DUE** on the **DAY** indicated below:

~~APR 10 '62~~

~~DEC 18 '64~~

